

IMPERIAL AGRICULTURAL BUREAUX

INSTITUTE OF ENTOMOLOGY

PARASITE SERVICE

A CATALOGUE
OF
THE PARASITES AND PREDATORS OF INSECT PESTS

PREPARED UNDER THE DIRECTION OF

W. R. THOMPSON, F. R. S.

BY THE STAFF OF THE IMPERIAL PARASITE SERVICE

SECTION 1

PARASITE HOST CATALOGUE

PART 6

PARASITES OF THE LEPIDOPTERA,

(CI-F)

BELLEVILLE, ONT., CANADA
THE IMPERIAL PARASITE SERVICE

1945

LEPIDOPTERA

(continued)

(N.B. Where the original paper has been consulted, the author's name is given in the list of references.)

Cicinnus melsheimeri Harr. (Mimallonid)

Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Chrysotachina alcedo Lw. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Cidaria bifasciata Haw. (Geometrid)

Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Platylabus rubellus Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Cidaria corylata Thnbg. - See Hydriomena

Cidaria dilutata Schiff. - See Oporinia

Cidaria fulvata Först. - See Hydriomena

Cidaria galiata Schiff. (Geometrid)

Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cidaria lugdunnaria H.-S. (Geometrid)

Microbracon guttator Panz. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Pimpla calobata Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Cidaria rivata Hb. (Geometrid)

Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Rogas circumscriptus Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Cidaria rubidata F. (Geometrid)

Apanteles pallidipes Reinh. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Platylabus albinus Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Rogas circumscriptus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Cidaria truncata Hufn. - See Hydriomena

Cidaria variata cembrae Kitt. (Geometrid)

Anilastus boops Thoms. (Hym. Ichneumonid) - Germany (A, xxv, 58).

Gelis nigritus Först. (Hym. Ichneumonid) - Germany (A, xxv, 58).

Hemiteles sp. (Hym. Ichneumonid) - Germany (A, xxv, 58).

Litomastix sp. (Hym. Encyrtid) - Germany (A, xxv, 58).

Meteorus scutellator unicolor Wesm. (Hym. Braconid) - Germany (A, xxv, 58).

Cilix glaucata Scop. (Drepanid)

Rogas testaceus Spin. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France, Germany, Italy (Chu & Hsia, A, xxv, 508).

Cingilia catenaria Dru. (Geometrid)

Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Apanteles cingiliae Mues. (Hym. Braconid) - U.S.A. (A, xix, 578; Schaffner & Griswold, xxii, 688).

Apanteles nemoriae Ashm. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Casinarina sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Ceromasia rutila Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Chaetophlepsis orbitalis Web. (Dipt. Tachinid) - U.S.A. (A, xix, 312; Schaffner & Griswold, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Erycia fatua Mg. (Dipt. Tachinid) - Canada (A, xiii, 497).

Hyposoter sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Lydella sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Madremyia saundersii Will. (Dipt. Tachinid) - Canada (A, xiii, 497):

U.S.A. (A, xvii, 82; Schaffner & Griswold, xxii, 688).

Meteorus cingiliae Mues. (Hym. Braconid) - U.S.A. (A, xv, 185; Schaffner & Griswold, xxii, 688).

Meteorus datanae Mues. (Hym. Braconid) - U.S.A. (A, xvii, 82).

Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Canada (A, xiii, 497): U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Chu & Hsia, xxv, 508): U.S.A. (A, xvii, 82; Schaffner & Griswold, xxii, 688): ? (Schedl, A, xix, 725).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia (?) sinuata Reinh. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214; Sellers, xix, 65; Schaffner & Griswold, xxii, 688).

Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; Schaffner & Griswold, xxii, 688).

Cirphis sp. (Phalaenid)

Actia nigrītula Mall. (Dipt. Tachinid) - Australia (Records from British Museum).

Apanteles marginiventris Cress. (Hym. Braconid) - U.S.A. (A, iii, 683).
Apanteles militaris Walsh (Hym. Braconid) - U.S.A. (A, iii, 683).
Apanteles rufocoxalis Riley (Hym. Braconid) - U.S.A. (A, iii, 683).
Archytas analis F. (Dipt. Tachinid) - U.S.A. (A, iii, 683).
Archytas cirphis Curran (Dipt. Tachinid) - Mexico (A, xvi, 108).
Archytas piliventris Wulp (Dipt. Tachinid) - U.S.A. (A, iii, 683).
Cuphocera varia F. (Dipt. Tachinid) - India (Records from British Museum).
Enicospilus purgatus Say (Hym. Ichneumonid) - U.S.A. (A, iii, 683).
Euplectrus platyhypenae How. (Hym. Eulophid) - Trinidad (Myers, A, xix, 538; Myers, xx, 512): U.S.A. (A, iii, 683).
Exorista civiloides Bar. (Dipt. Tachinid) - India (Records from British Museum).
Horismenus urichi Crwf. (Hym. Eulophid) - Mexico (A, i, 183).
Meteorus sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (A, iii, 683).
Peletieria robusta Wd. (Dipt. Tachinid) - U.S.A. (A, iii, 683).
Rogas atricornis Cress. (Hym. Braconid) - U.S.A. (A, iii, 683).
Sturmia inconspicuoides Bar. (Dipt. Tachinid) - India (Records from British Museum).

Cirphis albistigma Moore (Phalaenid)

Meteorus sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48).
Xanthopimpla sp. (Hym. Ichneumonid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Cirphis cholica Dyar (Phalaenid)

Acroglossa hesperidarum Will. (Dipt. Tachinid) - Mexico (A, xiv, 540).
Apanteles militaris Walsh (Hym. Braconid) - Mexico (A, xiv, 540).
Archytas cirphis Curran (Dipt. Tachinid) - Mexico (A, xiv, 540).

Cirphis humidicola Guen. (Phalaenid)

Euplectrus platyhypenae How. (Hym. Eulophid) - W. Indies (A, v, 163).

Cirphis juncicola Guen. - See Leucania

Cirphis latiuscula H.-S. - See Leucania

Cirphis loreyi Dup. (Phalaenid)

Actia nigritula Mall. (Dipt. Tachinid) - Australia (A, xxv, 315).
Apanteles sp. (Hym. Braconid) - Philippines (A, xx, 214).
Apanteles flavipes Cam. (Hym. Braconid) - Formosa (A, xx, 606).
Apanteles ruficrus Hal. (Hym. Braconid) - Italian Somaliland (A, xxi, 135, 643; xxi, 12): Sudan (A, xvii, 506; xxi, 135).
Chelonus formosanus Sonan (Hym. Braconid) - Formosa (A, xx, 435).
Compsilura concinnata sumatrensis Tns. (Dipt. Tachinid) - Australia (A, xxv, 315).
Cuphocera pilosa Mall. (Dipt. Tachinid) - Australia (A, xxv, 315).
Cuphocera varia F. (Dipt. Tachinid) - Australia (A, xxv, 315).
Enicospilus skeltoni Kirby (Hym. Ichneumonid) - Australia (A, xiv, 49).
Linnaemyia angulicornis Speiser (Dipt. Tachinid) - S. Rhodesia (A, xxii, 555).
Sturmia inconspicua Mg. (Dipt. Tachinid) - Fiji (A, viii, 25).

Sturmia inconspicuoides Bar. (Dipt. Tachinid) - Australia (A, xxv, 315).
Sturmia laxa Curran (Dipt. Tachinid) - S. Rhodesia (A, xxiii, 690).
Tritaxys heterocera Macq. (Dipt. Tachinid) - Australia (A, xxv, 315).

Cirphis microgonia Hmps. (Phalaenid)

Peletieria robusta Wd. (Dipt. Tachinid) - Barbados (A, viii, 471; ix, 456).

Cirphis multilinea Walk. - See Leucania

Cirphis phragmatidicola Guen. - See Leucania

Cirphis unipuncta Haw. (Phalaenid)

Achaetoneura aletiae Riley (Dipt. Tachinid) - U.S.A. (A, x, 190; Poos, xvii, 88).

Achaetoneura archippivora Will. (Dipt. Tachinid) - Hawaii (A, xii, 59).

Actia nigritula Mall. (Dipt. Tachinid) - Australia (A, xxv, 315).

Amblyteles brevipennis Cress. (Hym. Ichneumonid) - U.S.A. (Vickery, A, xiii, 622).

Apanteles sp. (Hym. Braconid) - Fiji (A, viii, 25); Canada (A, iii, 368, 552); U.S.A. (A, xv, 402; Schaffner & Griswold, xxii, 688); Australia (A, vi, 387).

Apanteles belliger Wlkn. (Hym. Braconid) - Mauritius (A, xvii, 506; xxi, 135).

Apanteles flaviconchae Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Apanteles forbesi Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Apanteles laeviceps Ashm. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Apanteles limenitidis Riley (Hym. Braconid) - Canada (Treherne, A, iv, 527).

Apanteles marginiventris Cress. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; Vickery, xiii, 622; Vickery, xiv, 473).

Apanteles militaris Walsh (Hym. Braconid) - Argentina (A, xxv, 378); Canada (A, iii, 552; Treherne, iv, 527); U.S.A. (A, iv, 98, 387; v, 88; Muesebeck, ix, 169; x, 190; Poos, xvii, 88; Schaffner & Griswold, xxii, 688).

Apanteles ruficrus Hal. (Hym. Braconid) - China (A, xxiv, 244); Australia (A, x, 100).

Apanteles rufocoxalis Riley (Hym. Braconid) - N. America (Muesebeck, A, ix, 169); U.S.A. (A, v, 77; Vickery, xiii, 622).

Archytas analis F. (Dipt. Tachinid) - U.S.A. (A, iii, 458; v, 404; Vickery, xiii, 622; xiv, 281; Vickery, 473; Poos, xvii, 88).

Archytas piliventris Wulp (Dipt. Tachinid) - U.S.A. (Vickery, A, xiii, 622).

Belvosia unifasciata R.-D. (Dipt. Tachinid) - Canada (Treherne, A, iv, 527); U.S.A. (A, iii, 458; v, 77; xiv, 64; Schaffner & Griswold, xxii, 688).

Brachymeria euploeae Westw. (Hym. Chalcid) - Siam (A, xxii, 124).

Carcelia kockiana Tns. (Dipt. Tachinid) - Siam (A, xxii, 124).

Chaetogaedia monticola Big. (Dipt. Tachinid) - Hawaii (A, xii, 59).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xiv, 257; Schaffner & Griswold, xxii, 688).

Compsilura concinnata sumatrensis Tns. (Dipt. Tachinid) - Australia (A, xxv, 315).

- Cuphocera pilosa Mall. (Dipt. Tachinid) - Australia (A, xxv, 315).
Cuphocera varia F. (Dipt. Tachinid) - Australia (A, xxv, 315).
Enicospilus sp. (Hym. Ichneumonid) - Australia (A, xxii, 170).
Enicospilus purgatus Say (Hym. Ichneumonid) - Canada (Treherne, A, iv, 527): U.S.A. (Vickery, A, xiii, 622).
Enicospilus skeltoni Kirby (Hym. Ichneumonid) - Australia (A, xiv, 49).
Euplectrus platyhyphenae How. (Hym. Eulophid) - Hawaii (A, xiv, 179): Mexico-Hawaii (A, xii, 412): U.S.A. (Vickery, A, xiii, 622).
Eupteromalus sp. (Hym. Pteromalid) - Canada (A, iii, 552).
Eurytoma striatifacies Gir. (Hym. Eurytomid) - Australia (A, xiv, 128).
Exephanes leucaniae Tryon (Hym. Ichneumonid) - Australia (A, x, 100).
Exorista civiloides Bar. (Dipt. Tachinid) - Siam (A, xxii, 124).
Gaediogonia jacobsoni Tns. (Dipt. Tachinid) - Siam (A, xxii, 124).
Hyposoter exiguae Vier. (Hym. Ichneumonid) - Hawaii (A, xvi, 108).
Ichneumon brevipennis Cress. (Hym. Ichneumonid) - U.S.A. (Vickery, A, xiv, 473).
Ichneumon jucundus Br. (Hym. Ichneumonid) - Canada (A, iii, 552; Treherne, iv, 527).
Ichneumon koebele Sw. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Ichneumon laetus Brulle (Hym. Ichneumonid) - Canada (A, iii, 368, 552; Treherne, iv, 527): U.S.A. (A, iv, 69; v, 77).
Ichneumon leucaniae Fitch (Hym. Ichneumonid) - Canada (A, iii, 368; Treherne, iv, 527).
Linnaemyia nigripalpus Tryon (Dipt. Tachinid) - Australia (A, x, 100).
Lissopimpla semipunctata Kirby (Hym. Ichneumonid) - New Zealand (A, viii, 62; Gourlay, xviii, 653).
Melanichneumon leucaniae Uch. (Hym. Ichneumonid) - Japan (A, xiii, 140).
Mesochorus vitreus Walsh (Hym. Ichneumonid) - Canada (A, iii, 552).
Mesostenus albopictus Smith (Hym. Ichneumonid) - New Zealand (A, viii, 62; Gourlay, xviii, 653).
Meteorus autographae Mues. (Hym. Braconid) - U.S.A. (A, xi, 447).
Meteorus communis Cress. (Hym. Braconid) - Canada (A, iii, 553; Treherne, iv, 527): U.S.A. (A, v, 77; Muesebeck, xi, 447; Schaffner & Griswold, xxii, 688).
Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (Vickery, A, xiii, 622).
Microplitis melianae Vier. (Hym. Braconid) - N. America (Muesebeck, A, x, 551).
Microplitis varicolor Vier. (Hym. Braconid) - N. America (Muesebeck, A, x, 551): U.S.A. (Vickery, A, xiii, 622).
Nemorilla anomala Vill. (Dipt. Tachinid) - Siam (A, xxii, 124).
Paniscus sp. (Hym. Ichneumonid) - Australia (A, x, 100).
Paniscus geminatus Say (Hym. Ichneumonid) - Canada (A, iii, 368, 552; Treherne, iv, 527).
Paniscus productus Brulle (Hym. Ichneumonid) - Australia (Gourlay, A, xviii, 653): New Zealand (A, viii, 62).
Peletieria robusta Wd. (Dipt. Tachinid) - U.S.A. (Vickery, A, xiii, 622).
Phorocera claripennis Macq. (Dipt. Tachinid) - Canada (Tothill, A, i, 114; iii, 368, 552; Treherne, iv, 527): U.S.A. (A, iii, 458; Schaffner & Griswold, xxii, 688).
Phorocera leucaniae Coq. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Canada (A, iii, 368; Treherne, iv, 527): U.S.A. (Schaffner & Griswold, A, xxii, 688).

- Pimpla pedalis Cress. (Hym. Ichneumonid) - Canada (A, iii, 368; Treherne, iv, 527): N. America (Cushman, A, ix, 169): ? (Schedl, A, xix, 725).
Plagiomima spinosula Big. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Prosopaea paradoxa B.B. (Dipt. Tachinid) - Siam (A, xxii, 124).
Rogas atricornis Cress. (Hym. Braconid) - U.S.A. (Vickery, A, xiii, 622; Vickery, xiv, 473).
Rogas terminalis Cress. (Hym. Braconid) - U.S.A. (A, iv, 448).
Sturmia albifrons Walk. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).
Sturmia inconspicua Mg. (Dipt. Tachinid) - Fiji (A, viii, 25).
Sturmia inconspicuoides Bar. (Dipt. Tachinid) - Australia (A, xxv, 315).
Telenomus sp. (Hym. Scelionid) - U.S.A. (A, iv, 391; xiii, 257).
Theronia rufipes Tryon (Hym. Ichneumonid) - Australia (A, x, 100).
Tritaxys heterocera Macq. (Dipt. Tachinid) - Australia (A, xxv, 315).
Wagneria carbonaria Panz. (Dipt. Tachinid) - U.S.A. (A, iii, 423).
Wagneria sequax Will. (Dipt. Tachinid) - Canada (A, iii, 368, 552; Treherne, iv, 527).
Winthemia quadripustulata F. (Dipt. Tachinid) - Canada (A, iii, 368, 552; Treherne, iv, 527): N. America (A, xvi, 162): U.S.A. (A, iii, 458; v, 72, 77; ix, 484; x, 190; xiv, 257; xv, 402; Poos, xvii, 88).
Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Cirphis zeae Dup. (Phalaenid)

- Microbracon brevicornis Wesm. (Hym. Braconid) - U.S.A. (Genieys, A, xiii, 462).

Citheronia regalis F. (Citheroniid)

- Belvosia bifasciata F. (Dipt. Tachinid) - U.S.A. (Aldrich, A, xvi, 599).
Sarcophaga lambens Wd. (Dipt. Sarcophagid) - U.S.A. (Aldrich, A, xvi, 82).

Citripestis sagittiferella Moore (Phycitid)

- Atherigona excisa Thoms. (Dipt. Anthomyiid) - Malaya (Corbett & Miller, A, xxi, 676).

? Chelonus sp. (Hym. Braconid) - Malaya (A, xix, 742).

Clania - See Cryptothelea

Clepsis costana F. (Tortricid)

- Angitia fenestralis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Glypta monocerus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Hybophanes scabriculus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Macrocentrus abdominalis F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Pimpla turionellae L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Clepsis rusticana Tr. (Tortricid)

- Eulimneria albida Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Eulimneria geniculata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Glypta fronticornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla alternans Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla nucum Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Clisiocampa americana F. - See Malacosoma

Clysia ambigueilla Hb. (Phaloniid)

Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, i, 523; v, 339; xii, 375): Germany (A, viii, 353).
Angitia sp. (Hym. Ichneumonid) - France (A, xii, 375).
Angitia areolaris Hlgr. (Hym. Ichneumonid) - Russia (A, iii, 209).
Angitia exareolata Ratz. (Hym. Ichneumonid) - Russia (A, iii, 209).
Angitia fenestralis Hlgr. (Hym. Ichneumonid) - Russia (A, iii, 209; Meier, xiii, 543).
Angitia melania Thoms. (Hym. Ichneumonid) - Russia (A, iii, 209).
Angitia rufipes Grav. (Hym. Ichneumonid) - Germany (Habermehl, A, xi, 365).
Angitia vestigialis Ratz. (Hym. Ichneumonid) - Russia (A, iii, 209).
Ascogaster quadridentata Wesm. (Hym. Braconid) - Austria, Germany (A, viii, 353).
Bessa selecta Mg. (Dipt. Tachinid) - Germany (A, v, 97; x, 144).
Brachymeria pusilla Rossi (Hym. Chalcid) - Spain (A, vii, 113).
Caenacis parviclava Thoms. (Hym. Pteromalid) - France (A, ii, 607): Russia (A, iii, 209).
Campoplex sp. (Hym. Ichneumonid) - France (A, i, 523).
Campoplex abbreviatus Brischke (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Campoplex difformis Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xii, 375): Germany (A, viii, 353): Russia (A, iii, 209).
Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Cinxaelotus erythrogaster Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Dibrachys cavus Walk. (Hym. Pteromalid) - Germany (A, viii, 353).
Dicaelotus pusillator Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Elasmus flabellatus Fonsc. (Hym. Elasmid) - Spain (A, vi, 113).
Eulimneria alkae E. & S. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xvi, 653): Germany (A, viii, 353): France, Germany, Italy, Spain, Sweden, C. Europe, Ceylon, China, India, Japan, America (Chu & Hsia, A, xxv, 508).
Eulophus polydrosis Marchal (Hym. Eulophid) - Russia (A, iii, 209).
Eurytoma rosae Nees (Hym. Eurytomid) - Austria, Germany (A, viii, 353).
Exochus notatus Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Exochus tibialis Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
Gambrus inferus Thoms. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).

- Gelis botrana (Hym. Ichneumonid) - Russia (A, iii, 209).
- Habrocryptus alternator Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xii, 375): Germany (A, viii, 353).
- Habrocytus acutigena Thoms. (Hym. Pteromalid) - Austria, Germany (A, viii, 353): ? (Thorpe, A, xix, 29).
- Hemiteles areator Panz. (Hym. Ichneumonid) - Austria (A, viii, 353): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): France (A, xii, 375): Germany (A, viii, 353): Russia (A, iii, 209).
- Hemiteles clausus Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
- Hemiteles dubius Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Russia (Meier, A, xvi, 200).
- Hemiteles hemipterus F. (Hym. Ichneumonid) - France, Germany (A, viii, 353).
- Hemiteles nigriventris Thoms. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Hemiteles pulchellus Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Hemiteles taschenbergi Schmied. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Ichneumon deceptor Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Lissonota carbonaria Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353): Russia (Meier, A, xvi, 200).
- Mesochorus semirufus Hlgr. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Microcryptus nigrocinctus Grav. (Hym. Ichneumonid) - Russia (A, iii, 209).
- Microplitis tuberculifer Wesm. (Hym. Braconid) - Austria, Germany (A, viii, 353).
- Monodontomerus aereus Walk. (Hym. Torymid) - France (A, v, 339).
- Phygadeuon sp. (Hym. Ichneumonid) - France (A, i, 523).
- Phygadeuon eudeminis (Hym. Ichneumonid) - Russia (A, iii, 209).
- Phygadeuon varicornis Thoms. (Hym. Ichneumonid) - France (A, xii, 375): Russia (A, iii, 209).
- Phytomyptera nitidiventris Rond. (Dipt. Tachinid) - France (A, xii, 375).
- Pimpla alternans Grav. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, v, 339; xii, 375): Germany (A, viii, 353): Russia (A, iii, 209).
- Pimpla calobata Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Pimpla examiner F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Austria, Germany (A, viii, 353): ? (Jackson, A, xxv, 767).
- Pimpla maculator F. (Hym. Ichneumonid) - France (A, xii, 375).
- Pimpla sagax Htg. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Pimpla strigipleuris Thoms. (Hym. Ichneumonid) - Austria (A, viii, 353): France (A, xii, 375): Germany (A, viii, 353): Russia (A, iii, 209).
- Pimpla terebrans Ratz. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Pimpla turionellae L. (Hym. Ichneumonid) - Austria (A, viii, 353): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): France (A, xii, 375): Germany (A, viii, 353): Russia (A, iii, 209).

- Platylabus dimidiatus Grav. (Hym. Ichneumonid) - Austria, Germany (A, viii, 353).
- Pteromalus vitis Beffa (Hym. Pteromalid) - France (A, ii, 607): Russia (A, iii, 209).
- Rogas tristis Wesm. (Hym. Braconid) - Austria, Germany (A, viii, 353).
- Spilocryptus abbreviator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
- Stylocryptus minutulus Thoms. (Hym. Ichneumonid) - Russia (A, iii, 209).
- Trichogramma evanescens Westw. (Hym. Trichogrammid) - France (A, i, 523; ii, 607; v, 339; Tragardh, xii, 98): Germany (A, xiii, 587): Italy (Tragardh, A, xii, 98): Russia (A, iii, 209; Tragardh, xii, 98): Spain (A, vi, 113).

Cnaphalocrocis medinalis Guen. (Pyraustid)

- Apanteles angustibasis Gahan (Hym. Braconid) - Malaya (A, xxii, 487): Philippines (A, xiii, 432; xvii, 155).
- Bactromyia fransseni Bar. (Dipt. Tachinid) - Java (A, xxii, 555): Malaya (Records from British Museum).
- Brachymeria excarinata Gahan (Hym. Chalcid) - Philippines (A, xiii, 432).
- Cardiochiles sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).
- Elasmus corbetti Ferr. (Hym. Elasmid) - Malaya (A, xix, 28; Corbett & Miller, xxi, 676).
- Macrocentrus sp. (Hym. Braconid) - Malaya (Corbett & Miller, A, xxi, 676).
- Trichomma cnaphalocrocis Uch. (Hym. Ichneumonid) - Formosa (Uchida, A, xvi, 692): America, Formosa, Japan (Chu & Hsia, A, xxv, 508).
- Trichospilus pupivora Ferr. (Hym. Eulophid) - India (A, xxii, 262).
- Xanthopimpla immaculata Morl. (Hym. Ichneumonid) - India (A, viii, 99).

Cnephasia sp. (Tortricid)

- Angitia fenestralis Hlgr. (Hym. Ichneumonid) - France (Seyrig, A, xv, 104).

Cnephasia bellana Curt. (Tortricid)

- Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).
- Theronia atalantae Poda (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Cnephasia chrysanthæana Dup. (Tortricid)

- Angitia sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
- Microbracon peroculatus Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
- Microbracon stabilis Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
- Microgaster sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
- Pimpla brevicornis Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Cnephasia longana Haw. (Tortricid)

- Angitia eureka Ashm. (Hym. Ichneumonid) - U.S.A. (A, xxv, 242).

Glypta sp. (Hym. Ichneumonid) - U.S.A. (A, xxv, 242).

Microbracon gelechia Ashm. (Hym. Braconid) - U.S.A. (A, xxv, 242).

Microbracon hyslopi Vier. (Hym. Braconid) - U.S.A. (A, xxv, 242).

Phytodietus burgessi Cress. (Hym. Ichneumonid) - U.S.A. (A, xxv, 242).

Cnephasia virgaureana Tr. (Tortricid)

Angitia rufipes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Cnephasia wahlbomiana auct. (Tortricid)

Angitia fenestralis Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Angitia rufipes Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Campoplex difformis Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Clinocentrus sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Lissonota errabunda Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Microbracon hebtor tortricidarum Goidanich (Hym. Braconid) - Italy (A, xxii, 509).

Microgaster nitidula Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Microgaster tiro Reinh. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Pimpla brevicornis Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Pimpla maculator F. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Cnethocampa - See Thaumetopoea

Cnidocampa flavescens Walk. (Limacodid)

Chaetexorista sp. (Dipt. Tachinid) - Japan (A, xxi, 146).

Chaetexorista javana B. B. (Dipt. Tachinid) - Japan (A, xi, 413; xiii, 224, Bezzi, 605): U.S.A. (A, xx, 218; xxi, 232; xxii, 359).

Chrysis shanghaiensis Smith (Hym. Chrysidid) - China (A, xxi, 439): E. Asia (A, xxiv, 561): U.S.A. (A, viii, 310).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; xxi, 232; Schaffner & Griswold, xxii, 688).

Cryptaulax coreanus Szep. (Hym. Ichneumonid) - Korea (A, xix, 713).

Cryptus sp. (Hym. Ichneumonid) - China (A, xxi, 439).

Eurytoma monemae Ruschka (Hym. Eurytomid) - China (A, xxi, 439).

Psychophagus omnivorus Walk. (Hym. Pteromalid) - U.S.A. (A, xxi, 232; Schaffner & Griswold, xxii, 688).

Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xxi, 232).

Coccyx strobilella L. - See Laspeyresia

COCHLIDIID sp. - See LIMACODID sp.

Cochlidion limacodes Hufn. (Limacodid)

Apanteles glomeratus L. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Meteorus chrysophthalmus Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Pelecystoma lutea Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): Germany (Wagner, A, xix, 127).

Pelecystoma tricolor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Petalodes unicolor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Platylabus variegatus Wesm. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Sphinctus serotinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Cochylis ambiguella Hb. - See ClysiaCocytius antaeus Drury (Sphingid)

Apanteles congregatus Say (Hym. Braconid) - W. Indies (Wolcott, A, xxii, 65).

Codonia linearia Hb. - See CosymbiaCodonia orbicularia Hb. - See CosymbiaCodonia punctaria L. - See CosymbiaCoelostathma discopunctana Clem. (Tortricid)

Bassus annulipes Cress. (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 294).

Coenotephria berberata Schiff. - See HydriomenaCoenotephria sagittata F. - See HydriomenaColeophora sp. (Coleophorid)

Bassus anglica Marsh. (Hym. Braconid) - Britain (A, viii, 429).

Bassus cingulipes Nees (Hym. Braconid) - Britain (A, viii, 429).

Cremastus protractus Cush. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 389).

Eulophus magnisulcatus Gir. (Hym. Eulophid) - U.S.A. (A, v, 37).

Goniozus brevinervis Fouts (Hym. Bethyrid) - U.S.A. (Fouts, A, xvii, 28).

Hemimachus coelebs Ratz. (Hym. Ichneumonid) - Russia (A, xix, 500).

Hemiteles areator Panz. (Hym. Ichneumonid) - France (Riel, Bull. Soc. linn. Lyon, ix, 1930; no.14, pp.98-100).

Hemiteles coleophorae Ashm. (Hym. Ichneumonid) - U.S.A. (Doner, A, xxiv, 663).

Hemiteles columbiana Ashm. (Hym. Ichneumonid) - U.S.A. (Doner, A, xxiv, 663).

Microbracon pygmaeus Prov. (Hym. Braconid) - U.S.A. (Doner, A, xxii, 691; Doner, xxiv, 663).

Zelee atriceps Riley MS (Hym. Braconid) - U.S.A. (Doner, A, xxiv, 663).

Coleophora acrisella Mill. (Coleophorid)

Bassus tibialis Nees (Hym. Braconid) - France (Suire, Bull. Soc. ent. France, 1927, p.46).

Copidosoma coleophorae Mayr (Hym. Encyrtid) - France (Suire, Bull. Soc. ent. France, 1927, p.46).

Eulimneria sp. (Hym. Ichneumonid) - France (Suire, Bull. Soc. ent. France, 1927, p.46).

Habrocytus fasciatus Thoms. (Hym. Pteromalid) - France (Suire, Bull. Soc. ent. France, 1927, p.46).

Coleophora ahenella Hein. (Coleophorid)

Adelius subfasciatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora albiantennella Wild (Coleophorid)

Campoplex antennella Walley (Hym. Ichneumonid) - Canada (Doner, A, xxiv, 663).

Coleophora albicosta Haw. (Coleophorid)

Eulimneria volubilis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora albitarsella Zell. (Coleophorid)

Angitia annulicrus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Angitia tibialis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

? Bassus anglica Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora alcyonipennella Kol. (Coleophorid)

Orgilus obscurator Nees (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora alniella Hein. (Coleophorid)

Bassus cinctus Cress. (Hym. Braconid) - Canada (Doner, A, xxiv, 663).

Microbracon melanaspis Ashm. (Hym. Braconid) - Canada (Doner, A, xxiv, 663).

Coleophora anatipennella Hb. (Coleophorid)

Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Hemiteles bicolorinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Thorpe, A, xix, 29).

Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).

Coleophora ardeaepennella Scott (Coleophorid)

Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla calobata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora artemisicolella Brd. (Coleophorid)

Campoplex sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Coleophora atriplicis Durr. (Coleophorid)

Campoplex borealis Zett. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29).

Coleophora betulella Hein. (Coleophorid)

Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora caespititiella Zell. (Coleophorid)

Gelis instabilis Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Hemiteles sp. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microbracon obscurator Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Microbracon osculator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora caryaefoliella Clem. (Coleophorid)

Pteromalid sp. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv, 663).

Rhyssalus trilineatus Ashm. (Hym. Braconid) - U.S.A. (Doner, A, xxiv, 663).

Coleophora cinerella Cham. (Coleophorid)

Microbracon sp. (Hym. Braconid) - Canada (Doner, A, xxiv, 663).

Pimpla inquisitoriella D.T. (Hym. Ichneumonid) - U.S.A. (Doner, A, xxiv, 663).

Coleophora cispiticella Walsingham (Coleophorid)

Microbracon juncicola Ashm. (Hym. Braconid) - U.S.A. (Doner, A, xxiv, 663).

? Coleophora comptoniella McD. (Coleophorid)

Bassus annulipes Cress. (Hym. Braconid) - Canada (Doner, A, xxiv, 663).

Coleophora congeriella Stgr. (Coleophorid)

Eulimneria sp. (Hym. Ichneumonid) - France (Suire, Bull. Soc. ent. France, 1928, p.139).

Habrocytus fasciatus Thoms. (Hym. Pteromalid) - France (Suire, Bull. Soc. ent. France, 1928, p.139).

Pteromalus variabilis Ratz. (Hym. Pteromalid) - France (Suire, Bull. Soc. ent. France, 1928, pp.138-139).

Coleophora conspicuella Zell. (Coleophorid)

Spinolia maculipennis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora currucipennella Zell. (Coleophorid)

Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla alternans Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora deauratella Zell. (Coleophorid)

Tetrastichus endemus Walk. (Hym. Eulophid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora dianthi H.-S. (Coleophorid)

Bassus varipes Thoms. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Coleophora discordella Zell. (Coleophorid)

Angitia elishae Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Angitia insectator Schr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

† Bassus anglica Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Orgilus obscurator Nees (Hym. Braconid) - Europe (Thorpe, A, xix, 29).

Coleophora fletcherella Fern. (Coleophorid)

Bassus laticinctus Cress. (Hym. Braconid) - Canada (Treherne, A, iv, 527; Doner, xxiv, 663).

Habrocytus sp. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv, 663).

Coleophora frischella L. (Coleophorid)

Gelis palpator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Hemiteles palpator Grav. (Hym. Ichneumonid) - ? (Thorpe, A, xix, 29).

Pimpla brevicornis Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora fuscadinella Zell. (Coleophorid)

Angitia sp. (Hym. Ichneumonid) - Sweden (A, vi, 93).

Apanteles sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Apanteles corvinus Reinh. (Hym. Braconid) - Sweden (A, vi, 93).

Apanteles mesoxanthus Ruschka (Hym. Braconid) - Sweden (A, vi, 93).

Apanteles nanus Reinh. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Apanteles sodalis Hal. (Hym. Braconid) - Sweden (A, vi, 93).

Apanteles xanthostigmus Hal. (Hym. Braconid) - Sweden (A, vi, 93).

Bassus mediator Nees (Hym. Braconid) - Sweden (A, vi, 93).

Bassus varipes Thoms. (Hym. Braconid) - Sweden (A, vi, 93).

Campoplex tumidulus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Chrysocharis elongatus Thoms. (Hym. Eulophid) - Sweden (A, vi, 93).

Cirrospilus pictus Nees (Hym. Eulophid) - Sweden (A, vi, 93).

Dibrachys cavus Walk. (Hym. Pteromalid) - Sweden (A, vi, 93).

Elasmus viridiceps Thoms. (Hym. Elasmid) - Sweden (A, vi, 93).

Gelis instabilis Först. (Hym. Ichneumonid) - Sweden (A, vi, 93).

Gelis palpator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Glypta sp. (Hym. Ichneumonid) - Sweden (A, vi, 93).

Habrocytus radialis Thoms. (Hym. Pteromalid) - Sweden (A, vi, 93).

- Hemiteles sp. (Hym. Ichneumonid) - Sweden (A, vi, 93).
Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles palpator Grav. (Hym. Ichneumonid) - ? (Thorpe, A, xix, 29).
Miotropis sulcicrista Thoms. (Hym. Braconid) - Sweden (A, vi, 93).
Phobocampe sp. (Hym. Ichneumonid) - Sweden (A, vi, 93).
Pimpla maculator F. (Hym. Ichneumonid) - Sweden (A, vi, 93).
Tetrastichus charoba Walk. (Hym. Eulophid) - Sweden (A, vi, 93).

Coleophora genistae Staint. (Coleophorid)

- Angitia annulicrus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Gelis instabilis Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora giraudi Ragonot (Coleophorid)

- Spalangia nigra Latr. (Hym. Pteromalid) - U.S.A. (B, ii, 24).

Coleophora gryphipennella Bché. (Coleophorid)

- Angitia tibialis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ascogaster rufipes Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Bassus rufipes Nees (Hym. Braconid) - Britain (A, viii, 515; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora hemerobiella Scop. (Coleophorid)

- Campoplex borealis Zett. (Hym. Ichneumonid) - France (A, xxv, 2).
Copidosoma coleophorae Mayr (Hym. Encyrtid) - France (A, xxv, 2).
Hemiteles similis Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora ibipennella Zell. (Coleophorid)

- Hemiteles areator Panz. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Coleophora innotabilis Brn. (Coleophorid)

- Hemiteles tenellus Say (Hym. Ichneumonid) - Canada (Doner, A, xxiv, 663).
Microbracon pygmaeus Prov. (Hym. Ichneumonid) - Canada (Doner, A, xxii, 691; Doner, xxiv, 663).

Coleophora joannisella Suiire (Coleophorid)

- Copidosoma coleophorae Mayr (Hym. Encyrtid) - France (Suiire, Bull. Soc. ent. France, 1930, p.29).
Eulimneria sp. (Hym. Ichneumonid) - France (Suiire, Bull. Soc. ent. France, 1930, p.29).
Pteromalus variabilis Ratz. (Hym. Pteromalid) - France (Suiire, Bull. Soc. ent. France, 1930, p.29).

Coleophora laricella Hb. (Coleophorid)

- Angitia laricinellae Strobl (Hym. Ichneumonid) - Austria (A, xxiii, 170).
Angitia nana Grav. (Hym. Ichneumonid) - England (A, xxi, 483): Canada (Baird, A, xxiii, 479; Baird, xxv, 42).
Angitia virginialis Grav. (Hym. Ichneumonid) - ? (A, xxi, 483).

Bassus pumilus Ratz. (Hym. Braconid) - Austria (A, xxiii, 170; Schimitschek, xxiv, 340): England (A, xxi, 483; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Campoplex tumidulus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): ? (Thorpe, A, xxi, 483).

Chalcid sp. (Hym. Chalcid) - Canada (Doner, A, xxiv, 663).

Chrysocharis sp. (Hym. Eulophid) - England (A, xxi, 483).

Chrysocharis laricinellae Ratz. (Hym. Eulophid) - Austria (A, xxiii, 170; Schimitschek, xxiv, 340): England (A, xxi, 483): Canada (Baird, A, xxv, 42): U.S.A. (A, xxii, 356).

Cirrospilus pictus Nees (Hym. Eulophid) - England (A, xxi, 483): Canada (Baird, A, xxv, 42).

Dicladocerus westwoodi Steph. (Hym. Eulophid) - England (A, xxi, 483): Canada (Baird, A, xxv, 42).

Entedon laetus Ratz. (Hym. Eulophid) - ? (A, xxi, 483).

Eulophus metalarius Walk. (Hym. Eulophid) - England (A, xxi, 483).

Eupelmus sp. (Hym. Eupelmid) - England (A, xxi, 483).

Eurydinota laricinellae Ratz. (Hym. Pteromalid) - England (A, xxi, 483).

Gelis laricellae F. (Hym. Ichneumonid) - Austria (Schimitschek, A, xxiv, 340).

Habrocytus sp. (Hym. Pteromalid) - England (A, xxi, 483).

Hemiteles pulchellus Grav. (Hym. Ichneumonid) - ? (A, xxi, 483).

Microbracon guttiger Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): ? (Thorpe, A, xxi, 483).

Pimpla examinator F. (Hym. Ichneumonid) - ? (Thorpe, A, xxi, 483).

Pimpla turionellae L. (Hym. Ichneumonid) - ? (Thorpe, A, xxi, 483).

Pteromalus semiclavatus Ratz. (Hym. Pteromalid) - Austria (Schimitschek, A, xxiv, 340).

? Spilochalcis sp. (Hym. Chalcid) - Canada (Doner, A, xxiv, 663).

Triaspis caudatus Nees (Hym. Braconid) - England (A, xxi, 483).

Coleophora leucochrysella Clem. (Coleophorid)

Bassus coleophorae Rohw. (Hym. Braconid) - U.S.A. (A, iii, 658; Muesebeck, xv, 294; Doner, xxiv, 663).

Microbracon coleophorae Rohw. (Hym. Braconid) - U.S.A. (A, iii, 658).

Microbracon pygmaeus Prov. (Hym. Braconid) - U.S.A. (Doner, A, xxii, 691; Doner, xxiv, 663).

Coleophora limosipennella Dup. (Coleophorid)

Angitia vestigialis Ratz. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Coleophora lineolea Haw. (Coleophorid)

Angitia tibialis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Coleophora malivorella Riley (Coleophorid)

Bassus coleophorae Rohw. (Hym. Braconid) - U.S.A. (A, xx, 469; Doner, xxiv, 663).

Eurydinota lividicarpus Gir. (Hym. Pteromalid) - U.S.A. (A, vii, 401; xxiv, 726).

Habrocytus sp. (Hym. Pteromalid) - U.S.A. (A, xx, 469; Doner, xxiv, 663; xxiv, 726).

- Hemiteles gracilariae Ashm. (Hym. Ichneumonid) - U.S.A. (A, xx, 469; Doner, xxiv, 663).
- Hemiteles tenellus Say (Hym. Ichneumonid) - U.S.A. (A, xx, 469; Doner, xxiv, 663; xxiv, 726).
- Hyposoter annulipes Cress. (Hym. Ichneumonid) - U.S.A. (A, xx, 469; Doner, xxiv, 663).
- Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, xx, 469).
- Macrocentrus instabilis Mues. (Hym. Braconid) - U.S.A. (A, xx, 596; Doner, xxiv, 663).
- Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (A, xx, 469; Doner, xxiv, 663; xxiv, 726).
- Microbracon pygmaeus Prov. (Hym. Braconid) - U.S.A. (A, xx, 469; Doner, xxii, 691; Doner, xxiv, 663; xxiv, 726).
- Monodontomerus sp. (Hym. Torymid) - U.S.A. (A, xx, 469; Doner, xxiv, 663).
- Pachyceras sp. (Hym. Pteromalid) - U.S.A. (A, xx, 469).
- Pachyneuron sp. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv, 663).
- Pteromalid sp. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv, 663).
- Pteromalus sp. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv, 663).
- Rhoptrocentrus sp. (Hym. Braconid) - U.S.A. (Doner, A, xxiv, 663).
- ? Tetrastichus sp. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).
- Tritneptis hemerocampae Gir. (Hym. Pteromalid) - U.S.A. (A, xx, 469; Doner, xxiv, 663).

Coleophora monardella McD. (Coleophorid)

- Braconid sp. (Hym. Braconid) - Canada (Doner, A, xxiv, 663).
- Cremastus sp. (Hym. Ichneumonid) - Canada (Doner, A, xxiv, 663).

Coleophora mongetella Chret. (Coleophorid)

- Pteromalus variabilis Ratz. (Hym. Pteromalid) - France (Suire, Bull. Soc. ent. France, 1927, p.45).

Coleophora murinipennella Dup. (Coleophorid)

- Apanteles fuliginosus Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora nigricella Steph. (Coleophorid)

- Apanteles fuliginosus Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Hemiteles sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
- Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Hemiteles cingulator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- ? Opius rufipes Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Orgilus sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
- Orgilus rugosus Nees (Hym. Braconid) - Russia (Meier, A, xvi, 200).
- Pimpla alternans Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Coleophora niveicostella Zell. (Coleophorid)

Orgilus obscurator Nees (Hym. Braconid) - Europe (Thorpe, A, xix, 29):
Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi,
pp.133-183, 1933).

Coleophora nutantella Muhl. (Coleophorid)

Pimpla punctiventris Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait
Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora ochripennella Zell. (Coleophorid)

Gelis instabilis Först. (Hym. Ichneumonid) - Germany (Schutze & Roman,
A, xix, 239).

Coleophora olivacella Staint. (Coleophorid)

Angitia sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Campoplex sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix,
239).

Coleophora onosmella Brahm (Coleophorid)

Bassus mediator Nees (Hym. Braconid) - France (Suire, Bull. Soc. ent.
France, 1928, p.140).
Campoplex ensator Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix,
29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi,
pp.133-183, 1933).

Coleophora pruinella Clem. (Coleophorid)

Amblyteles comes Cress. (Hym. Ichneumonid) - Canada (A, xv, 528; Doner,
xxiv, 663).
Amblyteles funestus Cress. (Hym. Ichneumonid) - Canada (A, xv, 528;
Doner, xxiv, 663).
Amblyteles subrufus Cress. (Hym. Ichneumonid) - Canada (A, xv, 528;
Doner, xxiv, 663).
Angitia sp. (Hym. Ichneumonid) - U.S.A. (Doner, A, xxiv, 663).
Bassus cinctus Cress. (Hym. Braconid) - U.S.A. (Doner, A, xxiv, 663).
Callinome sp. (Hym. Torymid) - Canada (Doner, A, xxiv, 663).
Catolaccus aeneoviridis Gir. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv,
663).
Chrysocharis ainsliei Crwf. (Hym. Eulophid) - U.S.A. (A, xxiii, 151;
xxiv, 663).
Cirrospilus sp. (Hym. Eulophid) - U.S.A. (A, xxiv, 663).
Cirrospilus cinctithorax Gir. (Hym. Eulophid) - U.S.A. (A, xxiv, 663).
Cirrospilus flavicinctus Riley (Hym. Eulophid) - U.S.A. (A, xxiii, 151;
xxiv, 663).
Dorostenus sp. (Hym. Eulophid) - U.S.A. (A, xxiii, 151; xxiv, 663).
Diplolepis sp. (Hym. Cynipid) - Canada (Doner, A, xxiv, 663).
Ecphoropsis sp. (Hym. Ichneumonid) - Canada (Doner, A, xxiv, 663).
Elachertus sp. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).
Elasmus setosiscutellatus Crwf. (Hym. Elasmid) - U.S.A. (Doner, A, xxiv,
663).
Euderus cushmani Crwf. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv,
663).
Eulophus sp. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).
Eupelmella vesicularis Retz. (Hym. Eupelmid) - U.S.A. (Doner, A, xxiv,
663).

- Eupteromalus sp. (Hym. Pteromalid) - Canada (Doner, A, xxiv, 663).
Eurydinota lividicorpus Gir. (Hym. Pteromalid) - Canada (A, xv, 528; Doner, xxiv, 663): U.S.A. (A, xxi, 515; xxiii, 151; xxiv, 663).
Eurytoma appendigaster Swed. (Hym. Eurytomid) - U.S.A. (Doner, A, xxiv, 663).
Habrocytus sp. (Hym. Pteromalid) - Canada (Doner, A, xxiv, 663): U.S.A. (A, xxiv, 663).
Habrocytus phycidis Ashm. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv, 663).
Habrocytus thyridopterigis How. (Hym. Pteromalid) - U.S.A. (A, xxiv, 663).
Hemiteles sp. (Hym. Ichneumonid) - U.S.A. (Doner, A, xxiv, 663).
Hemiteles tenellus Say (Hym. Ichneumonid) - Canada (A, xv, 528; Doner, xxiv, 663): U.S.A. (A, xxiv, 663).
Horismenus fraternus Fitch (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).
Hypopteromalus inimicus Mues. (Hym. Pteromalid) - U.S.A. (Doner, A, xxiv, 663).
Microbracon gelechiaae Ashm. (Hym. Braconid) - U.S.A. (Doner, A, xxiv, 663).
Microbracon pygmaeus Prov. (Hym. Braconid) - Canada (A, xv, 528; xxi, 542; Doner, xxii, 691; Doner, xxiv, 663): U.S.A. (A, xxi, 515; xxii, 691; xxiii, 151; xxiv, 663).
Orthopelma sp. (Hym. Ichneumonid) - Canada (Doner, A, xxiv, 663).
Pimpla sp. (Hym. Ichneumonid) - Canada (Doner, A, xxiv, 663).
Pimpla conquisitor Say (Hym. Ichneumonid) - U.S.A. (A, xxiv, 663).
Pimpla indagatrix Cress. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 663).
Spilochalcis sp. (Hym. Chalcid) - Canada (Doner, A, xxiv, 663).
Spilochalcis side Walk. (Hym. Chalcid) - Canada (A, xvi, 528; Doner, xxiv, 663): U.S.A. (A, xxiv, 663).
Symplesis maculipes Crwf. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).
Symplesis massasoit Crwf. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).
Tetrastichus sp. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xxiii, 151; xxiv, 663).
Zagrammosoma sp. (Hym. Eulophid) - U.S.A. (Doner, A, xxiv, 663).

Coleophora pyrrhulipennella Zell. (Coleophorid)

- Angitia fenestralis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex borealis Zett. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Gelis steveni Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora sacramenta Heinr. (Coleophorid)

- Eurydinota lividicorpus Gir. (Hym. Pteromalid) - Canada (Doner, A, xxiv, 663): U.S.A. (A, vii, 116; Doner, xxiv, 663).

Coleophora salinella Staint. (Coleophorid)

- Apanteles ononidis Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coleophora salmani Hein. (Coleophorid)

Eupelmella vesicularis Retz. (Hym. Eupelmid) - U.S.A. (Doner, A, xxiv, 663).

Hemiteles tenellus Say (Hym. Ichneumonid) - U.S.A. (A, xviii, 73; Doner, xxiv, 663).

Orgilus sp. (Hym. Braconid) - U.S.A. (A, xviii, 73; Doner, xxiv, 663).

Pimpla conquisitor Say (Hym. Ichneumonid) - U.S.A. (A, xviii, 73; Doner, xxiv, 663).

Coleophora saturatella Staint. (Coleophorid)

Gelis impotens Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Coleophora solitariella Zell. (Coleophorid)

Campoplex tumidulus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Cremastus sp. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Microcryptus labralis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Coleophora spartifoliella Hb. - See LeucopteraColeophora stefanii Joann. (Coleophorid)

Copidosoma buyssoni Mayr (Hym. Encyrtid) - Italy (Parker, A, xix, 436).

Dinarmus dacicida Masi (Hym. Miscogasterid) - Italy (A, xi, 3).

Coleophora therinella Tengst. (Coleophorid)

Campoplex multicinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Sagaritis zonata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Coleophora tiliaefoliella Clem. (Coleophorid)

Hemiteles tenellus Say (Hym. Ichneumonid) - Canada (Doner, A, xxiv, 663).

Coleophora tiliella Zell. - See C. anatipennella Hb.Coleophora troglodytella Dup. (Coleophorid)

Bassus brevisetis Nees (Hym. Braconid) - Britain (A, viii, 429; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Campoplex borealis Zett. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Earinus variicoxis Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Coleophora vibicella Hb. (Coleophorid)

Angitia rufipes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Gelis palpator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Gelis pulicarius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).
Hemiteles palpator Grav. (Hym. Ichneumonid) - ? (Thorpe, A, xix, 29).
Orgilus rugosus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Coleophora viminetella Zell. (Coleophorid)

Gelis corruptor Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).
Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).
Hemiteles bipunctator Thnbg. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Pimpla sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Coleophora virgaureae Staint. (Coleophorid)

Microbracon osculator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Coleophora volckei Hein. (Coleophorid)

Microbracon sp. (Hym. Braconid) - U.S.A. (A, vi, 99).
Microbracon pygmaeus Prov. (Hym. Braconid) - U.S.A. (Doner, A, xxii, 691; Doner, xxiv, 663).

Colias sp. (Pierid)

Amblyteles homocerus Wesm. (Hym. Ichneumonid) - France (A, ii, 577).
Microbracon plotnikovii Bogoljubov (Hym. Braconid) - Russia (A, ii, 423).
Psychophagus omnivorus Walk. (Hym. Pteromalid) - France (A, ii, 577).

Colias croceus Fourc. - See C. electo croceus Fourc.

Colias electo croceus Fourc. (Pierid)

Charops decipiens Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Colias eurytheme Bdv. - See C. philodice eurytheme Bdv.

Colias hyale L. (Pierid)

Apanteles zygaenarum Marsh. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).

Colias lesbia F. (Pierid)

Apanteles ayerza Brèthes (Hym. Braconid) - Argentina (A, viii, 299; ix, 209).
Bassus melanocephalus Brèthes (Hym. Braconid) - Brazil (A, vii, 125).

Colias philodice Godt. - See C. philodice philodice Godt.

Colias philodice eurytheme Bdv. (Pierid)

Achaetoneura archippivora Will. (Dipt. Tachinid) - U.S.A. (A, iii, 153).
Apanteles cassianus Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Apanteles flaviconchae Riley (Hym. Braconid) - U.S.A. (A, iii, 153).

Apanteles laeviceps Ashm. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Eulimneria sp. (Hym. Ichneumonid) - U.S.A. (A, iii, 153).

Masicera sp. (Dipt. Tachinid) - U.S.A. (A, iii, 153).

Meteorus autographae Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).

Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447; Vickery, xiii, 622).

Meteorus vulgaris Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).

Nepiera benevola Gahan (Hym. Ichneumonid) - U.S.A. (A, iii, 151).

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, iii, 153).

Pteromalus euryi Gahan (Hym. Pteromalid) - U.S.A. (A, iii, 153; xvii, 361).

Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, iii, 153): ? (Martin, A, xvi, 441).

Colias philodice philodice Godt. (Pierid)

Apanteles flaviconchae Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Hemadas nubilipennis Ashm. (Hym. Miscogasterid) - Canada (Treherne, A, iv, 527).

Collix sparsata Tr. (Geometrid)

Apanteles ruficrus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Erycia auralenta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Siphona cristata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Colocasia coryli L. (Phalaenid)

Aphanistes bellicosus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Aphanistes ruficornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Macrocentrus abdominalis F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Europe, China, Japan, America (Chu & Hsia, A, xxv, 508).

Meteorus pulchricornis Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microgaster sp. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nemoraea rubrica Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

? Schizoloma amictum F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Coloradia pandora Blake (Saturniid)

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xxv, 431).

Leschenaultia adusta Lw. (Dipt. Tachinid) - U.S.A. (A, xviii, 137).

Tetrastichus sp. (Hym. Eulophid) - U.S.A. (A, xviii, 137).

Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, xviii, 137).

Colotois pennaria L. (Geometrid)

Apanteles fulvipes Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Campoplex falcator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Campoplex oxycanthae Boie (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Meteorus deceptor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Comacla senex Hb. (Arctiid)

Ichneumon lepidus Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Compsolechia temerella Zell. (Gelechiid)

Glypta terres Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Compsoptera jourdanaria Vill. (Geometrid)

Actia tibialis R.-D. (Dipt. Tachinid) - Spain (A, xx, 189).

Conchylis ambiguella Hb. - See ClysiaConchylis curvistrigana Wilk. - See PhaloniaConchylis dubitana Hb. - See PhaloniaConchylis posterana Zell. - See PhaloniaConchylis roseana Haw. - See PhaloniaConchylis smeathmanniana F. - See AethesConchylis udana Guen. - See PhaloniaConisania leineri Frr. (Phalaenid)

Nemoraea rubrica Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Conistra sp. (Phalaenid)

Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Apanteles griffini Vier. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Cyrtophleba coquilletti Aldr. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Hyposoter sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Microgaster scopelosomae Mues. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Conistra devia Grote - See Eupsilia

Conistra indirecta Walk. - See Pyreferra hesperidago Guen.

Conistra ligula Esp. (Phalaenid)

Microplitis mediator Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Conistra rubiginea Schiff. (Phalaenid)

Prosopaea scutellaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Conistra vaccinii L. (Phalaenid)

Microplitis tuberculifer Wesm. (Hym. Braconid) - Britain (Morley & Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Conopia sp. (Aegeriid)

Pimpla roborator F. (Hym. Ichneumonid) Dalmatia, France, Italy, Sicily, Sweden, Persia, Japan, Canada, Guam (Chu & Hsia, A, xxv, 508).

Rhinotachina proletaria Egg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Conopia andrenaeformis Lasp. (Aegeriid)

Meniscus piminator Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microbracon robertii Wesm. (Hym. Braconid) Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933; Waterston, Ent. Month. Mag., lxii, 238).

Conopia cephiiformis Ochs. (Aegeriid)

Ephialtes sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Lissonota buolianae Htg. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Macrocentrus marginator Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Conopia conopiformis Esp. (Aegeriid)

Leskia aurea Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Conopia culiciformis L. (Aegeriid)

Ephialtes manifestator L. (Hym. Ichneumonid) Poland (A, xvi, 217).

Lissonota cylindrator Vill. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Macrocentrus marginator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127, Schutze & Roman, 239): Poland (A, xvi, 217).

Meniscus piminator Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Meniscus sulcator Morl. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microbracon mediator Nees (Hym. Braconid) - Poland (A, xvi, 217).
Phaeogenes cephalotes Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Conopia flaviventris Stgr. (Aegeriid)

Ephialtes strobilorum Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Macrocentrus marginator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Conopia formicaeformis Esp. (Aegeriid)

Acoenitus arator Rossi (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Gambrus ornatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Hemiteles ornatus Brischke (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Leskia aurea Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): France (Falcoz, Bull. Soc. ent. France, 1930, p.152).
Lissonota sulphurifera ruficoxis Schmied. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Macrocentrus marginator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Germany (Schutze & Roman, A, xix, 239).
Meniscus bilineatus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Meniscus pimplator Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Phaenolobus arator Rossi (Hym. Ichneumonid) - U.S.A. (Cushman & Rohwer, A, viii, 417).
Pimpla detrita Hlgr. (Hym. Ichneumonid) - ? (Dos Santos Hall, A, xiii, 596).
Pimpla examiner F. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Pimpla roborator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Dalmatia, Italy, Sweden, Persia, Japan, Canada, Guam (Chu & Hsia, A, xxv, 508).

Conopia hector Butl. (Aegeriid)

Apanteles conopiae Watan. (Hym. Braconid) - Japan (A, xxii, 376).

Conopia myopaeformis Borkh. (Aegeriid)

Ephialtes carbonarius Chr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Meniscus setosus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Pimpla roborator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Dalmatia, France, Italy, Sweden, Persia, Japan, Canada, Guam (Chu & Hsia, A, xxv, 508).

Conopia pyri Harr. (Aegeriid)

- Lissonota sp. (Hym. Ichneumonid) - U.S.A. (A, ix, 201).
Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, ix, 201).
Microbracon sp. (Hym. Braconid) - U.S.A. (A, ix, 201).
Phaeogenes ater Cress. (Hym. Ichneumonid) - U.S.A. (A, ix, 201).
Pimpla aequalis Prov. (Hym. Ichneumonid) - U.S.A. (A, ix, 201).
Stilbopoides sesiavora Rohw. (Hym. Ichneumonid) - U.S.A. (Rohwer, A, ii, 131; ix, 201).
Tetrastichus sp. (Hym. Eulophid) - U.S.A. (A, ix, 201).

Conopia rhododendri Beutm. (Aegeriid)

- Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, xi, 553).

Conopia scitula Harr. (Aegeriid)

- Apanteles sesiae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; xxiii, 462).
Hyssopus sanninoideae Gir. (Hym. Eulophid) - U.S.A. (A, xxiii, 462).
Microbracon mellitor Say (Hym. Braconid) - U.S.A. (A, xxiii, 462).
Microbracon sanninoideae Gahan (Hym. Braconid) - U.S.A. (A, xxiii, 462).
Phaeogenes ater Cress. (Hym. Ichneumonid) - U.S.A. (A, xxiii, 462).
Pimpla conquisitor Say (Hym. Ichneumonid) - U.S.A. (A, xxiii, 462).

Conopia scollaeformis Borhk. (Aegeriid)

- Leskia aurea Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Lissonota sulphurifera Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Meniscus impressor Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Pimpla examiner F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): ? (Jackson, A, xxv, 767).

Conopia spheciformis D. & S. (Aegeriid)

- Cratocryptus leucopsis alpina Strobl (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Ephialtes manifestator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): Germany (Wagner, A, xix, 127).
Ephialtes mesocentrus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Ephialtes tuberculatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Lissonota nigra Brischke (Hym. Ichneumonid) - Germany (A, xvi, 217).
Lissonota segmentator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Lissonota sulphurifera Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Macrocentrus marginator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): Germany (Wagner, A, xix, 127).
Meniscus bilineatus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
Meniscus bilineatus pimplator Zett. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Meniscus pimptator Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Pimpla roborator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Dalmatia, France, Italy, Sweden, Persia, Japan, Canada, Guam (Chu & Hsia, A, xxv, 508).
Plectocryptus leucopsis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Conopia tipuliformis Clerck (Aegeriid)

Apanteles sp. (Hym. Braconid) - Italy (Samoggia, A, xxii, 213).
Campoplex ensator Grav. (Hym. Ichneumonid) - Britain (Samoggia, A, xxii, 213; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Ephialtes albispiculus Morl. (Hym. Ichneumonid) - Britain (A, xxii, 213; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Eurytoma sp. (Hym. Eurytomid) - Italy (Samoggia, A, xxii, 213).
Lissonota bellator Grav. (Hym. Ichneumonid) - Britain (Samoggia, A, xxii, 213; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Macrocentrus marginator Nees (Hym. Braconid) - Britain (A, iiii, 92; Samoggia, xxii, 213; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Germany (Wagner, A, xix, 127).
Meniscus agnatus Grav. (Hym. Ichneumonid) - Britain (Samoggia, A, xxii, 213; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Microbracon sesiae Mues. (Hym. Braconid) - U.S.A (A, xiii, 411; Samoggia, xxii, 213).
Microbracon triangularis Nees (Hym. Braconid) - Italy (Samoggia, A, xxii, 213).
Pelatachina tibialis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Conopia vespiiformis L. (Aegeriid)

Ephialtes tuberculatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Leskia aurea Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Macrocentrus marginator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Germany (Schutze & Roman, A, xix, 239).
Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Europe, Italy, Rumania, China, Japan, Korea (Chu & Hsia, A, xxv, 508).

Contheyla rotunda Hampsn. (Limacodid)

Fogas sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Copablepharon viridisparsa Dod. (Phalaenid)

Linnaemyia comta Fall. (Dipt. Tachinid) - N. America (A, xii, 52).

Copaxa lavendera West. (Saturniid)

Belvosia ciliata Aldr. (Dipt. Tachinid) - America (Aldrich, A, xvi, 599).

Coptodisca splendoriferella Clem. (Heliozelid)Cirrospilus coptodiscae Gir. (Hym. Eulophid) - U.S.A. (A, iv, 456).Cirrospilus flavicinctus Riley (Hym. Eulophid) - U.S.A. (A, xi, 343).Elasmus aspidiscae Gir. (Hym. Elasmid) - Canada (A, v, 162).Mirax aspidiscae Ashm. (Hym. Braconid) - U.S.A. (Muesebeck, A, x, 551).Corcyra cephalonica Stt. (Galleriid)Antrocephalus aethiopicus Masi (Hym. Chalcid) - Italian Somaliland (A, xxii, 12).Antrocephalus mahensis Masi (Hym. Chalcid) - India (A, xxii, 488).Hockeria sp. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).Holepyris hawaiiensis Ashm. (Hym. Bethyrid) - England (A, xviii, 174).Microbracon brevicornis Wesm. (Hym. Braconid) - French W. Africa (A, xiv, 6).Microbracon hebetor Say (Hym. Braconid) - Ceylon (A, xxiv, 483): India (A, xxii, 488; Beeson & Chatterjee, xxiv, 197; xxiv, 483): Malaya (A, xx, 12): Sudan (A, xvi, 466).Trichogramma erosicornis Westw. (Hym. Trichogrammid) - Ceylon (A, xviii, 558; xx, 574).Trichogramma evanescens Westw. (Hym. Trichogrammid) - Ceylon (A, xxi, 404).Trichogramma minutum Riley (Hym. Trichogrammid) - India (A, xxii, 15; xxv, 479): W. Indies (A, xxi, 322).Cornifrons elautalis Grote - See NoctueliaCorone palmarum Moore - See TelicotaCosmia canescens Behr. (Phalaenid)Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Cosmia citrargo L. - See XanthiaCosmia fulvago L. - See XanthiaCosmia subtilis Stgr. - See CalymniaCosmophila - See AnomisCosmophila auragoides Guen. - See Anomis flava F.Cosmopteryx sp. (Cosmopterygid)Pleurotropomyia aeneoscutellum Gir. (Hym. Eulophid) - Australia (A, vi, 387).Cosmopteryx bambusae Meyr. (Cosmopterygid)Apanteles bambusae Wlkn. (Hym. Braconid) - India (Wilkinson, A, xvii, 153; Beeson & Chatterjee, xxiv, 197).Cosmopteryx eximia Haw. (Cosmopterygid)Microgaster sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Cosmopteryx lienigiella Zell. (Cosmopterygid)

Chelonus exilis Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Cosmopteryx scribaiella Zell. (Cosmopterygid)

Chelonus sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Microgaster sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Microplitis sordipes Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Pimpla calobata Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Cosmotriche divisa Moore (Lasiocampid)

Thrycolyga sorbillans Wd. (Dipt. Tachinid) - India (Records from British Museum).

Cosmotriche potatoria L. (Lasiocampid)

Amblyteles subsericans Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Apanteles fulvipes Hal. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).

Aphanistes ruficornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Cymatoneura undulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Exorista noctuarum Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Gambrus ornatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Glypta bipunctoria Thnbg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Hepiopelmus leucostigmus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Masipera pratensis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pimpla didyma Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Pimpla graminellae Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).

Rogas geniculator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Spilichneumon occisorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Spilocryptus incubitor Ström. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Trichogramma evanescens Westw. (Hym. Trichogrammid) - Denmark (A, viii, 541): Germany (Hase, A, xiii, 587): Russia (Tragardh, A, xii, 98).

Zenillia gibbicornis Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cosmotriche rubi L. - See Macrothylacia

Cossula magnifica Sterck. (Cossid)

Phorocera comstocki Will. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Phorocera signata A. & W. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Sarcophaga lambens Wd. (Dipt. Sarcophagid) - U.S.A. (Aldrich, A, xvi, 82).

Cossus cossus L. (Cossid)

Dicaelotus pusillator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Italy (A, ix, 471).

Lydella ambulans Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Meniscus setosus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Germany (Wagner, A, xix, 127): Italy (A, ix, 471).

Phorocera assimilis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Zenillia fauna Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cossus ligniperda F. - See C. cossus L.

Cosymbia annulata Schulze (Geometrid)

Apanteles vitripennis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Campoplex sp (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Cosymbia linearia Hb. (Geometrid)

Apanteles solitarius Ratz. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Phryxe vulgaris Fall. (Dipt. Tachinid) Europe (Baer, A, ix, 61, 252).

Cosymbia lumenaria Hb. (Geometrid)

Actia flavipes Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Apanteles palaeocritae Riley (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Cosymbia orbicularia Hb. (Geometrid)

Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Cosymbia pendularia Clerck (Geometrid)

Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Rogas unicolor Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Cosymbia punctaria L. (Geometrid)

Apanteles solitarius Ratz. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Hypomecus quadriannulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Crambus sp. (Crambid)

Apanteles sp. (Hym. Braconid) - Canada (A, xxi, 285): U.S.A. (A, xxi, 457).

Aplomya caesar Aldr. (Dipt. Tachinid) - U.S.A. (A, xxi, 457).

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, xxi, 457).

Trichogramma sp. (Hym. Trichogrammid) - Russia (A, iii, 638).

Crambus contaminellus Hb. (Crambid)

Lissonota carbonaria Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Lissonota lineata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Lissonota rufomedia Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Crambus emmerezellus de Joannis (Crambid)

Villa unifasciata Macq. (Dipt. Bombyliid) - Mauritius (A, xxiii, 68).

Crambus exsiccatus Zell. - See C. trisectus Walk.

Crambus falsellus Schiff. (Crambid)

Ichneumon sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Lissonota variabilis Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Crambus geniculeus Haw. (Crambid)

? Lissonota lineata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Trichogramma evanescens Westw. (Hym. Trichogrammid) - Russia (Lesovoi, A, xviii, 609).

Crambus hortuellus Hb. (Crambid)

Cremastus facilis Cress. (Hym. Ichneumonid) - U.S.A. (A, xi, 28).

Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, xi, 28).

Phygadeuon sp. (Hym. Ichneumonid) - U.S.A. (A, xi, 28).

Crambus luteellus Schiff. (Crambid)

Chelonus carbonator Marsh. (Hym. Braconid) - Russia (Meier, A, xvi, 200).

Lissonota parallela Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Crambus margaritellus Hb. (Crambid)

Chelonus sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Crambus mutabilis Clem. (Crambid)

Angitia obscura Cress. (Hym. Ichneumonid) - U.S.A. (A, xvi, 209).

Apanteles crambi Weed (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; xl, 489).

Aplomya caesar Aldr. (Dipt. Tachinid) - U.S.A. (A, xi, 489; xvi, 209).

Cymodusa sp. (Hym. Ichneumonid) - U.S.A. (A, xvi, 209).

Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, xvi, 209).
Macrocentrus crambivorus Vier. (Hym. Braconid) - U.S.A. (A, xi, 489).
Orgilus detectiformis Vier. (Hym. Braconid) - U.S.A. (A, xvi, 209).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, xi, 489; xvi, 209).

Crambus salinellus Tutt. (Crambid)

Lissonota carbonaria Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Crambus teterrellus Zinck. (Crambid)

Cymodusa mississippiensis Ashm. (Hym. Ichneumonid) - U.S.A. (A, xviii, 374).

Crambus trisectus Walk. (Crambid)

Angitia obscura Cress. (Hym. Ichneumonid) - U.S.A. (A, xvi, 209).
Apanteles crambi Weed (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; xvi, 209).
Aplomya caesar Aldr. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214; xvi, 209).
Cymodusa sp. (Hym. Ichneumonid) - U.S.A. (A, xvi, 209).
Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, xvi, 209).
Orgilus detectiformis Vier. (Hym. Braconid) - U.S.A. (A, xvi, 209).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, xvi, 209).
Pimpla aequalis Prov. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Chu & Hsia, xxv, 508); U.S.A. (A, xvi, 209).

Crambus zeellus Fern. (Crambid)

Apanteles crambi Weed (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Apanteles ensiger Say (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Craniophora ligustri Schiff. (Phalaenid)

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Eurylabus dirus Wesm. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Mesochorus pallidus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Phobocampe uncinata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Cretonotos albistriga Walk. - See Amsacta

Cretonotos gangis L. (Arctiid)

Sturmia lucagus Walk. (Dipt. Tachinid) - India (Husain & Mathur, A, xii, 383).

Cretonotos transiens Walk. (Arctiid)

Apanteles cretonoti Vier. (Hym. Braconid) - Malaya (A, xvii, 153; Corbett & Miller, xvii, 413; Corbett & Miller, xxi, 676).

Cremona cotoneastri Busck (Gelechiid)

Spoilochalcis albifrons Walsh (Hym. Chalcid) - U.S.A. (A, xxv, 429).

Cressonia juglandis A. & S. (Sphingid)Pleurotropis sp. (Hym. Eulophid) - U.S.A. (A, xiii, 565).Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).Cricula trifenestrata Helf. (Saturniid)Theronia zebra Vollen. (Hym. Ichneumonid) - Java (A, vii, 104).Xanthopimpla pedator F. (Hym. Ichneumonid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).Crocallis elinguaris L. (Geometrid)Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Campylochaeta obscura Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): ? (A, v, 485).Ichneumon languidus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Meteorus chrysophthalmus Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).Meteorus deceptor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Trichogramma evanescens Westw. (Hym. Trichogrammid) - Denmark (A, viii, 541): Germany (Hase, A, xiii, 587).Crocidolomia sp. (Pyraustid)Sturmia inconspicuides Bar. (Dipt. Tachinid) - India (Records from British Museum).Crocidolomia binotalis Zell. (Pyraustid)Ctenophorocera blepharipus B.B. (Dipt. Tachinid) - S. Africa (A, xiii, 614).Microbracon sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar & Margabandu, xxiii, 209).Microbracon lefroyi D. & G. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).Microbracon melleus Ram. Ayy. (Hym. Braconid) - India (A, xvi, 479; Ramakrishna Ayyar & Margabandu, xxiii, 209).Sarcophaga peregrina R.-D. (Dipt. Sarcophagid) - Ceylon (Baranoff, A, xxii, 555).Winthemia diversa Malloch (Dipt. Tachinid) - Ceylon (Baranoff, A, xxii, 555).Crocidosema lantana Busck - See EpinotiaCrocidosema marcidellum Wlsm. (Olethreutid)Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).Crocidosema plebeiana Zell. (Olethreutid)Actia eucosmae Bezzi (Dipt. Tachinid) - Australia (A, xiv, 125).Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).Microbracon kirkpatricki Wlkn. (Hym. Braconid) - Sudan (A, xx, 622; xxi, 583).

Crymodes devastator Brace (Phalaenid)

Berecynthus sp. (Hym. Encyrtid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Berecynthus bakeri How. (Hym. Encyrtid) - Canada (Treherne, A, iv, 527).

Berecynthus bakeri gemma Gir. (Hym. Encyrtid) - N. America (A, iv, 269).

Gonia capitata DeG. (Dipt. Tachinid) - N. America (A, xii, 50).

Macrocentrus crassipes Mues. (Hym. Braconid) - U.S.A. (A, xx, 596).

Meteorus dimidiatus Cress. (Hym. Braconid) - Canada (A, ix, 488; xii, 50).

Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Crymodes fissipuncta Haw. (Phalaenid)

Coelichneumon ferreus serenus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Coelichneumon liocnemus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Cryptoblades aliena Sw. (Phycitid)

Pimpla sanguineipes Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Cryptoblades plagiroleuca Turn. (Phycitid)

Elasmus sp. (Hym. Elasmid) - Fiji (A, xiii, 174).

Cryptophlebia illepidia Butl. (Olethreutid)

Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).

Cremastus flavoorbitalis Cam. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).

Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681; vi, 351; xviii, 257).

Euagathis cryptophlebiae Vier. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209; Beeson & Chatterjee, xxiv, 197).

Goniozus fulvicornis Rohw. (Hym. Bethylid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Microbracon pambertoni Bridw. (Hym. Braconid) - Hawaii (A, vii, 435).

Perisierola emigrata Rohw. (Hym. Bethylid) - Hawaii (Swezey, A, iii, 681).

Pimpla sanguineipes Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Sierola cryptophlebiae Full. (Hym. Dryinid) - Hawaii (A, ix, 44).

Cryptophlebia vulpes Wlsm. (Olethreutid)

Omphale metallicus Ashm. (Hym. Eulophid) - Hawaii (Swezey, A, iii, 681).

Cryptothalea sp. (Psychid)

Echthromorpha notulatoria F. (Hym. Ichneumonid) - Formosa (A, xiii, 292): Japan (Uchida, A, xvii, 191).

Cryptothalea crameri Westw. (Psychid)

Mesostenus sp. (Hym. Ichneumonid) - Ceylon (King, A, xxii, 443).

Symptesis sp. (Hym. Eulophid) - Ceylon (King, A, xxii, 443).

Cryptothelea destructor Dudg. (Psychid)

Pimpla albicincta Morl. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Cryptothelea junodi Heyl (Psychid)

Carcelia evolans Wd. (Dipt. Tachinid) - S. Africa (A, ix, 542).

Philopsycha abdominalis Morl. (Hym. Ichneumonid) - S. Africa (A, v, 263; ix, 542).

Cryptothelea minuscula Butl. (Psychid)

Pimpla albicincta Morl. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105): Japan (Uchida, A, xvii, 191).

Pimpla formosana Cush. (Hym. Ichneumonid) - Formosa (A, xix, 196).

Pimpla luctuosa Smith (Hym. Ichneumonid) - Formosa (A, xviii, 510).

Pimpla nankingensis Uch. (Hym. Ichneumonid) - China (A, xxii, 549; Chu, xxiv, 105).

Theronia atalantae Poda (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191): France, Germany, Greece, Italy, Switzerland, China, Korea, Siberia (Chu & Hsia, A, xxv, 508).

Theronia japonica Ashm. (Hym. Ichneumonid) - Japan (A, xiii, 449).

Xanthopimpla kuchingensis Cam. (Hym. Ichneumonid) - Formosa (A, xviii, 8).

Cryptothelea variegata Sn. (Psychid)

Goryphus nursei Cam. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).

Pimpla albicincta Morl. (Hym. Ichneumonid) - Formosa (A, x, 292): Japan (Uchida, A, xvii, 191).

Sarcophaga caudegalli Boettcher (Dipt. Sarcophagid) - Malaya (Corbett & Miller, A, xxi, 676).

Zenillia quadrimaculata Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197): Malaya (Corbett & Miller, A, xxi, 676).

Ctenopseustis obliquana Walk. (Tortricid)

Trichogramma minutum Riley (Hym. Trichogrammid) - New Zealand (A, xx, 379).

Ctenucha brunnea Stetch (Amatid)

Apanteles nigricornis Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Ctenucha virginica Charp. (Amatid)

Amblyteles sp. (Hym. Ichneumonid) - U.S.A. (A, xi, 111).

Apanteles nigricornis Mues. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Coelopisthia sp. (Hym. Pteromalid) - U.S.A. (A, xi, 111).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Ichneumon ctenuchae Cush. (Hym. Ichneumonid) - U.S.A. (A, xxi, 226; Schaffner & Griswold, xxii, 688).

Labrorychus sp. (Hym. Ichneumonid) - U.S.A. (A, xi, 111; Schaffner & Griswold, xxii, 688).

Meteorus sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pimpla coelebs Walsh (Hym. Ichneumonid) - U.S.A. (A, xi, 111).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Telenomus spilosomatis Ashm. (Hym. Scellionid) - U.S.A. (A, xi, 111).

Cucullia sp. (Phalaenid)

Achaetoneura cuculliae Web. (Dipt. Tachinid) - N. America (Webber, A, xix, 112).
Winthemia quadripustulata F. (Dipt. Tachinid) - Palaearctic (Allen, A, xvi, 162).

Cucullia absinthii L. (Phalaenid)

Ctenichneumon castigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Ophion costatus Ratz. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Cucullia anthemidis Guen. (Phalaenid)

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia argentea Hufn. - See Argyroglea

Cucullia artemisiae Hufn. (Phalaenid)

Apanteles affinis Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Apanteles congestus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Enicospilus merdarius Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Ernestia consobrina Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exetastes notatus Hlgr. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Labrorychus tenuicornis Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563).
Ophion luteus L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Germany (Wagner, A, xix, 127).
Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Parabatus cristatus Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Pimpla examiner F. (Hym. Ichneumonid) - ? (Jackson, A, xxv, 767).
Probolus alticola Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia asteris Schiff. (Phalaenid)

Apanteles congestus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Gelis instabilis Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).

Mesochorus anomalus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Peteina erinaceus F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia asteroides Guen. (Phalaenid)

Exetastes suaveolens Walsh (Hym. Ichneumonid) - U.S.A. (Cushman, A, xxv, 801).

Cucullia balsamitae Boisd. - See Empusada

Cucullia blattariae Esp. (Phalaenid)

Metopius dentatus F. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Wagneria fasciata R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia chamomillae Schiff. (Phalaenid)

Amblyteles melanocastanus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Enicospilus merdarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ophion longigena Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ophion luteus L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Rogas circumscriptus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Cucullia convexipennis G. & R. (Phalaenid)

Microgaster sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Microplitis sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia quadripustulata F. (Dipt. Tachinid) - Canada (Tothill, A, i, 114).

Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Cucullia gnaphalii Hb. (Phalaenid)

Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Casinaria ischnogaster Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Paniscus testaceus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Cucullia lactucae Schiff. (Phalaenid)

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia lucifuga Schiff. (Phalaenid)

Voria trepida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia lynchitis Rambr. (Phalaenid)

Aphanistes xanthopus Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): ? (A, v, 485).

Zenillia cuculliae R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia prenanthis Boisd. (Phalaenid)

Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Zenillia mitis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia rivulorum auct. nec Guen. - See C. lynchitis Rambr.

Cucullia scrophulariae Cap. - See C. verbasci L.

Cucullia scrophulariae Esp. - See C. verbasci L.

Cucullia thapsiphaga Tr. (Phalaenid)

Ophion luteus L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Cucullia umbratica L. (Phalaenid)

Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cucullia verbasci L. (Phalaenid)

Amblyteles glaucatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Amblyteles palliatorius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Anilastus notatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Baumhaueria goniaeformis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Britain (A, xiii, 451).

- Conoblasta coralites Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
- Exochus laevigator Vill. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Ichneumon confusorius Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
- Istochaeta marmorata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563).
- Masicera sylvatica Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Metopius syriacus Clem. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).
- Metopius vespoides Scop. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).
- Microgaster subcompleta Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Microplitis melianus Ruthe (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Microplitis tristis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Ophion longigona Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Ophion luteus L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Phorocera assimilis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Servillia lurida F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Thelaira nigripes F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Therion brivicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Winthemia quadripustulata erythrura Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Cupido minimus Fuess. (Lycaenid)

- Angitia aculeata Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Mesochorus confusus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Nemeritis sordida Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Cyaniris argiolus L. - See Lycanopsis

Cyaniris argiolus pseudargiolus Bdv. & Lec. - See Lycanopsis

Cynia inopinatus Hy. Edw. (Arctiid)

Therion morio F. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Therion sassacus Vier. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Therion waccagum Vier. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Zenillia hyphantriae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Cynia tenera Hb. (Arctiid)

Apanteles ammalonis Mues. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Archytas aterrima R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eulimneria valida Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Labrocybus analla Say (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Therion waccagum Vier. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Zenillia hyphantriae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Cydia sp. - See Laspeyresia sp.

Cydia aurana F. - See Laspeyresia

Cydia caryana Fitch - See Laspeyresia

Cydia conversana Wlsm. - See Grapholitha

Cydia corollana Hb. - See Laspeyresia

Cydia cosmophorana Tr. - See Laspeyresia

Cydia cynosbana F. - See Epiblema

Cydia discretana Wck. - See Grapholitha

Cydia dorsana F. - See Grapholitha

Cydia funebrana Tr. - See Grapholitha

Cydia gallicana Guen. - See Laspeyresia

Cydia glycinivorella Mats. - See Laspeyresia

- Cydia grunertiana Ratz. - See Laspeyresia pactolana Zell.
- Cydia illutana H.-S. - See Laspeyresia
- Cydia interstinctana Clem. - See Grapholitha
- Cydia janthinana Dup. - See Grapholitha
- Cydia leplastriana Curt. - See Selania
- Cydia leucostoma Meyr. - See Laspeyresia
- Cydia microgramma Guen. - See Laspeyresia
- Cydia molesta Busck - See Grapholitha
- Cydia nigricana Steph. - See Laspeyresia
- Cydia ninana Dyar - See Laspeyresia
- Cydia ocellana F. - See Spilonota
- Cydia orobana Tr. - See Grapholitha
- Cydia packardii Zell. - See Grapholitha packardii Zell.
- Cydia pactolana Zell. - See Laspeyresia
- Cydia pallifrontana Zell. - See Grapholitha
- Cydia pomonella L. - See Carpocapsa
- Cydia prunivora Walsh - See Grapholitha
- Cydia reaumurana Hein. - See Laspeyresia splendana reaumurana Hein.
- Cydia rufillana Wilk. - See Laspeyresia gallicana Guen.
- Cydia schistaceana Sn. - See Olethreutes
- Cydia servillana Dup. - See Laspeyresia
- Cydia splendana Hb. - See Laspeyresia
- Cydia strobilella L. - See Laspeyresia
- Cydia tenebrosana Dup. - See Laspeyresia
- Cydia toreuta Grote - See Laspeyresia toreuta auct. ? nec Grote
- Cydia tripunctana F. - See Epiblema
- Cydia ustomaculana Curt. - See Rhopobota

Cydia wooboriana Schiff. - See Phaenomena

Cydia youngana Kft. - See Lampyrina

Cydia zebana Ratz. - See Lampyrina

Cymatophora octogesima Hb. - See Palimpsestis

Cymatophora or F. - See Palimpsestis

Cymatophora sulphurea Pack. - See Ilamo

Cymolomia morivora Maba. - See Exartoma

Cynthia - See Vanessa

Cyphosticha coerulea Moyr. (Gracillariid)

Euryacotolinx colimbatoronala Rohw. (Hym. Eulophid) India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xiii, 64b; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Daetylothra candida Staint. (Golechid)

Microbracon sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48).
Microbracon incarnatus Ram. Ayy. (Hym. Braconid) India (A, xvi, 47a).

Dahira rubiginosa Moore (Springid)

Amblyteles sp. (Hym. Ichneumonid) - China (Mell & Heinrich, A, xix, 727).
Ichneumon fumipennis Gam. (Hym. Ichneumonid) China (Mell & Heinrich, A, xix, 727).

Dakrura coccidivora Comst. - See Lactilla

Danaida chrysippus L. - See Danaus

Danaida plexippus L. - See Danaus

Danais chrysippus L. - See Danaus

Danais monippe Hb. - See Danaus plexippus L.

Danais plexippus L. - See Danaus

Danaus chrysippus L. (Danaid)

Mesochorus concinnatus Wlkn. (Hym. Ichneumonid) - S. Africa (A, xvii, 508).

Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587).

Danaus plexippus L. (Danaid)

Achaetoneura archippivora Will. (Dipt. Tachinid) N. America (Webster, A, xix, 112); U.S.A. (Webster & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Comptosia concinnata Mg. (Dipt. Tachinid) U.S.A. (Webster & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Epilampocera obscura Coq. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Phryxe vulgaris Fall. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Trichogramma minutum Riley (Hym. Trichogrammid) - Canada (Treherne, A, iv, 527); Mexico (A, xviii, 577); ? (Martin, A, xvi, 441).

***Daphnis nerii* L. (Sphingid)**

Tropothogon maculipennis Cam. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 481; Ramakrishna Ayyar & Margabandu, xxiii, 209).

***Dargida procincta* Grote (Phalaenid)**

Meteorus communis Cress. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).
Microplitis albicans Ashm. (Hym. Braconid) - N. America (Muesebeck, A, x, 551).

***Darna catenata* Sn. (Limaecodid)**

Chaetoxorista sp. (Dipt. Tachinid) - Celebes (A, xix, 174).
Chrysis sp. (Hym. Chrysidid) - Celebes (A, xix, 174).

***Dasygaster intermediella* Staint. (Oecophorid)**

Pimpla maculator F. (Hym. Ichneumonid) - ? (Dos Santos Hall, A, xiii, 590).

***Dasygaster sulphurella* F. (Oecophorid)**

Blontaris carbonarius Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

***Dasygaster* sp. (Lymantriid)**

Zenillia modicella Wulp (Dipt. Tachinid) - Ceylon (Baranoff, A, xxii, 555).

***Dasychira derigoides* Walk. (Lymantriid)**

Zenillia modicella Wulp (Dipt. Tachinid) - Ceylon, Java, Malaya (Beeson & Chatterjee, A, xxiv, 197); Malaya (Corbett & Miller, A, xvii, 413; Corbett & Miller, xxi, 676).

Dasychira granulata* B. B. - See *Dasychirana

***Dasychira fascellina* L. (Lymantriid)**

Anilastus carbonarius Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Anilastus ebeninus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Anilastus placidus R. D. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Banchus fuscatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ichneumon bellipes Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Dasychira groenlandica Wck. (Lymantriid)Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).Dasychira grossa Pagenstecher (Lymantriid)Sturmia inconspicuoides Bar. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).Zenillia modicella Wulp (Dipt. Tachinid) - Java (Bezzi, A, xiii, 605).Dasychira horsfieldi Strand (Lymantriid)Enicospilus dasychirae Cam. (Hym. Ichneumonid) - Ceylon (Beeson & Chatterjee, A, xxiv, 197).Zenillia sumatrensis Tns. (Dipt. Tachinid) - Ceylon, Formosa, Malaya, Sumatra (Beeson & Chatterjee, A, xxiv, 197): Malaya (Corbett & Miller, A, xxi, 676).Dasychira inclusa Walk. (Lymantriid)Zenillia buitenzorgiensis Bar. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).Dasychira mendosa Hb. (Lymantriid)Apanteles sp. (Hym. Braconid) - Malaya (Corbett & Miller, A, xvii, 413; Corbett & Miller, xxi, 676).Apanteles mendosae Wlkn. (Hym. Braconid) - Malaya (A, xvii, 506; Corbett & Miller, xxi, 676; Beeson & Chatterjee, xxiv, 197).Enicospilus antankarus Sauss. (Hym. Ichneumonid) - Assam, Burma, Ceylon, China, Java, Africa (Beeson & Chatterjee, A, xxiv, 197).Enicospilus striatus Cam. (Hym. Ichneumonid) - Formosa (A, xvi, 482).Exorista fallax Mg. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).Exorista larvarum L. (Dipt. Tachinid) - Formosa (A, xvi, 482).Goryphus sp. (Hym. Ichneumonid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).Theronia zebroides Krieg. (Hym. Ichneumonid) - Formosa (A, xviii, 8).Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Assam, Ceylon, India (Beeson & Chatterjee, A, xxiv, 197): Malaya (Corbett & Miller, A, xvii, 413; Corbett & Miller, xxi, 676).Xanthopimpla punctata F. (Hym. Ichneumonid) - Formosa (A, xvi, 482): Japan (Uchida, A, xvii, 191): Amboina, Borneo, Celebes, Ceylon, China, Formosa, India, Japan, Java, Kei Is., Philippines, Singapore, Sumatra (Chu & Hsia, A, xxv, 508).Zenillia modicella Wulp (Dipt. Tachinid) - Malaya (Baranoff, A, xxii, 555): Ceylon, Java, Malaya (Beeson & Chatterjee, A, xxiv, 197).Dasychira pennatula F. (Lymantriid)Apanteles sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).Dasychira pseudoabietis Butl. (Lymantriid)Apanteles liparidis Bché. (Hym. Braconid) - Japan (A, xxii, 376).Dasychira pudibunda L. (Lymantriid)Anagrus flavus Först. (Hym. Mymarid) - Europe (Girault, A, ii, 310).Angitia crataegellae Thoms. (Hym. Ichneumonid) - Czechoslovakia (Koluba-jiv, A, xxiii, 229).

- Angitia tibialis Grav. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Anomalon excavatum Ratz. (Hym. Ichneumonid) - Holland (A, iii, 195).
- Apanteles triangulator Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Aplomya affinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Automalus alboguttatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (Kolubajiv, A, xxiii, 229): Germany (Wagner, A, xix, 127): Poland (Heinrich, A, xviii, 40): Sweden (A, vii, 96).
- Campoplex falcator F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
- Campoplex oxyacanthae Boie (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Carcelia gnava Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Casinaria moesta Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
- Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Dichogmus albipes Ratz. (Hym. Calliceratid) - Holland (A, iii, 195).
- Enicospilus puditundae Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xvi, 692).
- Ephialtes manifestator L. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Euceros superbus Kriechb. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Exorista larvarum L. (Dipt. Tachinid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Gambrus ornatus Grav. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Hemiteles schaffneri Schmied. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Ichneumon alboguttatus Grav. (Hym. Ichneumonid) - Holland (A, iii, 195).
- Ichneumon balteatus Wesm. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
- Ichneumon bilunulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Ichneumon computatorius Mull. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Ichneumon deliratorius L. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
- Ichneumon derivator Wesm. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
- Ichneumon fabricator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Holland (A, iii, 195).
- Isadelphus inimicus Grav. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
- Melanichneumon bimaculatus Schrank (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Microgaster tibialis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phobocampe uncinata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phorocera assimilis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pimpla examiner F. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).

Pimpla inquisitor Scop. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229): Germany (Wagner, A, xix, 127).

Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Czechoslovakia (Kolubajiv, A, xxiii, 229): Holland (A, iii, 195): Japan (Uchida, A, xvii, 191).

Pimpla pudibundae Ratz. (Hym. Ichneumonid) - Holland (A, iii, 195).

Schizoloma amictum F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Spilocryptus nubeculatus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Stenichneumon pictorius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Tachina fera L. (Dipt. Tachinid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).

Telenomus truncatus Nees (Hym. Scelionid) - Europe (Girault, A, ii, 310): Holland (A, iii, 195).

Winthemia quadripustulata F. (Dipt. Tachinid) - Palaearctic (Allen, A, xvi, 162).

Winthemia quadripustulata cruentata Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Zenillia glauca Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Zenillia libatrix Panz. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Hungary (Dowden, A, xxii, 321).

Dasychira securis Hb. (Lymantriid)

Microgaster carinicollis Cam. (Hym. Braconid) - Ceylon (Wilkinson, A, xvii, 608).

Zenillia modicella Wulp (Dipt. Tachinid) - India (Records from British Museum).

Dasychira selenitica Esp. (Lymantriid)

Neopales pavida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Winthemia amoena Mg. (Dipt. Tachinid) - Finland (A, xi, 433).

Dasychira thwaitesi Moore (Lymantriid)

Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Assam, Ceylon, India (Beeson & Chatterjee, A, xxiv, 197).

Dasychirana crenulata B.B. (Lymantriid)

Phorinia veritatus Walk. (Dipt. Tachinid) - Uganda (A, vi, 51).

Dasylophia anguina A. & S. (Notodontid)

Achaetoneura cuculliae Web. (Dipt. Tachinid) - N. America (Webber, A, xix, 112); U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Dasytopolia templi Thnbg. (Phalaenid)

Amblyteles castanopygus Steph. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Datana sp. (Notodontid)

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, xiv, 64).

Datana angusii G. & R. (Notodontid)

Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).

Archytas metallica R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Meteorus datanae Mues. (Hym. Braconid) - U.S.A. (A, xi, 447; Schaffner & Griswold, xxii, 688).

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Datana contracta Walk. (Notodontid)

Heteropelma flavicorne Brulle (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Datana integerrima G. & R. (Notodontid)

Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).

Aphanistes sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Archytas sp. (Dipt. Tachinid) - U.S.A. (A, xv, 92).

Archytas metallica R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Baryscapus sp. (Hym. Eulophid) - U.S.A. (A, i, 524; xiii, 565).

Carcelia protuberans A. & W. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Ernestia ampelus Walk. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Heteropelma datanae Riley (Hym. Ichneumonid) - U.S.A. (A, xv, 92; Schaffner & Griswold, xxii, 688).

Heteropelma flavicorne Brulle (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Labrorychus relictus Nort. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Meteorus communis Cress. (Hym. Braconid) - U.S.A. (A, vi, 456).

Meteorus datanae Mues. (Hym. Braconid) - U.S.A. (A, xi, 447; Schaffner & Griswold, xxii, 688).
Ooencyrtus sp. (Hym. Encyrtid) - U.S.A. (A, i, 524).
Ophionine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Perilampus carolinensis Smulyan (Hym. Perilampid) - N. America (Smulyan, A, xxv, 119).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (A, xiii, 565; Schaffner & Griswold, xxii, 688).
Sturmia scutellata R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688; xxiii, 168).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Telenomus ichthyurae Ashm. (Hym. Scelionid) - U.S.A. (A, xvi, 461).
Telenomus sphingis Ashm. (Hym. Scelionid) - U.S.A. (A, i, 524; xiii, 565).
Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, i, 524; xiii, 565; xix, 604): ? (Martin, A, xvi, 441).
Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Datana major G. & R. (Notodontid)

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Datana ministra Drury (Notodontid)

Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).
Apanteles lacteicolor Vier. (Hym. Braconid) - U.S.A. (A, vi, 511; xxiii, 168).
Archytas metallica R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Compsilura concinnata Mg. (Dipt. Tachinid) - Canada (A, vii, 526): U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).
Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Exorista larvarum L. (Dipt. Tachinid) - Canada (Tothill, A, i, 114): U.S.A. (Schaffner & Griswold, A, xxii, 688).
Heteropelma flavicorne Brulle (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Hyposoter fugitivus Say (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Labrorychus relictus Nort. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Meteorus datanae Mues. (Hym. Braconid) - U.S.A. (A, xi, 447).
Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Phorocera leucaniae Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Pimpla aequalis Prov. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Chu & Hsia, xxv, 508).
Psychophagus omnivorus Walk. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia quadripustulata F. (Dipt. Tachinid) - N. America (Allen, A, xvi, 162).

Datana perspicua G. & R. (Notodontid)

Archytas metallica R.-D. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Campoplegine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Heteropelma flavicorne Brulle (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Hyposoter clisiocampae Weed (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Meteorus hyphantriae Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Decadarchis heterogramma Meyr. (Tineid)

Apanteles platyedrae Wlkn. (Hym. Braconid) - Fiji (A, xvii, 153).

Deidemia inscriptum Harr. (Sphingid)

Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Apanteles congregatus Say (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Apanteles smerinthi Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, vii, 428; Webber & Schaffner, xiv, 257; Schaffner & Griswold, xxii, 688).

Deilemera apicalis Walk. - See Nyctemera

Deilephila hypothous Cram. (Sphingid)

Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).

Deilinia erythemaria Guen. (Geometrid)

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Deilinia exanthemata Scop. (Geometrid)

Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Frivaldzkia distincta Mg. (Dipt. Tachinid) - ? (A, iv, 485).

Deilinia pusaria L. (Geometrid)

Apanteles caberae Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Astiphromma plagiata Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Campoplex angustatus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex foveolatus Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex leptogaster Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Frivaldzkia distincta Mg. (Dipt. Tachinid) - ? (A, v, 485).
Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla examinatrix F. (Hym. Ichneumonid) - Britain (Jackson, A, xxv, 767).
Platylabus phaleratus Hal. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Platylabus rufipes Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Polyblastus cothurnatus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Deliopeia - See Utethesia

Delias sp. (Pierid)

Litomastix larvarum Gir. (Hym. Encyrtid) - Java (Girault, A, vii, 536).

Delias argenthona F. (Pierid)

Apanteles deliadis Bingh. (Hym. Braconid) - Australia (Wilkinson, A, xvii, 153).

Delias eucharis Drury (Pierid)

Winthemia albiceps Malloch (Dipt. Tachinid) - Ceylon (Records from British Museum).

Demas coryli L. - See Colocasia

Dendrolimus sp. (Lasiocampid)

Amblyteles oratorius F. (Hym. Ichneumonid) - Japan (A, xiii, 140).
Apanteles liparidis Bché. (Hym. Braconid) - Japan (A, xxiii, 131).
Goryphus testaceus Morl. (Hym. Ichneumonid) - S. Africa (A, v, 263).
Rhythmonotus sp. (Hym. Ichneumonid) - China (A, xxv, 589).
Rogas spectabilis Mats. (Hym. Braconid) - China (A, xxv, 589).
Theronia japonica Ashm. (Hym. Ichneumonid) - Japan (A, xiii, 449).

Dendrolimus albolineatus Mats. (Lasiocampid)

Amblyteles armatorius Först. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).
Apanteles dendrolimi Mats. (Hym. Braconid) - Japan (A, xiv, 385).
Apanteles liparidis Bché. (Hym. Braconid) - Russia (A, xxv, 703): Japan (Watanabe, A, xxi, 211).
Apanteles ordinarius Ratz. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).
Aphanistes jozankeanus Mats. (Hym. Ichneumonid) - Japan (Uchida, A, xvi, 692).
Carcelia excisa Fall. (Dipt. Tachinid) - Japan (Matsumura, A, xiv, 385, 425).

- Chorinaeus dendrolimi Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385).
Encyrtus pinicolus Mats. (Hym. Encyrtid) - Japan (A, xiv, 385).
Gelis dendrolimi Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385).
Habronyx heros matsukemushii Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385; Uchida, xvi, 692).
Hemiteles dendrolimi Ratz. (Hym. Ichneumonid) - Japan (A, xiv, 385; Uchida, xviii, 208).
Holcaeus (?) dendrolimi Mats. (Hym. Pteromalid) - Japan (A, xiv, 385).
Mesochorus kuwayamae Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385).
Opheltes apicalis Mats. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).
Pimpla dendrolimusi Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385).
Pimpla tabatai Uch. (Hym. Ichneumonid) - Japan (A, xviii, 286).
Pimpla turionellae L. (Hym. Ichneumonid) - Japan (A, xxi, 548).
Pteromalus dendrolimi Mats. (Hym. Pteromalid) - Japan (A, xiv, 385).
Pteromalus kuwayamae Mats. (Hym. Pteromalid) - Japan (A, xiv, 385).
Pteromalus matsukemushii Mats. (Hym. Pteromalid) - Japan (A, xiv, 385).
Pteromalus matsuyadorii Mats. (Hym. Pteromalid) - Japan (A, xiv, 385).
Rogas dendrolimi Mats. (Hym. Braconid) - Japan (A, xiv, 385).
Sarcophaga albiceps Mg. (Dipt. Sarcophagid) - Japan (Matsumura, A, xiv, 385, 425).
Schizoloma amictum F. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).
Spilichneumon oratorius F. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).
Tachina magna Giglio-Tos (Dipt. Tachinid) - Russia (A, xxiv, 509): Japan (A, xiv, 385).
Therion circumflexum L. (Hym. Ichneumonid) - Japan (A, xiv, 385).
Therion dendrolimi Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385; Uchida, xvi, 692).
Theronia atalantae Poda (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Theronia japonica Ashm. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).
Trichogramma dendrolimi Mats. (Hym. Trichogrammid) - Japan (A, xiv, 385; xxiv, 789).

Dendrolimus jezoensis Mats. (Lasiocampid)

- Carcelia excisa Fall. (Dipt. Tachinid) - Japan (Matsumura, A, xiv, 385, 425).
Carcelia gnava Mg. (Dipt. Tachinid) - Japan (Matsumura, A, xiv, 385, 425).
Habronyx jozankeanus Mats. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).
Hemiteles matsukemushii Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385; Uchida, xviii, 208).
Pimpla dendrolimi Mats. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
Pimpla jezoensis Mats. (Hym. Ichneumonid) - Japan (A, xiv, 425; Uchida, xvii, 191).
Spilichneumon oratorius F. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).

Dendrolimus pini L. (Lasiocampid)

- Anastatus bifasciatus Fonsc. (Hym. Eupelmid) - Spain (A, xii, 146).

- Apanteles fulvipes Hal. (Hym. Braconid) - Austria (A, iv, 312): Russia (Vassiliev, A, ii, 220).
- Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
- Apanteles liparidis Bché. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).
- Apanteles ordinarius Ratz. (Hym. Braconid) - Europe (Lyle, A, xiii, 370): Russia (Meier, A, xvi, 200).
- Apanteles punctiger Wesm. (Hym. Braconid) - Russia (Meier, A, xvi, 200).
- Aphanistes biguttatum Thoms. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Alomya affinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Campoplex faunus Grav. (Hym. Ichneumonid) - Poland (A, xvi, 236).
- Carcelia rutila Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Ceratochaeta erythrostoma Htg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (Vassiliev, A, ii, 220).
- Chrysolampus solitarius Htg. (Hym. Perilampid) - Europe (Girault, A, ii, 310): Russia (Vassiliev, A, ii, 220).
- Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- Diapria solitaria D.T. (Hym. Diapriid) - Russia (Vassiliev, A, ii, 220; Meier, xviii, 131).
- Echinodes rufomaculatus DeG. (Dipt. Tachinid) - Poland (A, xvi, 236).
- Ernestia rudis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (Vassiliev, A, ii, 220).
- Exorista fallax Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (A, ii, 220; xviii, 336).
- Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (Vassiliev, A, ii, 220; xviii, 336).
- Guerinia rustica Mg. (Dipt. Tachinid) - Russia (Vassiliev, A, ii, 220).
- Habronyx heros Wesm. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Ischnoceros marchicus Htg. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
- Masicera caespitum Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (Vassiliev, A, ii, 220).
- Masicera scutellata Zett. (Dipt. Tachinid) - Russia (Vassiliev, A, ii, 220).
- Masicera sylvatica Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (Vassiliev, A, ii, 220).
- Meteorus bimaculatus Wesm. (Hym. Braconid) - Russia (Vassiliev, A, ii, 220).
- Meteorus ordinarius Ratz. (Hym. Braconid) - Russia (Vassiliev, A, ii, 220).
- Meteorus unicolor Htg. (Hym. Braconid) - Russia (Vassiliev, A, ii, 220).
- Microgaster nemorum (Hym. Braconid) - Germany (A, vi, 408).
- Mokrzeckia pini Htg. (Hym. Pteromalid) - Poland (A, xxii, 495).
- Monodontomerus aereus Walk. (Hym. Torymid) - Europe (Muesebeck, A, xx, 58).
- Monodontomerus dentipes Boh. (Hym. Torymid) - Europe (Hartley, A, xi, 486): Austria (A, iv, 312; xv, 383).
- Monodontomerus virens Thoms. (Hym. Torymid) - Russia (A, ii, 220).
- Muscina pabulorum Fall. (Dipt. Muscid) - Poland (A, xvi, 236).
- Muscina stabulans Fall. (Dipt. Muscid) - Poland (A, xvi, 236).

- Neopales pavida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Austria (A, iv, 312).
- Ooencyrtus atomon Walk. (Hym. Encyrtid) - Russia (Vassiliev, A, ii, 220).
- Ophion luteus L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Russia (Vassiliev, A, ii, 220).
- Ophion obscurus F. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Orthostigma pumila Nees (Hym. Braconid) - Poland (A, xx, 387).
- Paniscus ocellaris Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).
- Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Russia (Vassiliev, A, ii, 220).
- Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (Vassiliev, A, ii, 220).
- Pimpla bernuthi Htg. (Hym. Ichneumonid) - Austria (A, xv, 383): Latvia (Ozols, A, xvii, 55): Russia (Vassiliev, A, ii, 220; Meier, xvi, 200).
- Pimpla didyma Grav. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Pimpla holmgreni Schm. (Hym. Ichneumonid) - Poland (A, xvi, 236): Russia (A, xvi, 486).
- Pimpla inquisitor Scop. (Hym. Ichneumonid) - Poland (A, xvi, 236): Russia (Meier, A, xvi, 200).
- Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Austria (A, iv, 312): Poland (A, xvi, 236): Russia (Vassiliev, A, ii, 220; Meier, xvi, 200).
- Pimpla mussii Htg. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Pimpla turionellae L. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Platylabus ratzeburgi Htg. (Hym. Ichneumonid) - Russia (Vassiliev, A, ii, 220).
- Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Poland (A, xvi, 236): Europe, Italy, Rumania, China, Japan, Korea (Chu & Hsia, A, xxv, 508).
- Rogas esenbecki Htg. (Hym. Braconid) - Austria (A, iv, 312): Russia (Vassiliev, A, ii, 220).
- Rogas gastropachae Kok. (Hym. Braconid) - Russia (Vassiliev, A, ii, 220).
- Sarcophaga sp. (Dipt. Sarcophagid) - Poland (A, xxii, 495).
- Sarcophaga affinis Fall. (Dipt. Sarcophagid) - Europe (Baer, A, ix, 61, 252): Austria (A, iv, 312): Poland (A, xvi, 236): Russia (Vassiliev, A, ii, 220; xviii, 336).
- Sarcophaga albiceps Mg. (Dipt. Sarcophagid) - Europe (Baer, A, ix, 61, 252): Austria (A, iv, 312): Russia (Vassiliev, A, ii, 220).
- Sarcophaga carnaria L. (Dipt. Sarcophagid) - Austria (A, iv, 312).
- Sarcophaga schutzei Kram. (Dipt. Sarcophagid) - Europe (Baer, A, ix, 61, 252).
- Sarcophaga tuberosa Pand. (Dipt. Sarcophagid) - Europe (Baer, A, ix, 61, 252).
- Sarcophaga uliginosa Kram. (Dipt. Sarcophagid) - Europe (Baer, A, ix, 61, 252).
- Stomoxys calcitrans L. (Dipt. Muscid) - Poland (A, xvi, 236).
- Sturmia inconspicua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Austria (A, iv, 312): Russia (Vassiliev, A, ii, 220; xviii, 336).
- Sturmia scutellata R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Austria (A, iv, 312; xv, 383).
- Tachina sp. (Dipt. Tachinid) - Russia (A, xvi, 486).
- Tachina grossa L. (Dipt. Tachinid) - Russia (Vassiliev, A, ii, 220).
- Telenomus sp. (Hym. Scelionid) - Russia (A, xvi, 485).
- Telenomus laeviusculus Ratz. (Hym. Scelionid) - Austria (A, iv, 312).

- Telenomus phalaenarum Nees (Hym. Scelionid) - Europe (Girault, A, ii, 310).
- Telenomus umbripennis Mayr (Hym. Scelionid) - Russia (Vassiliev, A, ii, 220; Meier, xviii, 131).
- Tetrastichodes citripes Thoms. (Hym. Eulophid) - Russia (Vassiliev, A, ii, 220; Meier, xviii, 131).
- Tetrastichus xanthopus Nees (Hym. Eulophid) - Austria (A, xv, 383): Germany (A, iii, 249): Poland (A, xvi, 236).
- Therion circumflexum L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497; Habermehl, xi, 365): Germany (A, vi, 408): Russia (Vassiliev, A, ii, 220).
- Therion circumflexum giganteum Grav. (Hym. Ichneumonid) - Austria (A, iv, 312): Germany (Habermehl, A, xi, 365): Poland (A, xvi, 237).
- Theronia atalantae Poda (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Austria (A, iv, 312): Poland (A, xvi, 236): Russia (A, ii, 220).
- Trichogramma embryophagus Htg. (Hym. Trichogrammid) - Europe (Girault, A, ii, 310).
- Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (A, xiii, 587): Russia (A, i, 431; ii, 220; Tragardh, xii, 98): ? (A, xviii, 146).
- Trogus exaltatorius Panz. (Hym. Ichneumonid) - Sweden (A, vii, 420).
- Winthemia xanthogastra Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Dendrolimus punctatus Walk. (Lasiocampid)

- Anastatus albitarsis Ashm. (Hym. Eupelmid) - China (A, xxv, 456).
- Anastatus gastropache Ashm. (Hym. Eupelmid) - China (Chu & Hsia, A, xxiii, 622).
- Apanteles changhingensis Chu (Hym. Braconid) - China (A, xxv, 456).
- Apanteles ordinarius Ratz. (Hym. Braconid) - China (A, xxv, 456).
- Brachymeria euploeae Westw. (Hym. Chalcid) - China (A, xxii, 549).
- Brachymeria obscurata Walk. (Hym. Chalcid) - China (Chu & Hsia, A, xxiii, 622; xxv, 456).
- Callimome sp. (Hym. Torymid) - China (Chu & Hsia, A, xxiii, 622).
- Chelonus jungi Chu (Hym. Braconid) - China (A, xxv, 302, 456).
- Cratojoppa okinawana Uch. (Hym. Ichneumonid) - China (A, xxv, 456).
- Dibrachys sp. (Hym. Pteromalid) - China (Chu & Hsia, A, xviii, 622).
- Echthromorpha notulatoria F. (Hym. Ichneumonid) - Formosa (A, xii, 292): Japan (Uchida, A, xvii, 191).
- Ephialtes formosana Cush. (Hym. Ichneumonid) - Formosa (A, xiii, 292).
- Eurytoma sp. (Hym. Eurytomid) - China (Chu & Hsia, A, xxiii, 622).
- Iphiaulax impostor Scop. (Hym. Braconid) - China (A, xxv, 456).
- Mesostenus sp. (Hym. Ichneumonid) - China (A, xxii, 549).
- Monodontomerus dentipes Boh. (Hym. Torymid) - China (Chu & Hsia, A, xxiii, 622; xxv, 456).
- Phanerotoma flavida Enderlein. (Hym. Braconid) - China (A, xxv, 302, 456).
- Phygadeuon latipetiolator Uch. (Hym. Ichneumonid) - China (A, xxv, 456).
- Pimpla disparis Vier. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105; xxv, 456).
- Pimpla formosana Cush. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).
- Pimpla menciae Uch. (Hym. Ichneumonid) - China (A, xxv, 456).
- Pimpla satanas Morl. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105; xxv, 456).

- Pimpla turionellae L. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105; xxv, 456).
- Pristomerus vulnerator Panz. (Hym. Ichneumonid) - China (A, xxv, 456).
- Pteromalus sp. (Hym. Pteromalid) - Formosa (A, xviii, 706).
- Rhythmonotus takagii Mats. (Hym. Ichneumonid) - China (A, xxv, 456).
- Rogas metanastriæ Rohw. (Hym. Braconid) - Formosa (A, xxii, 324).
- Rogas spectabilis Mats. (Hym. Braconid) - China (A, xxv, 456).
- Stenaraeoides octocinctus Ashm. (Hym. Ichneumonid) - China (A, xxiii, 207; Chu, xxiv, 105; xxv, 456).
- Stenobracon deesæ Cam. (Hym. Braconid) - China (A, xxv, 456).
- Telenomus sp. (Hym. Scelionid) - China (Chu & Hsia, A, xxiii, 622).
- Telenomus dendrolimusi Chu (Hym. Scelionid) - China (A, xxv, 456).
- Theronia atalantæ Poda (Hym. Ichneumonid) - China (Chu, A, xxiv, 105; xxv, 456, Chu & Hsia, 508).
- Theronia rufescens Morl. (Hym. Ichneumonid) - China (A, xxv, 456).
- Theronia zebroides Krieg. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105); Formosa (A, xviii, 8).
- Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Formosa (A, xviii, 706).
- Trichogramma evanescens Westw. (Hym. Trichogrammid) - China (Chu & Hsia, A, xxiii, 622; xxv, 456, Chu & Hsia, 508, xxv, 597).
- Xanthopimpla formosensis Krieg. (Hym. Ichneumonid) - Formosa (A, xviii, 8).
- Xanthopimpla japonica Krieg. (Hym. Ichneumonid) - China (A, xxii, 549; Chu, xxiv, 105; xxv, 456).
- Xanthopimpla punctata F. (Hym. Ichneumonid) - Formosa (A, xviii, 8).
- Xanthopimpla stemmator Thnbg. (Hym. Ichneumonid) - Formosa (A, xviii, 8).

Dendrolimus segregatus Butl. (Lasiocampid)

- Ernestia rudis Fall. (Dipt. Tachinid) - Russia (A, ii, 220).
- Masicera caespitum Macq. (Dipt. Tachinid) - Russia (A, ii, 220).
- Rogas sp. (Hym. Braconid) - Russia (A, ii, 220).
- Telenomus gracilis Mayr (Hym. Scelionid) - Russia (A, ii, 220; Meier, xviii, 131).
- Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (Hase, A, xiii, 587).

Dendrolimus sibiricus auct. - See D. albolineatus Mats.

Dendrolimus spectabilis Butl. (Lasiocampid)

- Amblyteles oratorius F. (Hym. Ichneumonid) - Japan (A, xx, 653).
- Anastatus albitarsis Ashm. (Hym. Eupelmid) - Japan (A, xx, 653; xxiv, 789).
- Anastatus gastropachæ Ashm. (Hym. Eupelmid) - Japan (A, xv, 220; xx, 653).
- Apanteles fulvipes Hal. (Hym. Braconid) - Japan (A, xix, 514).
- Apanteles japonicus Ashm. (Hym. Braconid) - Japan (A, xx, 653).
- Apanteles liparidis Bché. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211; xxiii, 131).
- Apanteles ordinarius Ratz. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).
- Brachymeria obscurata Walk. (Hym. Chalcid) - Japan (A, xx, 653); Korea (A, xv, 220).
- Carcelia excisa Fall. (Dipt. Tachinid) - Japan (Matsumura, A, xiv, 385, 425).

- Carcelia gnava Mg. (Dipt. Tachinid) - Japan (Matsumura, A, xiv, 385, 425).
- Casinaria atrata Morl. (Hym. Ichneumonid) - Korea (A, xv, 220).
- Casinaria takagii Mats. (Hym. Ichneumonid) - Japan (A, xiv, 425).
- Dicamptus nigropictus Mats. (Hym. Ichneumonid) - Japan (A, xxiv, 207, 789).
- Gelis dendrolimi Mats. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 208).
- Hemiteles kumamotoensis Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 208).
- Holcaeus sp. (Hym. Pteromalid) - Korea (A, xv, 220).
- Masicera sp. (Dipt. Tachinid) - Korea (A, xv, 220).
- Monodontomerus spectabilis Mats. (Hym. Torymid) - Japan (A, xiv, 425; xx, 653; xxiv, 207).
- Phanurus sp. (Hym. Scelionid) - Japan (A, xxiii, 131).
- Phygadeuon latipetiolator Uch. (Hym. Ichneumonid) - China, Korea (A, xxiii, 292).
- Pimpla sp. (Hym. Ichneumonid) - Japan (A, xx, 653).
- Pimpla attaci Haberm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191; xx, 653).
- Pimpla dendrolimusi Mats. (Hym. Ichneumonid) - Japan (A, xiv, 385, 425).
- Pimpla disparis Vier. (Hym. Ichneumonid) - Japan (A, xx, 653).
- Pimpla pluto Ashm. (Hym. Ichneumonid) - Japan (A, xx, 653).
- Pimpla spectabilis Mats. (Hym. Ichneumonid) - Japan (A, xiv, 425; Uchida, xvii, 191; xx, 653).
- Pteromalus dendrolimi Mats. (Hym. Pteromalid) - Japan (A, xx, 653).
- Rhythmonotus takagii Mats. (Hym. Ichneumonid) - Japan (A, xx, 653).
- Rogas sp. (Hym. Braconid) - Korea (A, xv, 220).
- Rogas spectabilis Mats. (Hym. Braconid) - China (A, xxiv, 244); Japan (A, xiv, 425; xx, 653).
- Sarcophaga sp. (Dipt. Sarcophagid) - Korea (A, xv, 220).
- Spilichneumon oratorius F. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425).
- Stenaraeoides octocinctus Ashm. (Hym. Ichneumonid) - Japan (A, xxiii, 131).
- Theronia atalantae Poda (Hym. Ichneumonid) - Japan (A, xx, 653); France, Germany, Greece, Italy, Switzerland, China, Korea, Siberia (Chu & Hsia, A, xxv, 508).
- Theronia japonica Ashm. (Hym. Ichneumonid) - Japan (Matsumura, A, xiv, 385, 425); Korea (A, xv, 220).
- Trichogramma sp. (Hym. Trichogrammid) - Japan (A, xx, 653; xxiv, 630); Korea (A, xv, 221).
- Trichogramma dendrolimi Mats. (Hym. Trichogrammid) - Japan (A, xxiii, 131; xxiv, 789).
- Zenillia sp. (Dipt. Tachinid) - Korea (A, xv, 220).

Dendrolimus yezoensis Mats. - See D. jezoensis Mats.

Depressaria sp. (Oecophorid)

- Cremastus ornatus Szep. (Hym. Ichneumonid) - Russia (Romanova, A, xix, 563).
- Eulimneria albida Gmel. (Hym. Ichneumonid) - France, Italy (Chu & Hsia, A, xxv, 508).
- Eulophus ramicornis F. (Hym. Eulophid) - Switzerland (A, ix, 227).

Gelis sp. (Hym. Ichneumonid) - Switzerland (A, ix, 227).

Glaucophana amasiae B.B. (Dipt. Tachinid) - Europe (Townsend, A, xi, 24).

Phaeogenes planifrons Wesm. (Hym. Ichneumonid) - Switzerland (A, ix, 227).

Rogas testaceus Spin. (Hym. Braconid) - France, Germany, Italy (Chu & Hsia, A, xxv, 508).

Depressaria alpigerella Frey - See Agonopterix alpigena Frey

Depressaria alstroemeriana Clerck - See Agonopterix

Depressaria angelicella Hb. - See Agonopterix

Depressaria apiella Hb. - See D. nervosa Haw.

Depressaria applana F. - See Agonopterix

Depressaria assimilella Tr. - See Agonopterix

Depressaria atomella Schiff. - See Agonopterix

Depressaria badiella Hb. (Oecophorid)

Cremastus decoratus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Depressaria carduella Hb. - See Agonopterix

Depressaria chaerophylli Zell. (Oecophorid)

Apanteles emarginatus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Macrocentrus thoracicus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Depressaria conterminella Zell. - See Agonopterix hypericella Hb.

Depressaria costosa Haw. - See Agonopterix

Depressaria cyanarivora Meyr. - See Agonopterix

Depressaria depressella Hb. (Oecophorid)

Acanthocryptus flagitator Rossi (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Anilastus carbonarius Ratz. (Hym. Ichneumonid) - Russia (A, xxi, 118).

Brachymeria intermedia Nees (Hym. Chalcid) - Russia (A, xxi, 118).

Cremastus dalmatinus Stöbl. (Hym. Ichneumonid) - Russia (A, xxi, 118).

Cremastus discoidalis Szep. (Hym. Ichneumonid) - Russia (A, xxi, 118).

Habrocytus obscurus Dalm. (Hym. Pteromalid) - Russia (A, xxi, 118).

Nemorilla floralis Fall. (Dipt. Tachinid) - Russia (A, xxi, 118).

Orgilus claripennis Ivan. (Hym. Braconid) - Russia (A, xxi, 118; Telenga, xxv, 703).

Pachyneuron sp. (Hym. Pteromalid) - Russia (A, xxi, 118).

Pimpla alternans Grav. (Hym. Ichneumonid) - Russia (A, xxi, 118).

Pimpla ovalis Thoms. (Hym. Ichneumonid) - Russia (A, xxi, 118).

Platylabus dimidiatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pristomerus orbitalis Hlgr. (Hym. Ichneumonid) - Russia (A, xxi, 118).

Depressaria discipunctella H.-S. (Oecophorid)

Apanteles sicarius Marsh. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).

Depressaria flavella Hb. - See Agonopterix

Depressaria heracleana L. (Oecophorid)

Acanthocryptus hopei Morl. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Apanteles depressariae Mues. (Hym. Braconid) - U.S.A. (A, xix, 578).

Chorinaeus funebris Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Dibrachys cavus Walk. (Hym. Pteromalid) - England (A, xxiii, 354).

Dichaetoneura leucoptera Johns. (Dipt. Tachinid) - U.S.A. (A, ix, 118).

Eulimneria geniculata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Hoplismenus dimidiatus (Hym. Ichneumonid) - Europe (A, iv, 177).

Ichneumon coruscator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Ichneumon derogator Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Ichneumon heracleanae Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): England (A, xxiii, 354).

Ichneumon lepidus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Ichneumon sexalbatus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Litomastix truncatella Dalm. (Hym. Encyrtid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Phygadeuon profligator F. (Hym. Ichneumonid) - Europe (A, iv, 177).

Pimpla examiner F. (Hym. Ichneumonid) - ? (Jackson, A, xxv, 767).

Pimpla graminellae Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Pimpla heraclei Boie (Hym. Ichneumonid) - Europe (A, iv, 177).

Pimpla roborator F. (Hym. Ichneumonid) - Dalmatia, France, Sicily, Sweden, Persia, Japan, Canada, Guam (Chu & Hsia, A, xxv, 508).

Pimpla similis Bridgm. (Hym. Ichneumonid) - England (A, xxiii, 354).

Pimpla turionellae L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Platylabus dimidiatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Europe (A, iv, 177).

Psychophagus omnivorus Walk. (Hym. Pteromalid) - England (A, xxiii, 354).

Rhembobius flagitator Grav. (Hym. Ichneumonid) - Europe (A, iv, 177).

Depressaria heydenii Zell. (Oecophorid)

Actia crassicornis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Blepharidopsis nemea Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Depressaria hypericella Hb. - See Agonopterix

Depressaria intermediella Staint. - See Dasycera

Depressaria liturella Hb. - See Agonopterix

Depressaria nervosa Haw. (Oecophorid)

Apanteles emarginatus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Bassus anglica Marsh. (Hym. Braconid) - Britain (A, viii, 429; Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Dicaelotus pumilus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eubadizon extensor L. (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp. 133-183, 1933).

Eulimneria costalis Thoms. (Hym. Ichneumonid) - Germany (A, i, 515).

Glyphicnemis profligator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Habrocryptus porrectorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Hemiteles floricator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Litomastix truncatella Dalm. (Hym. Encyrtid) - Germany (A, i, 515).

Macrocentrus thoracicus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microgaster sp. (Hym. Braconid) - Germany (A, i, 515).

Phaeogenes melanogonus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phaeogenes melanogonus alpina Strobl (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Phaeogenes stipator Wesm. (Hym. Ichneumonid) - Sweden (A, vii, 96).

Phygadeuon profligator Grav. (Hym. Ichneumonid) - Germany (A, i, 515).

Platylabus dimidiatus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Germany (A, i, 515): Europe, Italy, Rumania, China, Japan, Korea (Chu & Hsia, A, xxv, 508).

Sagaritis femoralis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Depressaria ocellana F. - See Agonopterix

Depressaria scopariella Hein. - See Agonopterix

Depressaria senecionis Nick. - See Agonopterix

Depressaria umbellana Steph. - See Agonopterix

Desmia funeralis Hb. (Pyraustid)

Apanteles canarsiae Ashm. (Hym. Braconid) - N. America (Muesebeck, A, ix, 169): U.S.A. (A, v, 66).

Apanteles choreuti Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Leskiomima tenera Wd. (Dipt. Tachinid) - U.S.A. (A, v, 66).

Lixophaga variabilis Coq. (Dipt. Tachinid) - U.S.A. (A, v, 66).

Mesochorus scitulus Cress. (Hym. Ichneumonid) - U.S.A. (A, v, 66).

Meteorus dimidiatus Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447): U.S.A. (A, v, 66).

- Microbracon cushmani Mues. (Hym. Braconid) - U.S.A. (A, xxii, 649).
Microbracon gelechia Ashm. (Hym. Braconid) - France, America, Canada (Chu & Hsia, A, xxv, 508): U.S.A. (A, v, 66).
Nemorilla floralis Fall. (Dipt. Tachinid) - U.S.A. (A, v, 66).
Pardiaulemella ibseni Gir. (Hym. Eulophid) - U.S.A. (A, v, 66).
Phorocera erecta Coq. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).
Tetrastichus sp. (Hym. Eulophid) - U.S.A. (A, v, 66).
Triclistus pygmaeus Cress. (Hym. Ichneumonid) - U.S.A. (A, v, 66).

Deuterohyalina albida Esp. (Psychid)

- Pimpla maculator F. (Hym. Ichneumonid) - France (Riel, Bull. Soc. linn. Lyon, ix, 1930, no.14, pp.98-100).

Deuteronomos alniaria L. - See Ennomos

Deuteronomos magnarius Guen. (Geometrid)

- Madremyia saundersii Will. (Dipt. Tachinid) - Canada (Tothill, A, i, 114): N. America (Aldrich & Webber, A, xii, 214).

Diacrisia lubricipeda L. (Arctiid)

- Apanteles congestus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp. 133-183, 1933).
Apanteles difficilis Nees (Hym. Braconid) - France (Falcoz, Bull. Soc. ent. France, 1926, p.131).
Apanteles nothus Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles picipes Behé. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles ruficrus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles solitarius Ratz. (Hym. Braconid) - Europe (Fahringer, A, x, 497).
Carcelia cheloniae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Ernestia radicum F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exetastes nigripes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Hepiopelmus leucostigmus Grav. (Hym. Ichneumonid) - Sweden (A, iv, 509).
Hepiopelmus maculiventris Braun. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon sarcitorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Nemoraea pellucida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla rufata Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Japan (Uchida, A, xvii, 191).
Thelaira nigripes F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Diacrisia lutescens mundata Walk. (Arctiid)

Apanteles eucosmae Wlkn. (Hym. Braconid) - Belgian Congo (A, xviii, 200; Wilkinson, xxi, 135).

Diacrisia maculosa Stoll. (Arctiid)

Sisyropa sp. (Dipt. Tachinid) - S. Nigeria (A, ii, 106).

Diacrisia mundata Walk. - See D. lutescens mundata Walk.Diacrisia obliqua Walk. (Arctiid)

Brachymeria euploae Westw. (Hym. Chalcid) - China, India, Japan, Philippines (Chu & Hsia, A, xxv, 508).

Carcelia kockiana Tns. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Cremastus noxiosus nigrescens Morl. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).

Sturmia inconspicua Bar. (Dipt. Tachinid) - India (Records from British Museum).

Trichogramma sp. (Hym. Trichogrammid) - India (A, xx, 154).

Trichogramma evanescens Westw. (Hym. Trichogrammid) - China (Chu & Hu, A, xxv, 597).

Winthemia quadripustulata F. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Zenillia buitenzorgiensis Bar. (Dipt. Tachinid) - India (Records from British Museum).

Diacrisia obliqua confusa Butl. (Arctiid)

Apanteles obliquae Wlkn. (Hym. Braconid) - India (A, xvii, 153; Ramakrishna Ayyar & Margabandu, xxiii, 209; Beeson & Chatterjee, xxiv, 197).

Apanteles obliquae niger Wlkn. (Hym. Braconid) - India (Wilkinson, A, xvii, 153).

Diacrisia purpurata L. (Arctiid)

Apomya confinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Carcelia chelonae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Voria trepida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Diacrisia sannio L. (Arctiid)

Rogas dimidiatus Spin. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Diacrisia strigatula Walk. (Arctiid)

Argyrophylax atropivora R.-D. (Dipt. Tachinid) - Malaya (Corbett & Miller, A, xxi, 676).

Diacrisia subcarnea Walk. (Arctiid)

Brachymeria obscurata Walk. (Hym. Chalcid) - China (Chu & Hsia, A, xxiii, 622).

Meteorus japonicus Ashm. (Hym. Braconid) - China (Chu, A, xxiv, 105).

Telenomus sp. (Hym. Scelionid) - China (Chu & Hsia, A, xxiii, 622).

Diacrisia urticae Esp. (Arctiid)

Metopius micratorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Palaearctic (Clement, A, xix, 111).

Diacrisia virginica F. (Arctiid)

Achaetoneura anisotae Web. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112).

Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).

Apanteles diacrisiae Gahan (Hym. Braconid) - U.S.A. (A, v, 404; Muesebeck, ix, 169).

Apanteles scitulus Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Bombyliomyia abrupta Wd. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Carcelia reclinata A. & W. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, vii, 428; Webber & Schaffner, xiv, 257; Schaffner & Griswold, xxii, 688).

Elachertus marylandicus Gir. (Hym. Eulophid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eremotylus glabratus Say (Hym. Ichneumonid) - U.S.A. (A, vii, 382).

Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Hyposoter pilosulus Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Lydella hyphantriae Toth. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pimpla sanguineipes Cress. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169).

Psychophagus omnivorus Walk. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Rogas sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Sturmia ricinorum Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Thelaira nigripes F. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Therion morio F. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Dianthoecia - See HarmodiaDiaphania bicolor Sw. (Pyraustid)

Apanteles machaeralis Wlkn. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).

Diaphania glauculalis Guen. (Pyraustid)

Apanteles stantoni Ashm. (Hym. Braconid) - Malaya (A, xvii, 153, Corbett & Miller, 413; Corbett & Miller, xxi, 676): India, Malaya, Philippines (Beeson & Chatterjee, A, xxiv, 197).

Diaphania hyalinata L. (Pyraustid)

Apanteles sp. (Hym. Braconid) - Cuba (Myers, A, xx, 512).

Neotheronia bicincta Cress. (Hym. Ichneumonid) - Cuba (Myers, A, xix, 538; Myers, xx, 512).

Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Schedl, xix, 725; Chu & Hsia, xxv, 508).

Pimpla marginella Brulle (Hym. Ichneumonid) - Cuba (Myers, A, xix, 538; Myers, xx, 512): Haiti (Myers, A, xx, 512).

Polycyrtus lituratus Brulle (Hym. Ichneumonid) - Cuba (Myers, A, xix, 538; Myers, xx, 512).

Sarcophaga lambens Wd. (Dipt. Sarcophagid) - U.S.A. (Aldrich, A, xvi, 82).

Spilochalcis fulvescens Walk. (Hym. Chalcid) - Cuba (A, xix, 538).

Diaphania hyalinatalis Guen. - See D. hyalinata L.Diaphania indica Saund. (Pyraustid)

Apanteles taragamae Vier. (Hym. Braconid) - Ceylon (Wilkinson, A, xix, 712).

Elasmus indicus Rohw. (Hym. Elasmid) - India (A, xvii, 113; xviii, 198).

Diaphania laticostalis Guen. (Pyraustid)

Apanteles stantoni Ashm. (Hym. Braconid) - India (A, xvii, 153; Beeson & Chatterjee, xxiv, 197): Malaya, Philippines (Beeson & Chatterjee, A, xxiv, 197).

Sturmia inconspicuellae Bar. (Dipt. Tachinid) - Burma, Formosa, India (Beeson & Chatterjee, A, xxiv, 197).

Diaphania quadristigmalis Guen. (Pyraustid)

Idechthis sp. (Hym. Ichneumonid) - Peru (A, xxiii, 17).

Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Schedl, xix, 725; Chu & Hsia, xxv, 508).

Diaphania vertummalis Guen. (Pyraustid)

Apanteles stantoni Ashm. (Hym. Braconid) - India, Malaya, Philippines (Beeson & Chatterjee, A, xxiv, 197).

Diarsia brunnea Schiff. (Phalaenid)

Amblyteles armatorius Först. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Amblyteles margineguttatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Amblyteles negatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Amblyteles oratorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon deliratorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon molitorius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Japan (A, xiii, 140).

Melanichneumon leucomelas Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus luridus Ruthe (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phorinia aurifrons R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phytodietus coryphaeus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).
Spilichneumon oratorius atramentorius Grav. (Hym. Ichneumonid) - Japan (Uchida, A, xviii, 456).

Diarsia festiva Schiff. (Phalaenid)

Amblyteles oratorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon gracilentus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Diarsia rubi View. (Phalaenid)

Ichneumon confusorius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Diatraea sp. (Crambid)

Apanteles diatraeae Mues. (Hym. Braconid) - Cuba (Box, A, xiv, 547; Myers, xix, 627; Myers, xx, 512): Haiti, Jamaica, Santo Domingo (Myers, A, xix, 627): Mexico (Box, A, xiv, 547): Trinidad (Wilkinson, A, xviii, 635; Myers, xix, 627; Myers, xx, 512).
Apanteles flavipes Cam. (Hym. Braconid) - Malaya (A, xviii, 635; Corbett & Miller, xxi, 676): Mauritius (Box, A, xiv, 547).
Bassus sp. (Hym. Braconid) Argentina (Box, A, xiv, 547; xvii, 24; xviii, 13): Br. Guiana, Cuba (Box, A, xiv, 547).
Bassus parvifasciatus Cam. (Hym. Braconid) - Br. Guiana (A, ii, 568; iii, 382; xi, 113; xiv, 101, Box, 547; Myers, xix, 627; Myers, xxiii, 499): Trinidad (Myers, A, xix, 538; Myers, xix, 627; Myers, xx, 512; Myers, xxiii, 499).
Bassus sacchari Myers (Hym. Braconid) - Br. Guiana (Myers, A, xix, 538, 627; Myers, xx, 512; Myers, xxiii, 499): Trinidad (Myers, A, xix, 538, 627; Myers, xx, 512; Myers, xxiii, 499): Venezuela (Myers, A, xx, 512).
Bassus stigmaterus Cress. (Hym. Braconid) - Br. Guiana (A, xiv, 101; Box, xiv, 547; xvii, 309; Myers, xix, 627; Myers, xx, 512): Br. Guiana-Porto Rico (Dohanian, A, xxv, 616): Cuba (Myers, A, xix, 538, 627; Myers, xx, 512): Haiti, Jamaica (Myers, A, xix, 538; Myers, xix, 627; Myers, xx, 512): Lesser Antilles (Myers, A, xix, 627): St. Kitts & Montserrat (Myers, A, xix, 538; Myers, xx, 512): St. Lucia (Myers, A, xix, 538; Myers, xx, 512; xxi, 410): Santo Domingo (Myers, A, xix, 627): Trinidad (Myers, A, xix, 538, Myers, xix, 627; Myers, xx, 512): Venezuela (Myers, A, xx, 512).
Chelonus munakatae Mun. (Hym. Braconid) - Korea (A, xx, 606).
Cyanopterus sp. (Hym. Braconid) - Trinidad (A, iv, 29).
Diatraeophaga striatalis Tns. (Dipt. Tachinid) - Dutch E. Indies (Leefmans, A, xviii, 456).
Enicospilus antankarus Sauss. (Hym. Ichneumonid) - Mauritius (Box, A, xiv, 547).

- Iphiaulax medianus Cam. (Hym. Braconid) - Br. Guiana (A, ii, 568; xi, 113).
- Ipobracon sp. (Hym. Braconid) - Argentina (A, xiv, 101, Box, 547; xvii, 24).
- Ipobracon aquaticus Myers (Hym. Braconid) - Br. Guiana (Myers, A, xix, 627).
- Ipobracon dolens Cam. (Hym. Braconid) - Br. Guiana (Myers, A, xix, 538, 627; Myers, xx, 512): Trinidad (Myers, A, xix, 538, 627; Myers, xx, 512): Venezuela (Myers, A, xx, 512).
- Ipobracon grenadensis Ashm. (Hym. Braconid) - Br. Guiana (A, iii, 382; xiv, 101, Box, 547; Box, xvi, 331; Myers, xix, 538, 627; Myers, xx, 512): Br. Guiana-Antigua, Barbados (A, xvii, 309): Dutch Guiana (Box, A, xvi, 331): Grenada (Box, A, xvi, 331; Myers, xx, 512): Leeward Is. (Box, A, xiv, 547): Porto Rico (A, xv, 412): Trinidad (Box, A, xiv, 547; Box, xvi, 331; Myers, xix, 538, 627; Myers, xx, 512): Venezuela (Box, A, xvi, 331; Myers, xix, 538).
- Ipobracon pennipes Myers (Hym. Braconid) - Br. Guiana (Myers, A, xix, 538, 627; Myers, xx, 512).
- Ipobracon puberuloides Myers (Hym. Braconid) - Br. Guiana (Myers, A, xix, 538, 627; Myers, xx, 512): Trinidad, Venezuela (Myers, A, xx, 512).
- Ipobracon puberulus Szep. (Hym. Braconid) - Br. Guiana (A, xiv, 101, Box, 547).
- Ipobracon rimac Wolcott (Hym. Braconid) - Peru-U.S.A. (Dohanian, A, xxv, 616).
- Ipobracon saccharalis Turner (Hym. Braconid) - Br. Guiana (A, xiv, 101; Myers, xix, 538, 627): W. Indies (Myers, A, xix, 538).
- Leskiopalpus diadema Wd. (Dipt. Tachinid) - Br. Guiana (Myers, A, xix, 627): Trinidad (Myers, A, xix, 627).
- Lixophaga diatraeae Tns. (Dipt. Tachinid) - Cuba (Box, A, xiv, 547; Myers, xix, 627): Cuba-Mexico (A, xiv, 540): Haiti, Jamaica, Santo Domingo (Myers, A, xix, 627): Porto Rico (A, xiv, 547): St. Lucia (A, xxii, 104): Cuba-U.S.A. (A, xi, 24).
- Mesostenoides sp. (Hym. Ichneumonid) - Br. Guiana (A, ii, 568; iii, 382; xi, 113; xiv, 101, Box, 547).
- Metagonostylum minense Tns. (Dipt. Tachinid) - Brazil-Br. Guiana (A, xxii, 388, 566).
- Microbracon brevicornis Wesm. (Hym. Braconid) - Mexico (A, xiv, 540).
- Microbracon chinensis Szep. (Hym. Braconid) - Korea (A, xx, 606).
- Microbracon onukii Watan. (Hym. Braconid) - Korea (A, xx, 606).
- Microbracon pyralidiphagus Mues. (Hym. Braconid) - U.S.A. (A, xiii, 411).
- Microgaster sp. (Hym. Braconid) - U.S.A. (Box, A, xiv, 547).
- Microgaster harnedi Mues. (Hym. Braconid) - N. America (A, x, 551): U.S.A. (Box, A, xvi, 331).
- Paratheresia claripalpis Wulp (Dipt. Tachinid) - Argentina (Box, A, xiv, 547; xvii, 24; xviii, 13): Br. Guiana (Myers, A, xix, 627): C. America, Mexico (A, xiv, 540, Box, 547): Peru (Box, A, xiv, 547): Trinidad (Myers, A, xix, 627).
- Perisierola bogotensis Kieff. (Hym. Bethyrid) - Br. Guiana (Myers, A, xix, 627).
- Phorostoma sp. (Dipt. Tachinid) - Mexico (A, xii, 165; Box, xiv, 547).
- Sarcophaga sp. (Dipt. Sarcophagid) - Br. Guiana (Myers, A, xix, 627; Myers, xxiii, 499): Porto Rico (A, xiii, 86).
- Sarcophaga lambens Wd. (Dipt. Sarcophagid) - Cuba, Mexico, Porto Rico, U.S.A. (Box, A, xiv, 547): Cuba-Mexico (A, xiv, 540).

- Signiphora dipterophaga Gir. (Hym. Encyrtid) - Trinidad (A, v, 37).
Spilochalcis sp. (Hym. Chalcid) - Br. Guiana (Myers, A, xix, 538).
Spilochalcis dux Walk. (Hym. Chalcid) - Br. Guiana (A, ii, 568; xi, 113; xiv, 101, Box, 547; Myers, xix, 538, 627): Trinidad (Myers, A, xix, 538).
Spilocryptus diatraeae Myers (Hym. Ichneumonid) - Br. Guiana (Myers, A, xix, 627; Myers, xx, 512).
Stauropoctonus mauritii Sauss. (Hym. Ichneumonid) - Mauritius (Box, A, xiv, 547).
Stomatodexia sp. (Dipt. Tachinid) - Br. Guiana (Box, A, xiv, 547).
Telenomus sp. (Hym. Scelionid) - Br. Guiana (A, iii, 382): Trinidad (A, iv, 29): Mauritius (Box, A, xiv, 547).
Telenomus alecto Crwf. (Hym. Scelionid) - Barbados (Myers, A, xix, 627): Br. Guiana (A, ii, 568; xi, 113; xiv, 101; Cleare, xvii, 303; xix, 458): America (Box, A, xiv, 547): St. Lucia (Myers, A, xix, 627; xxi, 410): St. Vincent (Myers, A, xix, 627).
Telenomus beneficiens Zehnt. (Hym. Scelionid) - Java (Box, A, xiv, 547).
Trichogramma australicum Gir. (Hym. Trichogrammid) - Java, Mauritius (Box, A, xiv, 547).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - China (A, xxv, 597, 738).
Trichogramma minutum Riley (Hym. Trichogrammid) - America (Box, A, xiv, 547; xvii, 24): Antigua (Myers, A, xix, 627): Argentina (A, xvi, 331; xvii, 24): Barbados (A, ii, 30; xvii, 614; Myers, xix, 627): Br. Guiana (A, ii, 568; xi, 113; xiv, 101; Cleare, xvii, 303; xix, 458): Grenada (Myers, A, xix, 627): India (Ramakrishna Ayyar, A, xxii, 380; Ramakrishna Ayyar & Margabandu, xxiii, 209; xxv, 220): Mexico (A, xviii, 576): St. Kitts (Myers, A, xix, 627): St. Lucia (A, xxi, 410): St. Vincent (Myers, A, xix, 627): Trinidad (A, iv, 29): ? (A, xviii, 125).
Trichogramma nana Girault (Hym. Trichogrammid) - Java (A, xiv, 547).
Ufens niger Ashm. (Hym. Trichogrammid) - America (Box, A, xiv, 547).
Winthemia semiberbis Bezzi (Dipt. Tachinid) - Malaya (Records from British Museum).

Diatraea albicrinella Box (Crambid)

- Metagonostylum minense Tns. (Dipt. Tachinid) - Lower Amazon (Myers, A, xxiii, 499).
Spilochalcis dux Walk. (Hym. Chalcid) - Lower Amazon (Myers, A, xxiii, 499).
Telenomus sp. (Hym. Scelionid) - Lower Amazon (Myers, A, xxiii, 499).

Diatraea argyrolepida Hmps. - See Proceras

Diatraea auricilia Dugd. - See Chilo suppressalis Walk.

Diatraea bellifactella Dyar (Crambid)

- Bassus sp. (Hym. Braconid) - Trinidad (Myers, A, xxiii, 499).
Ipoobracon sp. (Hym. Braconid) - Trinidad (Myers, A, xxiii, 499).
Spilochalcis sp. (Hym. Chalcid) - Trinidad (Myers, A, xxiii, 499).

Diatraea brunnescens Box (Crambid)

- Bassus sp. (Hym. Braconid) - Venezuela (Myers, A, xxiii, 499).
Ipoobracon sp. (Hym. Braconid) - Venezuela (Myers, A, xxiii, 499).
Paratheresia sp. (Dipt. Tachinid) - Venezuela (Myers, A, xxiii, 499).
Spilochalcis sp. (Hym. Chalcid) - Venezuela (Myers, A, xxiii, 499).

Diatraea busckella Dyar & Heinr. (Crambid)

Paratheresia claripalpis Wulp (Dipt. Tachinid) - Panama (Myers, A, xxiii, 499).

Diatraea canella Hmps. (Crambid)

Bassus parvifasciatus Cam. (Hym. Braconid) - Br. Guiana (Box, A, xvi, 331).

Bassus stigmaterus Cress. (Hym. Braconid) - Br. Guiana, Porto Rico (Box, A, xvi, 331): Grenada (A, xxiii, 606): Venezuela (Myers, A, xxiii, 499).

Ipobracon sp. (Hym. Braconid) - Br. Guiana, Trinidad (Moutia, A, xxiii, 243): Dutch Guiana (Myers, A, xxiii, 499).

Ipobracon grenadensis Ashm. (Hym. Braconid) - Grenada (Myers, A, xix, 627; xxiii, 606).

Ipobracon puberulus Szep. (Hym. Braconid) - Br. Guiana (Box, A, xvi, 331).

Lixophaga diatraeae Tns. (Dipt. Tachinid) - Porto Rico-Br. Guiana (A, xiii, 86).

Mesostenoides sp. (Hym. Ichneumonid) - Br. Guiana (Box, A, xvi, 331).

Paratheresia sp. (Dipt. Tachinid) - Trinidad (Myers, A, xix, 627).

Paratheresia claripalpis Wulp (Dipt. Tachinid) - Br. Guiana, Trinidad (Moutia, A, xxiii, 243): Venezuela (Myers, A, xxiii, 499).

Sarcophaga sp. (Dipt. Sarcophagid) - Venezuela (Box, A, xvi, 331).

Spilochalcis dux Walk. (Hym. Chalcid) - Br. Guiana (Box, A, xvi, 331).

Stomatodexia sp. (Dipt. Tachinid) - Br. Guiana (A, xiii, 344; Box, xvi, 331): Dutch Guiana (Box, A, xvi, 331).

Telenomus alecto Crw. (Hym. Scelionid) - Argentina, Barbados, Guianas, Porto Rico, Trinidad, Venezuela (Box, A, xvi, 331): Grenada (A, xxiii, 606).

Trichogramma minutum Riley (Hym. Trichogrammid) - Grenada (A, xxiii, 606).

Diatraea crambidoides Grote (Crambid)

Cremastus graciliventris Cush. (Hym. Ichneumonid) - U.S.A. (A, xxii, 696).

Eupteromalus sp. (Hym. Pteromalid) - U.S.A. (A, ix, 415).

Microbracon brevicornis Wesm. (Hym. Braconid) - ? (Genieys, A, xiii, 462).

Microbracon caulicola Gahan (Hym. Braconid) - U.S.A. (A, xxii, 696).

Trichogramma minutum Riley (Hym. Trichogrammid) - U.S.A. (A, vii, 380; ix, 415; xvi, 401; xix, 313).

Diatraea dyari Box (Crambid)

Bassus sp. (Hym. Braconid) - Argentina (Box, A, xix, 26).

Ipobracon sp. (Hym. Braconid) - Argentina (Box, A, xix, 26).

Paratheresia claripalpis Wulp (Dipt. Tachinid) - Argentina (Box, A, xix, 26).

Telenomus sp. (Hym. Scelionid) - Argentina (Box, A, xix, 26).

Trichogramma minutum Riley (Hym. Trichogrammid) - Argentina (A, xix, 26).

Diatraea grandiosella Dyar (Crambid)

Apanteles diatraeae Mues. (Hym. Braconid) - Mexico (A, xiii, 86; xiv, 541; Hawaiian Planters' Record, xxviii, 1924, pp.443-446): U.S.A. (A, xxii, 320).

Paratheresia claripalpis Wulp (Dipt. Tachinid) - C. America, Peru (Box, A, xvi, 331).

Phorostoma sp. (Dipt. Tachinid) - Mexico (A, xiv, 541; Box, xvi, 331).

- Prospaltella sp. (Hym. Aphelinid) - U.S.A. (A, xxii, 320).
Sarcophaga lambens Wd. (Dipt. Sarcophagid) - Mexico (Aldrich, A, xvi, 82).
Telenomus sp. (Hym. Scelionid) - Mexico (A, i, 183): U.S.A. (A, xxii, 320).
Trichogramma minutum Riley (Hym. Trichogrammid) - Mexico (A, xiii, 86; xiv, 540; Hawaiian Planters' Record, xxviii, 1924, pp.443-446): U.S.A. (A, xxii, 319).

Diatraea impersonatella Walk. (Crambid)

- Apanteles diatraeae Mues. (Hym. Braconid) - Trinidad (Myers, A, xix, 538, 627).
Bassus parvifasciatus Cam. (Hym. Braconid) - Br. Guiana (A, i, 521).
Bracon sp. (Hym. Braconid) - Br. Guiana (A, i, 521).
Iphiaulax sp. (Hym. Braconid) - Br. Guiana (A, i, 521).
Iphiaulax medianus Cam. (Hym. Braconid) - Br. Guiana (A, i, 521).
Ipoobracon sp. (Hym. Braconid) - Trinidad (Myers, A, xix, 627).
Mesostenoides sp. (Hym. Ichneumonid) - Br. Guiana (A, i, 521).
Paratheresia claripalpis Wulp (Dipt. Tachinid) - Dutch Guiana (Myers, A, xxiii, 499).
Spilochalcis sp. (Hym. Chalcid) - Venezuela (Myers, A, xxiii, 499).
Spilochalcis dux Walk. (Hym. Chalcid) - Br. Guiana (A, i, 521; Box, xvi, 331).
Telenomus sp. (Hym. Scelionid) - Br. Guiana (A, i, 521).
Telenomus alecto Crw. (Hym. Scelionid) - Argentina, Barbados, Guianas, Porto Rico, Trinidad, Venezuela (Box, A, xvi, 331).
Trichogramma sp. (Hym. Trichogrammid) - Br. Guiana (A, i, 521).

Diatraea infuscatellus Sn. - See Proceras

- Diatraea lineolata Walk. - In Br. Guiana, Trinidad - See D. impersonatella Walk.
 In Mexico, U.S.A. - See D. grandiosella Dyar

Diatraea lineolata Walk. (Crambid)

- Lixophaga diatraeae Tns. (Dipt. Tachinid) - Cuba (A, xxii, 185).

Diatraea morella D. & H. - See D. impersonatella Walk.

Diatraea polychrysa Meyr. - See Proceras

Diatraea saccharalis F. (Crambid)

- Apanteles sp. (Hym. Braconid) - Porto Rico, Trinidad (Moutia, A, xxiii, 243): U.S.A. (A, vii, 279).
Apanteles diatraeae Mues. (Hym. Braconid) - Cuba (A, ix, 169; xiv, 542; Box, xvi, 331; xviii, 167; Myers, xix, 538; Wolcott, xxii, 65): Mexico (Box, A, xvi, 331; Wolcott, xxii, 65): Porto Rico (Dehnanian, A, xxv, 616).
Apanteles impunctatus Mues. (Hym. Braconid) - U.S.A. (A, xxii, 128).
Apanteles xanthopus Ashm. (Hym. Braconid) - Argentina (A, xix, 103; xx, 286; xxi, 506).
Bassus sp. (Hym. Braconid) - Barbados (A, xvii, 356, 614; xviii, 468): Br. Guiana (A, xv, 430): Br. Guiana-Antigua (A, xvii, 614): Br. Guiana-Barbados (A, xiii, 424; xvii, 44).
Bassus crossi Brèthes (Hym. Braconid) - Argentina (A, xvi, 159, 331, Box, 604).

Bassus parvifasciatus Cam. (Hym. Braconid) - Br. Guiana (Box, A, xvi, 331).

Bassus sacchari Myers (Hym. Braconid) - Venezuela (Myers, A, xxiii, 499).

Bassus stigmaterus Cress. (Hym. Braconid) - Argentina (A, xix, 103; xx, 286): Barbados (A, xxiv, 606): Br. Guiana (A, vi, 353; Box, xvi, 331; xxv, 252): Cuba (A, xiv, 542; Box, xvi, 331; xvii, 465; xviii, 167; xxii, 186): Br. Guiana-Barbados (A, xiii, 424): Dutch Guiana (Myers, A, xxiii, 499): Grenada (A, xxiii, 606): Haiti (Myers, A, xxiii, 499): Peru (A, xix, 103; xx, 286; xxi, 506): Porto Rico (Box, A, xvi, 331, 529, 651): St. Kitts (A, xx, 708): St. Vincent (A, xxiii, 447): U.S.A. (A, vii, 279; xx, 287).

Eremotylus flavofuscus Brulle (Hym. Ichneumonid) - Peru (A, xvii, 100).

Eulimneria alkae E. & S. (Hym. Ichneumonid) - France-Antigua (A, xxi, 661).

Eupelmus cushmani Crwf. (Hym. Eupelmid) - Peru (A, xxi, 505).

Eupelmus peruvianus Crwf. (Hym. Eupelmid) - Peru (A, xxi, 505).

Hemibracon sp. (Hym. Braconid) - Peru (Box, A, xvi, 331).

Ipoobracon sp. (Hym. Braconid) - Argentina (A, xx, 286): Br. Guiana (A, xv, 430): Br. Guiana-Antigua (A, xvii, 614): Dutch Guiana (Myers, A, xxiii, 499): Peru (A, xvii, 100): S. America (Wolcott, A, xxii, 65): Venezuela (Box, A, xvi, 331; Myers, xxiii, 499).

Ipoobracon aquaticus Myers (Hym. Braconid) - Br. Guiana (Myers, A, xix, 538; Myers, xx, 512).

Ipoobracon dolens Cam. (Hym. Braconid) - Dutch Guiana (Myers, A, xxiii, 499).

Ipoobracon grenadensis Ashm. (Hym. Braconid) - Barbados (A, xvii, 356): Barbados (A, xvii, 614; xviii, 468; xxiv, 606): Br. Guiana (A, vi, 333): Br. Guiana-Barbados (A, xiii, 424; xvii, 44): Grenada (A, xxiii, 606): Porto Rico (A, xiii, 85): W. Indies (A, xvi, 529).

Ipoobracon puberuloides Myers (Hym. Braconid) - Dutch Guiana (Myers, A, xxiii, 499).

Ipoobracon puberulus Szep. (Hym. Braconid) - Br. Guiana (Box, A, xvi, 331): Br. Guiana-Barbados (A, xiii, 424).

Ipoobracon rimac Wolcott (Hym. Braconid) - Peru (A, xx, 286, 316; xxi, 506; xxii, 474; xxiv, 330; xxv, 113): U.S.A. (A, xx, 287).

Ipoobracon saccharalis Turner (Hym. Braconid) - Br. Guiana (A, vi, 333; Box, xvi, 331).

Ipoobracon tucumanus Brèthes (Hym. Braconid) - Argentina (A, xvi, 159, Box, 331, 604; xxi, 506).

Jaynesleskia sp. (Dipt. Tachinid) - Argentina (A, xx, 286).

Jaynesleskia jaynesi Aldr. (Dipt. Tachinid) - Argentina (A, xx, 568; xxi, 505).

Leskiopalpus diadema Wd. (Dipt. Tachinid) - Brazil (A, xxii, 566): Dutch Guiana (Myers, A, xxiii, 499): Porto Rico (Dohanian, A, xxv, 616).

Lixophaga sp. (Dipt. Tachinid) - Porto Rico (A, i, 84; ii, 48; iii, 674).

Lixophaga diatraeae Tns. (Dipt. Tachinid) - Antigua (A, xxi, 162, 661; xxiii, 345; xxv, 616): Antigua-St. Lucia (Myers, A, xxiii, 499): Barbados (A, xxiii, 421, 712; xxiv, 606; xxv, 42): Cuba (A, xiv, 499, 542; Box, xvi, 331; xvii, 465; xix, 214; xxii, 185, 206): Cuba-Antigua (Myers, A, xxiii, 499): Cuba-St. Lucia, Antigua, St. Kitts (A, xxiv, 435): Cuba-Br. Guiana (A, xiii, 134): Cuba-Mexico (A, xi, 336): Cuba-U.S.A. (A, vii, 169; xii, 165): Greater Antilles (Wolcott, A, xxii, 65): Haiti (Myers, A, xxiii, 499): Jamaica (A, xv, 52; Box, xvi, 331; xxiv, 380):

- N. America (A, v, 9): Porto Rico (A, xv, 430; xvi, 651; Moutia, xxiii, 243): Porto Rico-Br. Guiana (A, xiii, 86): St. Kitts (A, xxi, 647; xxii, 621; xxiii, 345): St. Lucia (A, xxiii, 448): Santo Domingo (Box, A, xvi, 331): Trinidad (Moutia, A, xxiii, 243): U.S.A. (A, vii, 279; viii, 78; xvii, 84, 465; xviii, 247).
- Melittobia sp. (Hym. Eulophid) - Peru (A, xxi, 505).
- Mesostenoides sp. (Hym. Ichneumonid) - Br. Guiana (Box, A, xvi, 331).
- Metagonistylum minense Tns. (Dipt. Tachinid) - Brazil (A, xxii, 107, 187; xxiv, 261): Br. Guiana (Myers, A, xxiii, 499, 744; Dohanian, xxv, 616): Dutch Guiana (Myers, A, xxiii, 499): Lower Amazon-Br. Guiana & St. Lucia (A, xxiv, 435): Porto Rico (Moutia, A, xxiii, 243; xxv, 414): Trinidad (Moutia, A, xxiii, 243).
- Microbracon sp. (Hym. Braconid) - U.S.A. (A, xvi, 385).
- Microbracon femoratus Ashm. (Hym. Braconid) - Grenada, Venezuela (Box, A, xvi, 331).
- Microgaster tibialis Nees (Hym. Braconid) - France-Antigua (A, xxi, 661).
- Paratheresia claripalpis Wulp (Dipt. Tachinid) - Argentina (A, xvi, 159, 331, Box, 604; xvii, 311, 424, 656; xviii, 677; xix, 26; xx, 13, 286; xxi, 505): Barbados (A, xxiii, 712; xxiv, 606): C. America (Box, A, xvi, 331; Wolcott, xxii, 65): Honduras, Mexico (A, xvii, 311): Peru (Box, A, xvi, 331; xvii, 100, 311; xx, 286, 316; xxi, 505; xxii, 474; xxiv, 330): Peru-U.S.A. (A, xviii, 677): Porto Rico (Moutia, A, xxiii, 243; Dohanian, xxv, 616): S. America (Wolcott, A, xxii, 65): Trinidad (Moutia, A, xxiii, 243): Tucuman (A, xix, 680): U.S.A. (A, xx, 287).
- Perisierola bogotensis Kieff. (Hym. Bethyrid) - Br. Guiana (Myers, A, xix, 538; Myers, xx, 512).
- Phorostoma sp. (Dipt. Tachinid) - Mexico (Box, A, xvi, 331).
- Sarcophaga lambens Wd. (Dipt. Sarcophagid) - Cuba (A, xiv, 542; Aldrich, xvi, 82, Box, 331; xvii, 465; xviii, 168): Cuba-Mexico (A, xi, 336): Porto Rico (Box, A, xvi, 331, 651).
- Sarcophaga pedata Aldr. (Dipt. Sarcophagid) - Cuba (A, xviii, 167).
- Sarcophaga rapax Walk. (Dipt. Sarcophagid) - Cuba (A, xviii, 167).
- Sarcophaga surrubea Wulp (Dipt. Sarcophagid) - Cuba (A, xviii, 167).
- Spalangia muscidarum Rich. (Hym. Pteromalid) - Peru (A, xxi, 505).
- Spilochalcis sp. (Hym. Chalcid) - Br. Guiana (Myers, A, xix, 627).
- Spilochalcis dux Walk. (Hym. Chalcid) - Br. Guiana (A, iv, 359; Box, xvi, 331): Lower Amazon (Myers, A, xxiii, 499): U.S.A. (A, xviii, 413): Venezuela (Myers, A, xx, 512).
- Spilocryptus diatraeae Myers (Hym. Ichneumonid) - Br. Guiana (A, xxv, 252).
- Stomatodexia sp. (Dipt. Tachinid) - Br. Guiana (A, xiii, 344; Box, xvi, 331): Dutch Guiana (Box, A, xvi, 331).
- Syntomosphyrum esurus Riley (Hym. Eulophid) - U.S.A. (A, xviii, 413).
- Telenomus sp. (Hym. Scelionid) - Argentina (Box, A, xvi, 603).
- Telenomus alecto Crwf. (Hym. Scelionid) - Antigua (A, xx, 583): Argentina (A, xvi, 208, Box, 331; xx, 286): Barbados (A, v, 393; xii, 407; Box, xvi, 331; xix, 105; Wolcott, xxii, 65): Br. Guiana (A, ii, 497; iv, 359; Box, xvi, 331): Grenada (A, xxiii, 606): Peru (A, xxi, 506): Porto Rico (A, xii, 29; xiii, 86; Box, xvi, 331; Wolcott, xxii, 65; Moutia, xxiii, 243): St. Vincent (A, v, 168; xxiii, 447): Trinidad (Box, A, xvi, 331; Wolcott, xxii, 65; Moutia, xxiii, 243): Venezuela (Box, A, xvi, 331): W. Indies (A, v, 109).
- Thysanus dipterophaga Gir. (Hym. Encyrtid) - Peru (A, xxi, 505).
- Trichogramma sp. (Hym. Trichogrammid) - Barbados (A, xxv, 42): Ecuador (A, xxi, 585): Peru (A, xxi, 597): W. Indies (Wolcott, A, xxii, 65).

Trichogramma australicum Gir. (Hym. Trichogrammid) - Porto Rico, Trinidad (Moutia, A, xxiii, 243).
Trichogramma fasciatum Perk. (Hym. Trichogrammid) - Russia, Turkestan, Mexico (A, i, 435): Mexico (Box, A, xvi, 331).
Trichogramma minutum Riley (Hym. Trichogrammid) - Antigua (A, xx, 583; xxi, 542): Argentina (A, xvi, 208, Box, 603; xx, 286; xxi, 506): Barbados (A, v, 393; ix, 456; xi, 162; xii, 407; xv, 430; xviii, 468; xix, 105, 172; xx, 98, 402, 612; xxii, 160, 325, 539, 699; xxiii, 240, 420, 712; xxiv, 187, 435, 606): Br. Guiana (A, i, 319; iii, 26; iv, 360): Cuba (Barreto, A, xi, 229; xiv, 542; xviii, 168): Grenada (A, xxiii, 606): Jamaica (A, xiv, 147, 497): Mexico (A, i, 183; iii, 26): Peru (A, xvii, 100; xx, 316; xxi, 506; xxii, 474): Porto Rico (A, i, 184, 435; ii, 48; iii, 26, 674; xii, 29; xiii, 86): St. Kitts (A, xx, 708): St. Vincent (A, v, 168; xxiii, 447): U.S.A. (A, iii, 26, 760; vi, 306; vii, 279, 407; viii, 78; xv, 186; xvi, 385, 462, 508; xvii, 465, 720; xviii, 393, 577; xix, 176; xx, 289; xxi, 225, 656; xxii, 160, 578, 663; xxiv, 438, 461; xxv, 16): ? (Martin, A, xvi, 441).
Trichopria sp. (Hym. Diapriid) - Peru (A, xxi, 505).
Ufens niger Ashm. (Hym. Trichogrammid) - U.S.A. (A, vii, 407; viii, 78; Box, xvi, 331).

Diatraea saccharalis crambidoides auct. nec Grote - See D. saccharalis F.

Diatraea sacchariphaga Bojer - See Proceras sacchariphagus Bojer

Diatraea shariinensis Eguchi - See Proceras

Diatraea sticticraspis Hmps. (Crambid)*

Apanteles flavipes Cam. (Hym. Braconid) - India (A, xxv, 349, 529).

Trichogramma minutum Riley (Hym. Trichogrammid) - India (A, xxv, 479).

Diatraea striatalis Sn. - See Proceras sacchariphagus Bojer

Diatraea venosata Walk. - See Proceras venosatus Walk.

Diatraea zeacolella Dyar - See D. crambidoides Grote

Dicentria lignicolor Walk. (Notodontid)

Microgaster schizurae Mues. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Dichocrocis sp. (Pyraustid)

Angitia trochanterata Morl. (Hym. Ichneumonid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209).

Dichocrocis leptalis Hmps. (Pyraustid)

Syzeuctus xanthorius Cam. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).

* See also Argyria sticticraspis Hmps.

Dichogama bergii Mosch. (Pyraustid)

Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Dichogama redtenbacheri Led. (Pyraustid)

Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Dichomeris bipunctella Wlsm. (Gelechiid)

Chlorolycorina albomarginata Cress. (Hym. Ichneumonid) - U.S.A. (Cushman, A, viii, 509).

Dichomeris evidantis Meyr. (Gelechiid)

Camptothlipsis furtifica Wlkn. (Hym. Braconid) - India (Wilkinson, A, xix, 712; Beeson & Chatterjee, xxiv, 197).

Meteorus dichomeridis Wlkn. (Hym. Braconid) - India (A, xviii, 635; Beeson & Chatterjee, xxiv, 197).

Phanerotoma hendecasisella Cam. (Hym. Braconid) - Ceylon, Egypt, India, Australia (Beeson & Chatterjee, A, xxiv, 197).

Dichomeris ianthes Meyr. (Gelechiid)

Chelonus sp. (Hym. Braconid) - Malaya (Corbett & Miller, A, xxi, 676).

Dichomeris marginella F. (Gelechiid)

Dibrachys cavus Walk. (Hym. Pteromalid) - U.S.A. (A, xxv, 549).

Habrocytus sp. (Hym. Pteromalid) - U.S.A. (A, xxv, 549).

Horismenus microgaster Ashm. (Hym. Eulophid) - U.S.A. (A, xxv, 549).

Megastigmus bipunctatus Swed. (Hym. Torymid) - ? (Hoffmeyer, A, xix, 399).

Pimpla aequalis Prov. (Hym. Ichneumonid) - U.S.A. (A, xxv, 549).

Pimpla conquisitor Say (Hym. Ichneumonid) - U.S.A. (A, xxv, 549).

Dichonia aprilina L. - See AgriopisDichonia areola Esp. (Phalaenid)

Apanteles fulvipes Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Apanteles glomeratus L. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Dichrorampha plumbagana Tr. (Olethreutid)

Macrocentrus marginator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Dichrorampha simpliciana Haw. (Olethreutid)

Diblastomorpha bifoveolata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Dichrorampha tanacetii Staint. (Olethreutid)

Microgaster subcompleta Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Dicranura erminea Esp. (Notodontid)

Metopius micratorius F. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Pimpla instigator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Dicranura vinula L. (Notodontid)

Anastatus disparis Ruschka (Hym. Eupelmid) - Spain (A, xii, 146).

Apanteles sp. (Hym. Braconid) - Germany (A, xxiii, 586).

Apanteles affinis Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933): Japan (Watanabe, A, xxi, 211).

Apanteles okamotoi Watan. (Hym. Braconid) - Japan (Watanabe, A, xxi, 211).

Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Apanteles vinulae Bché. (Hym. Braconid) - Germany (A, x, 503).

Eurylabus larvatus Chr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933): Sweden (A, iv, 509).

Heterolaccus mauritanus Masi (Hym. Pteromalid) - Morocco (A, xxv, 801).

Ichneumon deliratorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Megaplectes monticola Grav. (Hym. Ichneumonid) - Sweden (A, vii, 96).

Melanichneumon saturatorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Metopius croceicornis Thoms. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Ooencyrtus neustriiae Mercet (Hym. Encyrtid) - Spain (A, xiv, 101).

Ophion luteus L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497):

Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Paniscus cephalotes Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933): Germany (Wagner, A, xix, 127; xxiii, 586): Latvia (Ozols, A, xvii, 55): Sweden (A, iv, 509).

Paniscus ocellaris Thoms. (Hym. Ichneumonid) - ? (Habermehl, A, xi, 365).

Paniscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933): Germany (Wagner, A, xix, 127).

Phobocampe crassiuscula Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Pimpla examiner F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933): ? (Meyer, A, xiii, 479; Jackson, xxv, 767).

Pimpla instigator F. (Hym. Ichneumonid) - England (Saunt, Ent. Month. Mag., lx, p.16, (1924)).

Rogas testaceus Spin. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239): Russia (Telenga, A, xxv, 703).

Spilocryptus migrator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Telenomus harpyiae Mayr (Hym. Scelionid) - Europe (Girault, A, ii, 310).

Telenomus truncatus Nees (Hym. Scelionid) - Europe (Girault, A, ii, 310).

Trogus lutorius nigrocaudatus Retz. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Winthemia quadripustulata F. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Palaearctic (Allen, A, xvi, 162).

Dictyoploca japonica Moore (Saturniid)

Acanthostoma insidiator Smith (Hym. Ichneumonid) - Formosa (A, xiii, 547); Japan (Uchida, A, xviii, 456).

Anastatus albitarsis Ashm. (Hym. Eupelmid) - Japan (A, xvi, 277; xxiv, 789).

Pimpla japonica D.T. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Telenomus poeta Gir. (Hym. Scelionid) - Japan (Girault, A, viii, 521).

Trichogramma dendrolimi Mats. (Hym. Trichogrammid) - Japan (A, xxiv, 789).

Dicycla oo L. (Phalaenid)

Spudastica krieckbaumeri Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Dilina tiliae L. - See MimasDiloba caeruleocephala L. (Phalaenid)

Agrypon tenuitarsum Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Anomalon cerinops Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Anomalon latro Schr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Apanteles juniperatae Bché. (Hym. Braconid) - Russia (Telenga, A, xxv, 703).

Apanteles ruficrus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933); Russia (Meier, A, xvi, 200).

Apanteles vitripennis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Astomaspis conformis Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933); Russia (Meier, A, xvi, 200).

Astomaspis nanus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252); Russia (A, iii, 638).

Cryptus cyanator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Erigorgus fibulator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Hemiteles schaffneri Schmied. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Hemiteles submarginatus Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933); Russia (Meier, A, xvi, 200).

Ichneumon sarcitorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933); Russia (Meier, A, xvi, 200).

Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Stictopisthus formosus Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Winthemia quadripustulata F. (Dipt. Tachinid) - Russia (A, iii, 638).

Dilophonota alope Dru. - See Erinnyis

Dilophonota ello L. - See Erinnyis

Dione vanillae L. (Nymphalid)

Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Dioryctria sp. (Phycitid)

Pyracmon conocola Rohw. (Hym. Ichneumonid) - U.S.A. (A, v, 404).

Dioryctria abietella D. & S. (Phycitid)

Actia pilipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Thorpe, xix, 29).

Apanteles lacteus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles nigripes Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Bigonichaeta setipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ephialtes carbonarius Chr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ephialtes strobilorum Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Lissonota sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Macrocentrus marginator Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Macrocentrus obscurator Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Mesostenus gladiator Scop. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Microbracon brevicornis Wesm. (Hym. Braconid) - Europe (Genieys, A, xiii, 462): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): C. Europe, France, America (Chu & Hsia, A, xxv, 508).

Nemeritis transfuga Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla ephialtoides Cush. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Dioryctria cambiicola Dyar (Phycitid)

Pimpla evetriae Vier. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169).

Dioryctria mutarella Fuchs (Phycitid)

Lissonota sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Dioryctria schutzeella Fuchs (Phycitid)

Microbracon brevicornis Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Dioryctria splendidella H.-S. (Phycitid)

Actia pilipennis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Thorpe, xix, 29): Germany (A, xiii, 103; Eidmann, xiv, 34).

Macrocentrus abdominalis F. (Hym. Braconid) - France (A, xix, 124).

Dioryctria xanthaenobares Dyar (Phycitid)

Lissonota dioryctriae Rohw. (Hym. Ichneumonid) - U.S.A. (A, viii, 381).

Meteorus indagator Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).

Microtypus dioryctriae Rohw. (Hym. Braconid) - U.S.A. (A, viii, 381).

Orgilus dioryctriae Gahan (Hym. Braconid) - U.S.A. (A, vii, 321).

Dioryctria zimmermani Grote (Phycitid)

Ichneumon sp. (Hym. Ichneumonid) - U.S.A. (A, iv, 34).

Diparopsis castanea Hmps. (Phalaenid)

Apanteles diparopsidis Lyle (Hym. Braconid) - S. Africa (A, xv, 462; xvi, 648; xix, 377; xxi, 135, 157, 523).

Apanteles earterus Wlkn. (Hym. Braconid) - Sudan (A, xix, 26; xxi, 135).

Eurytoma braconidis Ferr. (Hym. Eurytomid) - Sudan (A, xviii, 55).

Microbracon brevicornis Wesm. (Hym. Braconid) - S. Africa (A, xx, 624): Sudan (A, xviii, 100).

Nemoraea capensis R.-D. (Dipt. Tachinid) - S. Rhodesia (A, xxii, 556).

Trichogramma lutea Gir. (Hym. Trichogrammid) - S. Africa (A, xvii, 293; xviii, 425; xix, 292; xx, 243; xxi, 523).

Diptera alpium Osbeck (Phalaenid)

Aphanistes bellicosus Wesm. (Hym. Ichneumonid) - Poland (Heinrich, A, xviii, 40).

Metopius anxius Wesm. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Dipsosphacia ichneumoniformis Esp. (Aegeriid)

Leskia aurea Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Dipterygia scabriuscula L. (Phalaenid)

Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Enicospilus ramidulus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Ophion luteus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Dirades theclata Guen. (Epiplemid)

Cardiochiles adina Wlkn. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).

Dirphya amphimone F. - See Catocephalia

Dirphya princeps Jord. (Saturniid)

Bathyaulax sp. (Hym. Braconid) - Uganda (A, xxv, 351).

Dolba hylaeus Dru. (Sphingid)

Apanteles congregatus Say (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Doritis apollinus Hbst. - See Archon

Douglasia ocnorostomella Staint. (Douglasiid)

Apanteles albipennis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Drasteria - See Caenurgina

Drepana cultraria F. (Drepanid)

Erycia aurulenta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Zenillia libatrix Panz. (Dipt. Tachinid) - England (Wainwright, A, xvi, 480): Hungary (Dowden, A, xxii, 321).

Drepana falcataria L. (Drepanid)

Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Erycia aurulenta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Frivaldzkia distincta Mg. (Dipt. Tachinid) - ? (A, v, 485).

Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon albicinctus Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Labrorychus flexorius Thnbg. (Hym. Ichneumonid) - Sweden (A, iv, 509).

Labrorychus tenuicornis Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127): Sweden (A, iv, 509).

Masicera falculae R.-D. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Meniscus catenator Panz. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phobocampe crassiuscula Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phytodietus coryphaeus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla rufata Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Drepana harpagula Esp. (Drepanid)

Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Drepana lacertinaria L. (Drepanid)Actia versicolor Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).Apanteles sericeus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Campoplex terebrator Först. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).Labrorychus flexorius Thnbg. (Hym. Ichneumonid) - Sweden (A, iv, 509).Labrorychus tenuicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933): Germany (Wagner, A, xix, 127).Pimpla rufata Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Drymonia chaonia Hb. (Notodontid)Apanteles limbatus Marsh. (Hym. Braconid) - Germany (Wagner, A, xix, 127).Campoplex falcator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).Phytodietus segmentator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Drymonia trimacula Esp. (Notodontid)Coelichneumon bilineatus Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Dryobota protea Borkh. - See DryobotodesDryobotodes protea Borkh. (Phalaenid)Listrodromus nyctemerus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563).Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).Duomitus ceramicus Walk. - See Xyleutes ceramica Walk.Dyscedestis farinatella Dup. (Hyponomeutid)Ageniaspis fuscicollis Dalm. (Hym. Encyrtid) - Sweden (A, iii, 147).Dyscia fagaria Thnbg. (Geometrid)Casinaria claviventris Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).Eacles imperialis Dru. (Citheroniid)Belvosia bifasciata F. (Dipt. Tachinid) - U.S.A. (Aldrich, A, xvi, 599).Belvosia townsendi Aldr. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).Earias sp. (Phalaenid)Actia aegyptia Vill. (Dipt. Tachinid) - Burma (A, xv, 199): India (A, xiv, 423).

Actia nana Curran (Dipt. Tachinid) - Uganda (A, xvi, 228, 313).
Actia tibialis R.-D. (Dipt. Tachinid) - India (Records from British Museum).
Apanteles diparopsidis Lyle (Hym. Braconid) - Nigeria, N. Rhodesia, Uganda (A, xxi, 135).
Bassus aciculatus Brues (Hym. Braconid) - Tanganyika (A, xvii, 483).
Brachymeria tachardiae Cam. (Hym. Chalcid) - India (A, xiv, 423).
Chelonus rufus Lyle (Hym. Braconid) - India (A, xi, 525).
Elasmus sp. (Hym. Elasmid) - India (A, xiv, 423).
Elasmus johnstoni Ferr. (Hym. Elasmid) - India (Ramakrishna Ayyar, A, xxii, 380).
Goryphus nursei Cam. (Hym. Ichneumonid) - India (A, xiv, 423).
Microbracon sp. (Hym. Braconid) - India (A, vi, 123; vii, 132): Uganda (A, xvi, 313).
Microbracon greeni Ashm. (Hym. Braconid) - India (A, xvi, 478).
Microbracon lefroyi D. & G. (Hym. Braconid) - Burma (A, xv, 199): India (A, ii, 321; xii, 266; xiv, 423; Ramakrishna Ayyar, xvi, 48, 479).
Oncochalcis rufescens Cam. (Hym. Chalcid) - India (A, xiv, 423).
Phanerotoma hendecasisella Cam. (Hym. Braconid) - Egypt (A, xix, 173).
Rogas testaceus Spin. (Hym. Braconid) - Burma (A, xv, 199): India (A, xiv, 423).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - India (Ramakrishna Ayyar, A, xiii, 645).

Earias biplaga Walk. (Phalaenid)

Apanteles sp. (Hym. Braconid) - Nigeria (A, xiv, 323).
Bassus aciculatus Brues (Hym. Braconid) - Uganda (A, xvii, 656).
Microgaster sp. (Hym. Braconid) - Nigeria (A, xiv, 323).
Microgaster earina Wlkn. (Hym. Braconid) - Nigeria (Wilkinson, A, xvii, 608).

Earias chlorana L. (Phalaenid)

Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Agrypon geniculatum Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Angitia exareolata Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ascogaster rufipes Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex insignitus Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex multicinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497; Thorpe, xix, 29).
Diadromus troglodytes Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).
Eubadizon extensor L. (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp. 133-183, 1933).

Glypta ceratites Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).
Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).
Trichomma enecator Rossi (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Earias chromataria Walk. - See E. cupreoviridis Walk.

Earias cupreoviridis Walk. (Phalaenid)

Apanteles eguchii Watan. (Hym. Braconid) - China, Korea (A, xxiv, 244).
Chelonus pectinophorae Cush. (Hym. Braconid) - China (Chu, A, xxiv, 105; xxv, 302).
Pristomerus taoi Sonan (Hym. Ichneumonid) - China (A, xxv, 260).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - India (A, xiv, 423).

Earias fabia Stoll (Phalaenid)

Actia aegyptia Vill. (Dipt. Tachinid) - India (A, xii, 379).
Brachymeria sp. (Hym. Chalcid) - India (A, xii, 379).
Brachymeria responsator Walk. (Hym. Chalcid) - India (A, xii, 379).
Brachymeria tachardiae Cam. (Hym. Chalcid) - India (A, xii, 379; xvi, 419).
Centrochalcis sp. (Hym. Chalcid) - India (A, xii, 379).
Chelonus sp. (Hym. Braconid) - India (A, xii, 379).
Elasmus sp. (Hym. Elasmid) - India (A, xii, 379).
Goryphus nursei Cam. (Hym. Ichneumonid) - India (A, viii, 99; xii, 379; Beeson & Chatterjee, xxiv, 197).
Microbracon sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183).
Microbracon brevicornis Wesm. (Hym. Braconid) - India (A, xii, 379).
Microbracon lefroyi D. & G. (Hym. Braconid) - India (A, ix, 71; x, 182; xii, 379; xvi, 419; Ramakrishna Ayyar & Margabandu, xxiii, 209).
Rogas sp. (Hym. Braconid) - India (A, viii, 109).
Rogas testaceus Spin. (Hym. Braconid) - India (A, xii, 379; xvi, 419).
Sturmia hutsoni Bar. (Dipt. Tachinid) - Ceylon (Baranoff, A, xxii, 555).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - India (A, xii, 379).

Earias huegeli Rogen. (Phalaenid)

Eurytoma sarcophaga Gir. (Hym. Eurytomid) - Australia (A, iv, 110; xiv, 336).

Earias insulana Boisd. (Phalaenid)

Actia aegyptia Vill. (Dipt. Tachinid) - India (A, xii, 379; Husain & Mathur, xii, 383).
Apanteles earterus Wlkn. (Hym. Braconid) - Sudan (A, xix, 26, 391; xxi, 135, 583).
Bassus aciculatus Brues (Hym. Braconid) - Uganda (A, xvii, 656).
Brachymeria sp. (Hym. Chalcid) - India (A, xii, 379; Husain & Mathur, xii, 383).
Brachymeria brevicornis Klug (Hym. Chalcid) - Egypt (A, xiii, 170).
Brachymeria responsator Walk. (Hym. Chalcid) - India (A, xii, 379; Husain & Mathur, 383).

- Brachymeria tachardiae Cam. (Hym. Chalcid) - India (A, xii, 379, Husain & Mathur, 383; xvi, 419).
- Centrochalcis sp. (Hym. Chalcid) - India (A, xii, 379, Husain & Mathur, 383).
- Chelonus sp. (Hym. Braconid) - India (A, xii, 379, Husain & Mathur, 383): Sudan (A, xix, 391).
- Chelonus blackburni Cam. (Hym. Braconid) - Egypt (A, i, 92).
- Elasmus sp. (Hym. Elasmid) - India (A, xii, 379, Husain & Mathur, 383).
- Elasmus johnstoni Ferr. (Hym. Elasmid) - India (A, xviii, 198): Sudan (A, xviii, 55, 198; xix, 391; xxi, 583).
- Goryphus nursei Cam. (Hym. Ichneumonid) - India (A, xii, 379, Husain & Mathur, 383; Beeson & Chatterjee, xxiv, 197).
- Microbracon brevicornis Wesm. (Hym. Braconid) - India (A, xii, 379): Iraq (A, x, 330; xi, 29; xx, 244): Egypt (A, ii, 321; iv, 402, 403; vii, 164; xiii, 170): Morocco (A, xvii, 101): Sudan (A, xviii, 99; xix, 391; xxi, 583).
- Microbracon lefroyi D. & G. (Hym. Braconid) - India (A, iv, 225; vi, 334; ix, 71; x, 182; xii, 90, 379, Husain & Mathur, 383; xiii, 170; xvi, 419).
- Phanerotoma hendecasisella Cam. (Hym. Braconid) - Ceylon, Egypt, India, Australia (Beeson & Chatterjee, A, xxiv, 197).
- Pimpla roborator F. (Hym. Ichneumonid) - Cyprus (A, xiv, 198): Egypt (A, iv, 403).
- Rogas sp. (Hym. Braconid) - India (A, viii, 109).
- Rogas testaceus Spin. (Hym. Braconid) - India (A, xii, 90, 379; Husain & Mathur, 383; xvi, 419).
- Trichogramma evanescens Westw. (Hym. Trichogrammid) - India (A, xii, 379, Husain & Mathur, 383).

Europhila badiata Schiff. - See Hydriomena badiata Hb.

Eccopteroma falcata Graes. - See Macrocthonina fervens Butl.

Ecclita ludicra Hb. (Phalaenid)

Wagneria schnabli B.B. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ecdytolopha insiticiaria Zell. (Olethreutid)

Microgaster ecdytolophae Mues. (Hym. Braconid) - N. America (A, x, 551).

Ecpantheria eridanus Cram. (Arctiid)

Eremotylus angulatus Hook (Hym. Ichneumonid) - Porto Rico (A, iv, 279).

Ecpantheria indecisa Walk. (Arctiid)

Trichogramma koehleri Blanchard (Hym. Trichogrammid) - Argentina (Blanchard, A, xvi, 117).

Ectoedemia castaneae Busck (Nepticulid)

Mirax ectoedemiae Rohw. (Hym. Braconid) - U.S.A. (Muesebeck, A, x, 551).

Ectoedemia phleophaga Busck (Nepticulid)

Adelius fasciipennis Rohw. (Hym. Braconid) - U.S.A. (A, x, 551).

Ectropis sp. (Geometrid)

Campoplex sp. (Hym. Ichneumonid) - India (A, xiv, 37).

Ectropis bistortata Goeze - See Boarmia

Ectropis crepuscularia Schiff. (Geometrid)

Metopius fuscipennis Wesm. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Ectropis deodarae Prout (Geometrid)

Campoplex deodarae Cush. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).

Compsilura concinnata Mg. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Cryptus sp. (Hym. Ichneumonid) - India (Beeson & Chatterjee, A, xxiv, 197).

Ectropis extersaria Hb. (Geometrid)

Campoplex femorator Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon sicarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eidophasia messingiella Fisch (Elachistid)

Campoplex lugubrinus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eilema caniola Hb. (Arctiid)

Homeonychia lithosiophaga Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Eilema complana L. (Arctiid)

Apanteles octonarius Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eilema lurideola Zinck. (Arctiid)

Microgaster tibialis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Italy (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).

Eilema unita Schiff. (Arctiid)

Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Elachista alpinella Staint. (Elachistid)

Eulimneria monticolanum Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista apicipunctella Staint. (Elachistid)

Apanteles sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Elachista atricomella Staint. (Elachistid)

? Chelonus pusio Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista cerusella Hb. (Elachistid)

Angitia ruficornis Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Sagaritis erythropus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista gleichenella F. (Elachistid)

Apanteles umbellatarum Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista luticomella Zell. (Elachistid)

Angitia sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

? Chelonus pusio Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista magnificella Thstr. (Elachistid)

Apanteles viminetorum Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista perplexella Staint. (Elachistid)

Apanteles viminetorum Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista poae Staint. (Elachistid)

Angitia sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Exothecus sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Micrope macilenta Wesm. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Elachista subnigrella Doug. (Elachistid)

Gelis anthracinus Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Elachista taeniatella Staint. (Elachistid)

Apanteles bicolor Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles lateralis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Exothecus sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

ELACHISTID sp.

Chrysocharis cubensis Gahan (Hym. Eulophid) - Cuba (Gahan, A, xxi, 101).

Tetrastichus pallidocinctus Gahan (Hym. Eulophid) - Cuba (Gahan, A, xxi, 101).

Elaphria sp. (Phalaenid)

Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).

Elaphria nucicolora Guen. (Phalaenid)

Archytas analis F. (Dipt. Tachinid) - U.S.A. (Vickery, A, xiii, 622).

Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (Vickery, A, xiii, 622).

Wagneria carbonaria Panz. (Dipt. Tachinid) - U.S.A. (Vickery, A, xiii, 622).

Elasmopalpus lignosellus Zell. (Phycitid)

Macrocentrus ancyllivorus Rohw. (Hym. Braconid) - Porto Rico (A, xxv, 758).

- Neopristomerus sp. (Hym. Ichneumonid) - U.S.A. (A, v, 578).
Orgilus laeviventris Cress. (Hym. Braconid) - U.S.A. (A, v, 578).
Pristomerus melleus Cush. (Hym. Ichneumonid) - N. America (A, ix, 53).

Ellopia fasciaria L. (Geometrid)

- Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Mesochorus sylvarum Curt. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Phaeogenes invisor Thnbg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Rogas armatus Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Ellopia fiscellaria Guen. - See Lambdina

Ellopia somniaria Hulst. - See Lambdina

Elydna nonagrica Walk. (Phalaenid)

- Achaetoneura archippivora Will. (Dipt. Tachinid) - Hawaii (A, ii, 629).
Chaetogaedia monticola Big. (Dipt. Tachinid) - Hawaii (A, ii, 629).
Polysphincta koebelei How. (Hym. Ichneumonid) - Hawaii (A, ii, 629).
Trichogramma minutum Riley (Hym. Trichogrammid) - Hawaii (A, ii, 629).

Elydna reclusa auct. nec Walk. - See E. nonagrica Walk.

Elymnias hypermnestria L. (Nymphalid)

- Brachymeria euploae Westw. (Hym. Chalcid) - Malaya (Corbett & Miller, A, xxi, 676).

Ematurga armatoria Guen. (Geometrid)

- Campoplex sp. (Hym. Ichneumonid) - U.S.A. (A, iii, 531).

Ematurga atomaria L. (Geometrid)

- Anomalon cerinops Grav. (Hym. Ichneumonid) - Germany (Eidmann, A, xiv, 415).
Campoplex angustatus Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Frivaldzkia distincta Mg. (Dipt. Tachinid) - ? (A, v, 485).
Ichneumon bilunulatus Grav. (Hym. Ichneumonid) - Germany (Eidmann, A, xiv, 415).
Ichneumon bilunulatus derivator Wesm. (Hym. Ichneumonid) - Germany (Eidmann, A, xiv, 415).
Ichneumon nigritarius Grav. (Hym. Ichneumonid) - Germany (A, xiv, 415): Sweden (A, iv, 509).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563): Germany (A, xiv, 415).
Microcryptus perspicillator Grav. (Hym. Ichneumonid) - Germany (Eidmann, A, xiv, 415).
Pimpla turionellae L. (Hym. Ichneumonid) - Germany (Eidmann, A, xiv, 415).
Plectocryptus arrogans Grav. (Hym. Ichneumonid) - Germany (Eidmann, A, xiv, 415).

Emmalocera depressella Swinh. (Phycitid)Bethyld sp. (Hym.) - India (A, xxv, 349).Stenobracon deesae Cam. (Hym. Braconid) - India (A, xxv, 349).Trichogramma minutum Riley (Hym. Trichogrammid) - India (A, xxv, 349).Emmelesia decolorata Hb. - See HydriomenaEmpusada balsamitae Boisd. (Phalaenid)Exetastes fornicator F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).Enarmonia batrachopa Meyr. - See OlethreutesEnarmonia caryana Fitch - See LaspeyresiaEnarmonia diniana Guen. - See Zeiraphera griseana Hb.Enarmonia nanana Treit. - See EpinotiaEnarmonia prunivora Walsh - See GrapholithaEnarmonia saliciana Clem. - See Gypsonoma salicicolana Clem.Enarmonia woeberiana Schiff. (Olethreutid)Lissonota versicolor Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).Endopisa leplastriana Curt. - See SelaniaEndothenia antiquana Hb. (Olethreutid)Ascogaster canifrons Wesm. (Hym. Braconid) - Switzerland (A, xxi, 680).Endothenia gentiana Hb. (Olethreutid)Angitia rufipes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Haber-mehl, A, xi, 365).Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29).Endothenia nigricostana Haw. (Olethreutid)Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Glypta ceratites Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Endromis versicolor L. (Endromid)Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).Metopius anxius Wesm. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).Endrosis lactella Schiff. (Oecophorid)? Angitia chrysosticta Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Hemiteles bicolorinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933): ? (Thorpe, A, xix, 29).

Microbracon variegator Spin. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Trichogramma evanescens Westw. (Hym. Trichogrammid) - England (A, xviii, 589).

Ennomos alniaria L. (Geometrid)

Metopius dissectorius Panz. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

? Pimpla ovivora Boh. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Pimpla rufata Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Zele discolor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Ennomos autumnaria Wernbg. (Geometrid)

? Pimpla ovivora Boh. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Ennomos magnarius Guen. - See Deuteronomos

Ennomos quercinaria Hufn. (Geometrid)

Pimpla examinator F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Germany (A, ix, 93): ? (Jackson, A, xxv, 767).

Ennomos subsignarius Hb. (Geometrid)

Actia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Brachymeria compsilurae Crwf. (Hym. Chalcid) - U.S.A. (A, xxi, 75).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Euplectrus sp. (Hym. Eulophid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Glypta simplicipes Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Hyposoter flavipes Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Madremyia saundersii Will. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phryxe vulgaris Fall. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Chu & Hsia, xxv, 508): U.S.A. (A, xxi, 75; Schaffner & Griswold, xxii, 688): ? (Schedl, A, xix, 725).

Pimpla picticornis Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Sarcophaga houghi Aldr. (Dipt. Sarcophagid) - U.S.A. (A, xxi, 75).

Sarcophaga latisterna Park. (Dipt. Sarcophagid) - U.S.A. (A, xxi, 75).

- Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Telenomus sp. (Hym. Scelionid) - U.S.A. (A, xxi, 75).
Theronia fulvescens Cress. (Hym. Ichneumonid) - U.S.A. (A, xxi, 75).
Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Sellers, A, xix, 65; xxi, 75; Schaffner & Griswold, xxii, 688).
Zenillia futilis O.S. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia virilis A. & W. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Entephria caesiata Schiff. - See Hydriomena

Epagoge infaustana Wlsm. (Tortricid)

- Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Sierola epigogeana Full. (Hym. Dryinid) - Hawaii (Fullaway, A, ix, 44).

Epagoge sulfureana Clem. - See Sparganothis

Epanaphe moloneyi Druce (Thaumetopoeid)

- Haltichella sp. (Hym. Chalcid) - Nigeria (A, xii, 68).
Oneilella sp. (Hym. Ichneumonid) - Nigeria (A, xii, 68).
Sturmia inconspicua Mg. (Dipt. Tachinid) - Nigeria (A, xii, 68).
Tachina xanthaspis Wd. (Dipt. Tachinid) - Nigeria (A, xii, 68).

Epargyreus tityrus F. - See Proteides clarus Cam.

Epelis - See Isturgia

Epermenia chaerophyllella Goeze (Epermeniid)

- Apanteles infimus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles obscurus Nees (Hym. Braconid) - England (A, xvi, 9).

Epermenia cicutaella Kerf. (Epermeniid)

- Pimpla conquisitor Say (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169; Schedl, xix, 725; Chu & Hsia, xxv, 508).

Ephestia sp. (Phycitid)

- Apanteles tachardiae Cam. (Hym. Braconid) - India (A, xix, 25).
Microbracon hebetor Say (Hym. Braconid) - Burma-W. Indies (A, xxiii, 153).
Trichogramma cacoeciae Marchal (Hym. Trichogrammid) - France (A, xv, 653).
Trichogramma minutum Riley (Hym. Trichogrammid) - Australia (A, xvii, 104).

Ephestia cahirittella Zell. - See E. cautella Walk.

Ephestia cautella Walk. (Phycitid)

- Angitia sp. (Hym. Ichneumonid) - Egypt (Adair, A, vii, 164).
Apanteles bicolor Nees (Hym. Braconid) - ? (Mokrzecki, A, xix, 382).

- Cremastus sp. (Hym. Ichneumonid) - Japan (A, xxv, 745).
Idechthis canescens Grav. (Hym. Ichneumonid) - Germany (A, xxv, 263): Italy (A, xxi, 430): Australia (A, xviii, 199): ? (Mokrzecki, A, xix, 382).
Lathrostizus insularis Ashm. (Hym. Ichneumonid) - ? (Mokrzecki, A, xix, 382).
Microbracon sp. (Hym. Braconid) - Iraq (A, xxiii, 606).
Microbracon brevicornis Wesm. (Hym. Braconid) - Egypt (A, ii, 321; iv, 403).
Microbracon hebeter Say (Hym. Braconid) - Italy (A, xxi, 430): Poland (A, xix, 382): Ceylon (A, xxiv, 483): Japan (Chu & Hsia, A, xxv, 508, 745): Australia (A, xvii, 367; xviii, 199).
Perisierola gallicola Kieff. (Hym. Bethyloid) - ? (Mokrzecki, A, xix, 382).
Trichogramma sp. (Hym. Trichogrammid) - Japan (A, xxi, 382; xxiv, 630).
Trichogramma australicum Gir. (Hym. Trichogrammid) - Formosa (A, xxi, 359).
Trichogramma erosicornis Westw. (Hym. Trichogrammid) - Ceylon (A, xx, 574).
Trichogramma japonicum Ashm. (Hym. Trichogrammid) - Formosa (A, xxi, 359): Japan (A, xxv, 335, 745, 746).
Trichogramma minutum Riley (Hym. Trichogrammid) - Mexico (A, xviii, 577): U.S.A. (A, xviii, 471).

Ephestia elutella Hb. (Phycitid)

- Cephalonomia sp. (Hym. Bethyloid) - Hawaii (Swezey, A, iii, 681).
Hockeria sp. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).
Holepyris hawaiiensis Ashm. (Hym. Bethyloid) - England (A, xviii, 174).
Idechthis canescens Grav. (Hym. Ichneumonid) - Germany (A, xxv, 263): Greece (A, xxiii, 389): Russia (A, xix, 408; xxi, 56): Turkey (A, xxiii, 389).
Lathrostizus insularis Ashm. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).
Mesostenus gracilis Cress. (Hym. Ichneumonid) - U.S.A. (A, xxv, 185).
Microbracon sp. (Hym. Braconid) - Russia (A, xix, 408).
Microbracon brevicornis Wesm. (Hym. Braconid) - Europe (Genieys, A, xiii, 462): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): ? (Mokrzecki, A, xix, 382).
Microbracon hebeter Say (Hym. Braconid) - Bulgaria (Tchorbadzhiev, A, xiii, 601): England (A, xviii, 174): Germany (A, xiv, 437): Greece (A, xxiii, 389; Isaakides, xxiv, 611): Russia (A, xxi, 56): Turkey (A, xxiii, 389): Hawaii (Swezey, A, iii, 681): Japan (Chu & Hsia, A, xxv, 508): U.S.A. (A, xxi, 458; xxv, 185, 627): Gold Coast (A, xxii, 46): S. Rhodesia (A, xx, 396).
Perisierola emigrata Roew. (Hym. Bethyloid) - Hawaii (A, vii, 435).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - England (A, xviii, 589).

Ephestia figulilella Gregson (Phycitid)

- Idechthis canescens Grav. (Hym. Ichneumonid) - U.S.A. (A, xxiii, 19, 37).
Mesostenus gracilis Cress. (Hym. Ichneumonid) - U.S.A. (A, xxiii, 19, 37).
Microbracon hebeter Say (Hym. Braconid) - U.S.A. (A, xxiii, 19, 37).

Ephestia kuehniella Zell. (Phycitid)

Amorphota ephestiae Cam. (Hym. Ichneumonid) - Australia (A, i, 118).

Angitia sp. (Hym. Ichneumonid) - Egypt (Adair, A, vii, 164).

Angitia armillata Grav. (Hym. Ichneumonid) - Germany (A, xxi, 379).

Angitia incipiens Walley (Hym. Ichneumonid) - Canada (A, xviii, 22).

Apanteles nephopteris Pack. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169): ? (Dieuzeide, A, xiv, 379).

Chremylus rubiginosus Nees (Hym. Braconid) - ? (Dieuzeide, A, xiv, 379).

Idechthis canescens Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): England (A, xxii, 2; xxiv, 555): France (A, xviii, 505): Germany (A, vii, 60; viii, 544; Schutze & Roman, xix, 239; xx, 491; xxii, 307, 726; xxv, 263): Greece (Isaakides, A, xxiv, 611): Holland (A, xx, 310): Italy (A, xvii, 329): Yugoslavia (A, xx, 716): Russia (A, xvi, 171, Meier, 200; Romanova, xix, 563): Canada (A, xix, 36): U.S.A. (A, x, 457): Algeria (A, xiv, 379): ? (A, ix, 82, 495; Dieuzeide, xiv, 379).

Mesostenus gracilis Cress. (Hym. Ichneumonid) - ? (Dieuzeide, A, xiv, 379).

Metacoelus mansuetor Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Microbracon brevicornis Wesm. (Hym. Braconid) - Europe (Genieys, A, xiii, 462): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (A, xi, 435; xix, 148): Holland (A, x, 573): Russia (Meier, A, xvi, 200): U.S.A. (A, viii, 597): Egypt (Adair, A, vii, 164): ? (A, ix, 495; x, 566; xiv, 604).

Microbracon crassicornis Thoms. (Hym. Braconid) - Yugoslavia (A, xx, 185).

Microbracon hebetor Say (Hym. Braconid) - England (A, xxii, 2): Germany (A, xii, 437; xiii, 587; xix, 302; xxi, 376, 378; xv, 500): Yugoslavia (A, xx, 716): Ceylon (A, xxiv, 483): India (A, xv, 531): Japan (Chu & Hsia, A, xxv, 508): U.S.A. (A, ix, 82; xix, 629; xxi, 667; xxii, 349; xxv, 629): Australia (A, i, 118): ? (Dieuzeide, A, xiv, 379; xvii, 101).

Pimpla examinatrix F. (Hym. Ichneumonid) - Germany (A, xix, 302): ? (Jackson, A, xxv, 767).

Trichogramma erosicornis Westw. (Hym. Trichogrammid) - Ceylon (A, xx, 574).

Trichogramma evanescens Westw. (Hym. Trichogrammid) - England (A, xviii, 589; xxii, 203; xxiii, 390): Germany (A, xiii, 587; xiv, 501; xix, 302): Ceylon (A, xxii, 377): ? (A, xviii, 146).

Trichogramma minutum Riley (Hym. Trichogrammid) - Germany (A, xxi, 395): Canada (A, xxii, 361): U.S.A. (A, xix, 203).

Ephyra linearis Hb. - See CosymbiaEphyra pendularia Cl. - See CosymbiaEpia irregularis Hufn. (Phalaenid)

Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles sericeus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Enicospilus merdarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon xanthorius Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ophion distans Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epiblema curvinervis Hb. (Olethreutid)

Medina luctuosa Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Epiblema cynosbana F. (Olethreutid)

Phytodietus coryphaeus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phytodietus segmentator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Trichomma enecator Rossi (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Epiblema desertana Zell. (Olethreutid)

Bassus bicolor Prov. (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 294).

Epiblema foenella L. (Olethreutid)

Campoplex fascinus Grav. (Hym. Ichneumonid) - France (Falcoz, Bull. Soc. ent. France, 1926, p.131).

Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Diblastomorpha bifoveolata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

? Pimpla nucum Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epiblema grandaevana Zell. (Olethreutid)

Glypta similis Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epiblema hypericana Hb. - See Lathronympha

Epiblema immundana F. - See Epinotia

Epiblema luctuosana Dup. (Olethreutid)

Glypta similis Bridgm. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Epiblema minutana Kearf. - See E. strenuana Walk.

Epiblema nigricana H.S. - See Epinotia

Epiblema nisella Cl. - See Epinotia

Epiblema otiosana Clem. (Olethreutid)

Apanteles harti Vier. (Hym. Braconid) - U.S.A. (A, xxi, 192).

Bassus simillimus Cress. (Hym. Braconid) - Canada (Putnam, A, xxiii, 450): U.S.A. (A, xxi, 192; xxiv, 618; Marshall & Musgrave, xxv, 655).

Ceromasia senilis Mg. (Dipt. Tachinid) - U.S.A. (A, xxi, 192).

Eucoilidea sp. (Hym. Cynipid) - U.S.A. (Marshall & Musgrave, A, xxv, 655).

Eupelmus alynii French (Hym. Eupelmid) - U.S.A. (Marshall & Musgrave, A, xxv, 655).

- Lixophaga variabilis Coq. (Dipt. Tachinid) - U.S.A. (A, xxi, 192; xxiv, 618).
- Macrocentrus sp. (Hym. Braconid) - U.S.A. (A, xxi, 192).
- Macrocentrus delicatus Cress. (Hym. Braconid) - U.S.A. (A, xxiv, 618).
- Macrocentrus pallisteri DeGant (Hym. Braconid) - Canada (Putnam, A, xxiii, 450): U.S.A. (Marshall & Musgrave, A, xxv, 655).
- Microbracon brevicornis Wesm. (Hym. Braconid) - U.S.A. (A, xvi, 458).
- Microbracon caulicola Gahan (Hym. Braconid) - U.S.A. (A, xv, 396; xxi, 192; xxiv, 618; Chu & Hsia, xxv, 508; Marshall & Musgrave, xxv, 655).
- Microbracon latus Prov. (Hym. Braconid) - U.S.A. (A, xxi, 192).
- Muscina stabulans Fall. (Dipt. Muscid) - U.S.A. (A, xxi, 192).
- Pimpla pterophori Ashm. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450): U.S.A. (A, xv, 396; xxi, 192; xxiv, 618; Chu & Hsia, xxv, 508): Philippines (Chu & Hsia, A, xxv, 508).
- Pristomerus ocellatus Cush. (Hym. Ichneumonid) - U.S.A. (Marshall & Musgrave, A, xxv, 655).
- Sarcophaga cimbicis Tns. (Dipt. Sarcophagid) - U.S.A. (A, xxi, 192).

Epiblema penkleriana F.R. - See Epinotia

Epiblema pflugiana Haw. (Olethreutid)

- Actia frontalis Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
- ? Bassus clausathalianus Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Eulimneria xanthostigma Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Glypta resinana Htg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Glypta similis Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Pimpla graminellae Schrank (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Pimpla similis Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epiblema similana Hb. - See Epinotia

Epiblema sordidana Hb. - See Epinotia

Epiblema strenuana Walk. (Olethreutid)

- Apanteles sp. (Hym. Braconid) - U.S.A. (Haden, A, xxiii, 695).
- Apanteles epiblemae Mues. (Hym. Braconid) - U.S.A. (A, xxiii, 512).
- Bassus erythrogaster Vier. (Hym. Braconid) - U.S.A. (A, xxiv, 475).
- Bassus simillimus Cress. (Hym. Braconid) - U.S.A. (A, xxi, 615; Haden, xxiii, 695; xxiv, 618).
- Cremastus sp. (Hym. Ichneumonid) - U.S.A. (Haden, A, xxiii, 695).
- Cremastus epagoges Cush. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450): U.S.A. (Haden, A, xxiii, 695).
- Cremastus gracilipes Cush. (Hym. Ichneumonid) - U.S.A. (Haden, A, xxiii, 695).
- Cremastus minor Cush. (Hym. Ichneumonid) - Canada (A, xxiii, 372; Putnam, xxiii, 450): U.S.A. (A, xix, 204; xxi, 615; xxiii, 169; Haden, 695).

- Ephialtes notandus Cress. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 475).
Euderus cushmani Crw. (Hym. Eulophid) - U.S.A. (Haden, A, xxiii, 695).
Eupelmus cyaniceps Ashm. (Hym. Eupelmid) - U.S.A. (Haden, A, xxiii, 695).
Eupelmus cyaniceps amicus Gir. (Hym. Eupelmid) - U.S.A. (Haden, A, xxiii, 695).
Eurytoma sp. (Hym. Eurytomid) - Canada (Putnam, A, xxiii, 450).
Eurytoma atripes Gahan (Hym. Eurytomid) - U.S.A. (A, xxiv, 475).
Eurytoma tylodermatis Ashm. (Hym. Eurytomid) - U.S.A. (A, xxiv, 475).
Glypta rufiscutellaris Cress. (Hym. Ichneumonid) - Canada (A, xxiii, 372, Putnam, 450): U.S.A. (A, xix, 204; xx, 423; xxi, 452, 615; xxii, 177; xxiii, 169, Haden, 695; xxiv, 475).
Heterospilus languriae Ashm. (Hym. Braconid) - U.S.A. (A, xxiv, 475).
Lixophaga variabilis Coq. (Dipt. Tachinid) - U.S.A. (A, xx, 423; Haden, xxiii, 695; xxiv, 618).
Macrocentrus ancylivorus Rohw. (Hym. Braconid) - Canada (Putnam, A, xxiii, 450): U.S.A. (A, xix, 204; xx, 356; Haden, xxiii, 695).
Macrocentrus delicatus Cress. (Hym. Braconid) - Canada (A, xxiii, 372, Putnam, 450): U.S.A. (A, xix, 204; xx, 423; xxi, 615; xxii, 70; Haden, xxiii, 695; xxiv, 475, 618).
Microbracon sp. (Hym. Braconid) - Canada (Putnam, A, xxiii, 450).
Microbracon caulicola Gahan (Hym. Braconid) - U.S.A. (A, xxi, 615; Haden, xxiii, 696; xxiv, 618).
Microbracon gelechia Ashm. (Hym. Braconid) - U.S.A. (Haden, A, xxiii, 695).
Perilampus fulvicornis Ashm. (Hym. Perilampid) - U.S.A. (A, xxiv, 475).
Phytomyptera leucoptera Johns. (Dipt. Tachinid) - Canada (Putnam, A, xxiii, 450).
Pimpla pterophori Ashm. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450): U.S.A. (A, xxiv, 618).
Pristomerus ocellatus Cush. (Hym. Ichneumonid) - U.S.A. (A, xix, 204; xxiii, 169, Haden, 695).
Proscus walshiae Ashm. (Hym. Ichneumonid) - U.S.A. (Haden, A, xxiii, 695).

Epiblema tedella Cl. - See Epinotia

Epiblema tetraquetra Haw. - See Epinotia

Epiblema trigeminana Steph. (Olethreutid)

Apanteles albipennis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epiblema tripunctana D. & S. (Olethreutid)

- Apanteles xanthostigmus Hal. (Hym. Braconid) - Russia (A, xvi, 547).
Ascogaster quadridentata Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Bassus rufipes Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus ictericus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla instigator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Dos Santos Hall, A, xiii, 596).

Pimpla ruficollis Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epiblema udmanniana L. (Olethreutid)

Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933); Germany (Schutze & Roman, A, xix, 239).

Chelonus rugulosus Lyle (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nemorilla notabilis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epicallima formosella Schiff. (Oecophorid)

Chelonus annulatus Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Epicampoptera sp. (Drepanid) "

Echthromorpha variegata Brulle (Hym. Ichneumonid) - Uganda (A, xvii, 695).

Xanthopimpla sp. (Hym. Ichneumonid) - Uganda (A, xvii, 695).

Epicampoptera andersoni Tams (Drepanid)

Brachymeria bottegi Masi (Hym. Chalcid) - Kenya (A, xxiii, 379).

Hemipimpla pulcher Morl. (Hym. Ichneumonid) - Kenya (A, xxiii, 379).

Sturmia inconspicua Mg. (Dipt. Tachinid) - Kenya (A, xxiii, 379).

Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Kenya (A, xxiii, 379).

Xanthopimpla maculosa Tosq. (Hym. Ichneumonid) - Kenya (A, xxiii, 379).

Epicephala chalybacma Meyr. (Gracilariid)

Microbracon lefroyi D. & G. (Hym. Braconid) - India (A, ix, 71).

Epichnopteryx pulla Esp. (Psychid)

Gelis instabilis Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Macrocentrus abdominalis F. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epichnopteryx radiella Curt. (Psychid)

Macrocentrus abdominalis F. (Hym. Braconid) - Europe, China, Japan, America (Chu & Hsia, A, xxv, 508).

Epicnaptera americana Harr. (Lasiocampid)

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Epicnaptera ilicifolia L. (Lasiocampid)

Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla epicnapterus Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Epicoma tristis Lewin (Lymantriid)

Microgaster tearae Wlkn. (Hym. Braconid) - Australia (Wilkinson, A, xvii, 608).

Epiglaea apiata Grote (Phalaenid)

Cyrtophloebe coquilletti Aldr. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Euplectrus bicolor Swed. (Hym. Eulophid) - U.S.A. (A, xviii, 277).

Rogas sp. (Hym. Braconid) - U.S.A. (A, xviii, 277).

Sagaritis oxylus Cress. (Hym. Ichneumonid) - U.S.A. (A, xvi, 559; xviii, 277).

Sarcophaga rapax Walk. (Dipt. Sarcophagid) - U.S.A. (A, xvi, 559).

Winthemia (?) quadripustulata F. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia rufopicta Big. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Epigynopteryx ansorgei Warr. (Geometrid)

Microgaster lepellyi Wlkn. (Hym. Braconid) - Kenya (A, xxii, 353).

Epinephele jurtina L. (Satyrid)

Apanteles nothus Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles tetricus Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon extensorius L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon raptorius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epineuronia cespitis F. - See TholeraEpineuronia popularis F. - See TholeraEpinotia cruciana L. (Olethreutid)

Ascogaster rufipes Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Lissonota buccator Thnbg. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Epinotia diniana Guen. - See Zeiraphera griseana Hb.Epinotia fasciolana Clem. - See GypsonomaEpinotia immundana F. (Olethreutid)

Eubadizon extensor L. (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microgaster tibialis Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Italy (Goidanich, A, xx, 445; Chu & Hsia, xxv, 508).

Phytomyptera nitidiventris Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx1, pp.133-183, 1933).

Epinotia lantana Busck (Olethreutid)

Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (A, xviii, 257).

Microbracon pembertoni Bridw. (Hym. Braconid) - Hawaii (Bridwell, A, vii, 436).

Perisierola emigrata Rohw. (Hym. Bethyloid) - Hawaii (A, vii, 435).

Epinotia nanana Treit. (Olethreutid)

Bassus sp. (Hym. Braconid) - U.S.A. (A, i, 200).

Clinocentrus sp. (Hym. Braconid) - U.S.A. (A, i, 200).

Phaedroctonus epinotiae Cush. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 389).

Phaeogenes epinotiae Cush. (Hym. Ichneumonid) - U.S.A. (A, xxiv, 389).

Porizon sp. (Hym. Ichneumonid) - U.S.A. (A, i, 200).

Epinotia nigricana H.S. (Olethreutid)

Eubadizon pectoralis Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Lissonota buolianae Htg. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Microbracon stabilis Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Epinotia nisella Cl. (Olethreutid)

Ascogaster rufipes Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Lissonota errabunda Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Macrocentrus marginator Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Epinotia penkleriana F.R. (Olethreutid)

Eubadizon extensor L. (Hym. Braconid) - Europe (Thorpe, A, xix, 29): Italy (A, xi, 515).

Pimpla nucum Ratz. (Hym. Ichneumonid) - Italy (A, xi, 515).

Epinotia piceafoliata Kearf. - See E. nanana Treit.

Epinotia ramella L. (Olethreutid)

Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx1, pp.133-183, 1933).

Epinotia semifusca Steph. (Olethreutid)

Macrocentrus marginator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx1, pp.133-183, 1933).

Meteorus ictericus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx1, pp.133-183, 1933).

Phytodietus segmentator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx1, pp.133-183, 1933).

Triclistus globulipes Desvignes (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx1, pp.133-183, 1933).

Epinotia similana Hb. (Olethreutid)

Pimpla oculatoria F. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Epinotia solandriana L. (Olethreutid)

Ascogaster quadridentata Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eclytus fontinalis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Ichneumon magus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Meteorus ictericus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epinotia sordidana Hb. (Olethreutid)

Agrypon canaliculatum Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Voria curvinervis Zett. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Epinotia subocellana Don. (Olethreutid)

Campoplex fasciatus Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Meloboris crassicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epinotia tedella Cl. (Olethreutid)

Exochus carri Schmied. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Lissonota dubia Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Pimpla maculator F. (Hym. Ichneumonid) - ? (Dos Santos Hall, A, xiii, 596).

Epinotia tetraquetra Haw. (Olethreutid)

Bassus dimidiator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phytodietus albipes Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Phytodietus coryphaeus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Trichomma enecator Rossi (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Epirrhanthis alectoraria Walk. (Geometrid)

Dusona stramineipes Smith (Hym. Ichneumonid) - New Zealand (Gourlay, A, xviii, 653).

Epirrhanthis hemipteraria Guen. (Geometrid)

Trichogramma minutum Riley (Hym. Trichogrammid) - New Zealand (Gourlay, A, xviii, 653).

Epirrhoe galiata Schiff. (Geometrid)

Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles fulvipes Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles nothus Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Cryptopimpla errabunda Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Hypomecus quadriannulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Mesochorus fuscicornis Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Mesochorus pectoralis Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Microplitis medianus Ruthe (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).
Phytodietus segmentator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Epischnia banksiella Richardson (Phycitid)

Angitia cerophaga Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Episema caeruleocephala L. - See Diloba

Epitarsipus rufithorax le Cerf (Aegeriid)

Apanteles seyrigi Wlkn. (Hym. Braconid) - Madagascar (A, xxiv, 408).

Epithectis domestica Haw. - See Gelechia

Epithectis mouffetella Schiff. (Gelechiid)

Angitia exareolata Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Epizeuxis lubricalis Geyer (Phalaenid)

Apanteles pseudoglossae Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Erannis aurantiaria Hb. (Geometrid)

Ophion minutus Kriechb. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Erannis bajoria Schiff. (Geometrid)

Apanteles difficilis Nees (Hym. Braconid) - Greece (Isaakides, A, xxiv, 611).

Conomorium eremita Masi (Hym. Pteromalid) - Greece (Isaakides, A, xxiv, 611).

Phylacter calcarator Wesm. (Hym. Braconid) - Greece (Isaakides, A, xxiv, 611).

Erannis defoliaria Clerck (Geometrid)

Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497); Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Anilastus clausus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

- Apanteles hiberniae Kurdj. (Hym. Braconid) - Russia (Meier, A, xvi, 200).
Apanteles salebrosus Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles solitarius Ratz. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Casinarina moesta Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microcryptus nigrocinctus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phobocampe crassiuscula Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phorocera caesifrons Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Czechoslovakia (Kolubajiv, A, xxiii, 229).
Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Trichogramma evanescens Westw. (Hym. Trichogrammid) - Germany (A, xiii, 587).
Zenillia libatrix Panz. (Dipt. Tachinid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).

Erannis leucophaearia Schiff. (Geometrid)

- Apanteles immunis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus pulchricornis Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Erannis marginaria F. (Geometrid)

- Angitia rufipes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles difficilis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Apanteles immunis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Blepharomyia amplicornis Zett. (Dipt. Tachinid) - England (Wainwright, A, xvi, 480).
Campoplex angustatus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Casinarina ischnogaster Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Casinarina moesta Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus semirufus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phobocampe bicingulata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Erannis tiliaria Harr. (Geometrid)

Apanteles nemoriae Ashm. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Campoplegine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eulasonia spinosa Coq. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Hyposoter flavipes Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phorocera slossonae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phryxe vulgaris Fall. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia sinuata Reinh. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Erastria fasciana L. (Phalaenid)

Meteorus deceptor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Eremobia ochroleuca Schiff. (Phalaenid)

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ereunetis flavistriata Wlsm. (Tineid)

Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).

Idechthis sp. (Hym. Ichneumonid) - Oahu (A, xxii, 546).

Melittobia hawaiiensis Perk. (Hym. Eulophid) - Hawaii (A, xiv, 544).

Melittobiopsis ereunetiphila Timb. (Hym. Eulophid) - Hawaii (A, xiv, 544).

Sierola molokaiensis Ashm. (Hym. Dryinid) - Hawaii (Swezey, A, iii, 681).

Ereunetis minuscula Wlsm. (Tineid)

Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257).

Ereunetis simulans Butl. (Tineid)

Brachymeria obscurata Walk. (Hym. Chalcid) - Hawaii (Swezey, A, iii, 681).

Ergolis ariadne L. (Nymphalid)

Winthemia diversoides Bar. (Dipt. Tachinid) - Java (Baranoff, A, xxii, 555).

Ergolis merione Cram. (Nymphalid)

Trichospilus pupivora Ferr. (Hym. Eulophid) - India (A, xxii, 262).

Erinnyis alope Dru. (Sphingid)

Apanteles sp. (Hym. Braconid) - Cuba, Haiti (Myers, A, xix, 628).

Apanteles flaviventris Cress. (Hym. Braconid) - Cuba (A, viii, 54; xx, 323, Myers, 512): Haiti (Myers, A, xx, 512).

Erinnyis ello L. (Sphingid)

Apanteles sp. (Hym. Braconid) - Cuba, Haiti (Myers, A, xix, 628).

Apanteles flaviventris Cress. (Hym. Braconid) - Cuba (A, viii, 52; Myers, xx, 512): Haiti (Myers, A, xx, 512).

- Microgaster sp. (Hym. Braconid) - Trinidad (A, iii, 367).
Sarcophaga lambens Wd. (Dipt. Sarcophagid) - Panama (Aldrich, A, xvi, 82): ? (A, xiii, 258).
Telenomus sp. (Hym. Scelionid) - Trinidad (A, iii, 367).
Telenomus dilophonotae Cam. (Hym. Scelionid) - Br. Guiana (A, ii, 568).

Eriocrania semipurpurella Steph. (Micropterygid)

- Phanomeris dimidiata Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eriocrania sparmanella Bosq. (Micropterygid)

- Apanteles affinis Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Eriogaster sp. (Lasiocampid)

- Metopius micratorius F. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, lll).

Eriogaster catax L. (Lasiocampid)

- Metopius vespoides Scop. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, lll).
Neopales pavida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Eriogaster lanestris L. (Lasiocampid)

- Actia bicolor Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Baumhaueria goniaeformis Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Chrysolampus tristis Nees (Hym. Perilampid) - Europe (Girault, A, ii, 310).
Compsilura concinnata Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Cymatoneura undulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Enicospilus ramidulus L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ernestia consobrina Mg. (Dipt. Tachinid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Eurylabus dirus Wesm. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Habrocytus sp. (Hym. Pteromalid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Hemiteles marginatus Bridgm. (Hym. Ichneumonid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).
Ichneumon nigritarius Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Russia (Meier, A, xvi, 200).
Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563).
Meteorus versicolor Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Metopius micratorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Metopius vespoides Scop. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, lll).
Neopales pavida Mg. (Dipt. Tachinid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).

Phaeogenes callopus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Rhopalotus sp. (Hym. Eulophid) - Czechoslovakia (Kolubajiv, A, xxiii, 229).

Telenomus wulschlegelii Mayr (Hym. Scelionid) - Europe (Girault, A, ii, 310).

Eriogaster neogena F.d.W. (Lasiocampid)

Metopius rossicus Clem. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Eriogaster rimicola D. & S. (Lasiocampid)

Metopius vespoides Scop. (Hym. Ichneumonid) - Palaearctic (Clement, A, xix, 111).

Erionota thrax L. (Hesperiid)

Apanteles erionotae Wlkn. (Hym. Braconid) - Malaya (A, xvii, 153, Corbett & Miller, 413; Corbett & Miller, xxi, 676).

Brachymeria albotibialis Ashm. (Hym. Chalcid) - Philippines (A, xvi, 78).

Brachymeria euploeeae Westw. (Hym. Chalcid) - Malaya (Corbett & Miller, A, xxi, 676).

Brachymeria marginata Cam. (Hym. Chalcid) - Malaya (Corbett & Miller, A, xvii, 413).

Braconid sp. (Hym.) - Malaya (A, xiii, 450).

Elasmus brevicornis Gahan (Hym. Elasmid) - Dutch E. Indies (A, xi, 151; Leefmans, xviii, 456); Java (A, xviii, 198; Ramakrishna Ayyar, xxii, 380).

Elasmus philippinensis Ashm. (Hym. Elasmid) - Philippines (A, xviii, 198).

Ooencyrtus erionotae Ferr. (Hym. Encyrtid) - Malaya (Ferrière, A, xix, 538; Corbett & Miller, xxi, 676).

Xanthopimpla sp. (Hym. Ichneumonid) - Malaya (Corbett & Miller, A, xvii, 413; Corbett & Miller, xxi, 676).

Eriopus floridensis Guen. - See Calloplistria

Eriopygodes euclidias Meyr. (Phalaenid)

Enicospilus dispilus Perk. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Erynnis sp. (Hesperiid)

Apanteles hesperidivorus Vier. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Erynnis icelus Scud. & Burg. (Hesperiid)

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Sturmia fraudulenta Wulp (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Erynnis juvenalis F. (Hesperiid)

Apanteles flavicornis Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Erynnis lucilius Scud. & Burg. (Hesperiid)

Trichogramma minutum Riley (Hym. Trichogrammid) - ? (Martin, A, xvi, 441).

Estigmene acrea Dru. (Arctiid)

Apanteles rileyanus Ashm. (Hym. Braconid) - Canada (A, vii, 302).

Aplomya affinis Fall. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Carcelia reclinata A. & W. (Dipt. Tachinid) - N. America (A, xii, 214): U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xiv, 257; Schaffner & Griswold, xxii, 688).

Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Meteorus sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Neonortonia major Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Psychophagus omnivorus Walk. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Rogas sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Sisyropa eudryae Tns. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Sturmia ricinorum Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Thelaira nigripes F. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Therion morio F. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Trichogramma minutum Riley (Hym. Trichogrammid) - N. America (A, iv, 116): U.S.A. (A, xxv, 720): U.S.A. (Martin, A, xvi, 441).

Tritneptis hemerocampae Gir. (Hym. Pteromalid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Zenillia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Ethmia bipunctella F. (Ethmiid)

Nemorilla maculosa Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Ethmia colonella Wlsm. (Ethmiid)

Pimpla sanguineipes Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Ethmia funerella F. (Ethmiid)

? Ascogaster rufipes Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxx, pp.133-183, 1933).

Ethmia hilarella Walk. (Ethmiid)

Cadurcia vanderwulpi Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Ethmia pusiella Roem. (Ethmiid)

Erromenus frenator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133 183, 1933).

Etiella schisticolor Zell. - See E. zinckenella Tr.Etiella zinckenella Tr. (Phycitid)

Agrypon stenostigma Thoms. (Hym. Ichneumonid) - Russia (A, xiv, 28; Meier, xvi, 200).

Apanteles etiellae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Campoplex fusciplicus Thoms. (Hym. Ichneumonid) - Russia (A, xiv, 28; Meier, xvi, 200).

Eupelmus urozonus Dalm. (Hym. Eupelmid) - Russia (A, xviii, 97).

Euplectrus bicolor Swed. (Hym. Eulophid) - Russia (A, xviii, 97).

Eurytoma sp. (Hym. Eurytomid) - Porto Rico (A, xviii, 586; xix, 488).

Heterospilus etiellae Rohw. (Hym. Braconid) - Porto Rico (A, xix, 488; xxii, 153): U.S.A. (A, xiii, 277).

Macrocentrus ancylivorus Rohw. (Hym. Braconid) - U.S.A.-Porto Rico (A, xxv, 758).

Microbracon sp. (Hym. Braconid) - U.S.A. (A, xviii, 586).

Microbracon gelechiae Ashm. (Hym. Braconid) - U.S.A. (A, xviii, 586).

Microbracon tychii Mues. (Hym. Braconid) - U.S.A. (A, xviii, 586).

Phanerotoma sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Pimpla aplopappi Ashm. (Hym. Ichneumonid) - U.S.A. (A, xviii, 586).

Pimpla nigriscaposa Thoms. (Hym. Ichneumonid) - Russia (A, xiv, 28; Meier, xvi, 200).

Pimpla strigifrons Thoms. (Hym. Ichneumonid) - Russia (A, xiv, 28).

Pimpla strigipleuris Thoms. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).

Pimpla ventricosa Tschek (Hym. Ichneumonid) - Russia (A, xviii, 97).

Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Russia (A, xviii, 97): Europe, Italy, Rumania, China, Japan, Korea (Chu & Hsia, A, xxv, 508).

Trichogramma minutum Riley (Hym. Trichogrammid) - Porto Rico (A, xxiii, 114).

Trichomma maceratum Cress. (Hym. Ichneumonid) - U.S.A. (A, xviii, 586).

Zatropis tortricidis Crwff (Hym. Pteromalid) - U.S.A. (A, xiv, 358; xviii, 586).

Zenillia libatrix Panz. (Dipt. Tachinid) - Russia (A, xiv, 28).

Eublema sp. (Phalaenid)

Aphrastobracon flavipennis How. (Hym. Braconid) - India (A, xxiii, 192).

Brachymeria tachardiae Cam (Hym. Chalcid) - India (Glover, A, xx, 10).

Elasmus claripennis Cam. (Hym. Elasmid) - India (Glover, A, xx, 10).

Elasmus indicus Rohw. (Hym. Elasmid) - India (A, xvii, 113).

Eupelmus caesar Gir. (Hym. Eupelmid) - Australia (Girault, A, xviii, 567).

Microbracon greeni Ashm. (Hym. Braconid) - India (Glover, A, xx, 10; xxiii, 192).

Sturmia parachrysops Bezzi (Dipt. Tachinid) - India (Records from British Museum).

Eublemma amabilis Moore (Phalaenid)

Aphrastobracon flavipennis Ashm. (Hym. Braconid) - Ceylon (Beeson & Chatterjee, A, xxiv, 197): India (A, xxi, 131; Beeson & Chatterjee, xxiv, 197).

Brachymeria tachardiae Cam. (Hym. Chalcid) - India (A, xvii, 349; xviii, 638; xix, 23, Norris, 650; xx, 162; xxiii, 86, 746).

Elasmus claripennis Cam. (Hym. Elasmid) - India (A, xiv, 138; xviii, 198, 638; xix, 25, Norris, 650; Ramakrishna Ayyar, xxii, 380; xxiii, 86, 167, 746; xxi, 572).

Eupelmus tachardiae How. (Hym. Eupelmid) - India (A, xii, 5; xiv, 138; xxiv, 101).

Microbracon greeni Ashm. (Hym. Braconid) - Ceylon (Beeson & Chatterjee, A, xxiv, 197): India (A, xii, 5; xiv, 138; xviii, 638; xix, 25, Norris, 650; Rev. Agric. Operations, India, 1928-29, xx, 162; xxiii, 153; Beeson & Chatterjee, xxiv, 197, 243; xxv, 521, 635): Malaya (Beeson & Chatterjee, A, xxiv, 197).

Microbracon hebtor Say (Hym. Braconid) - India (A, xxiii, 248; Beeson & Chatterjee, xxiv, 197, 243; xxv, 531, 635).

Microbracon lefroyi D. & G. (Hym. Braconid) - India (A, ix, 71).

Eublemma baccalix Swinh. (Phalaenid)

Microbracon brevicornis Wesm. (Hym. Braconid) - Sudan (A, xix, 391).

Eublemma brachygonia Hmps. (Phalaenid)

Brachymeria sp. (Hym. Chalcid) - Sudan (A, xix, 394).

Eublemma coccidiphaga Hmps. (Phalaenid)

Aphrastobracon flavipennis How. (Hym. Braconid) - India (A, xiv, 138).

Trichogramma sp. (Hym. Trichogrammid) - India (A, xiv, 138).

Eublemma noctualis Hb. (Phalaenid)

Syzeuctus irrisorius Rossi (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Eublemma ochrochroa Hmps. (Phalaenid)

Elasmus sp. (Hym. Elasmid) - S. Nigeria (A, iii, 433).

Eublemma olivacea Walk. (Phalaenid)

Bassus sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Hymenobosmena sp. (Hym. Ichneumonid) - India (Ramakrishna Ayyar, A, xvi, 48).

Eublemma pannonica Frr. (Phalaenid)

Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Chelonus annulipes Wesm. (Hym. Braconid) - Belgium, France, Germany, Hungary, Italy, Yugoslavia, Russia, Switzerland (Chu & Hsia, A, xxv, 508).

Eublemma quadrilineata Moore (Phalaenid)

Microbracon lefroyi D. & G. (Hym. Braconid) - India (A, ix, 71).

Eublemma rosea Hb. (Phalaenid)

Campoplex ensator Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29).

Zenillia temera Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Eublemma scitula Ramb. (Phalaenid)

Aphrastobracon flavipennis Ashm. (Hym. Braconid) - Ceylon (Beeson & Chatterjee, A, xxiv, 197): India (A, xiii, 546; xiv, 138, 460; Rama krishna Ayyar, xvi, 48; xxi, 131; Beeson & Chatterjee, xxiv, 197).
Brachymeria tachardiae Cam. (Hym. Chalcid) - India (Norris, A, xix, 650).

Elasmus claripennis Cam. (Hym. Elasmid) - India (Norris, A, xix, 650).

Microbracon greeni Ashm. (Hym. Braconid) - India (Norris, A, xix, 650).

Microbracon hebeter Say (Hym. Braconid) - India (A, xxiii, 248, 249; Beeson & Chatterjee, xxiv, 197).

Trichogramma sp. (Hym. Trichogrammid) - India (A, xiv, 138).

Eubolia arenacearia Schiff. - See TephринаEucratia castella Wals. (Hyponomeutid)

Pimpla pacifica Cush. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169).

Pimpla quadricingulata Prov. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169).

Eucestia griseata Schiff. (Geometrid)

Paniscus brachycerus Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Euchaetias egle Dru. (Arctiid)

Achaetoneura archippivora Will. (Dipt. Tachinid) - N. America (Webber, A, xix, 112).

Achaetoneura euchaetiae Web. (Dipt. Tachinid) - U.S.A. (Webber, A, xix, 112; Schaffner & Griswold, xxii, 688).

Achaetoneura frenchii Will. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257).

Apanteles euchaetis Ashm. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169; Schaffner & Griswold, xxii, 688).

Bombyliomyia abrupta Wd. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Campoplegine sp. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (A, xiv, 257; Schaffner & Griswold, xxii, 688).

Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eulimneria valida Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Exorista larvarum L. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Hyposoter fugitivus Say (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Hyposoter pilosulus Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Meteorus hyphantriae Riley (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Phorocera claripennis Macq. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257; Schaffner & Griswold, xxii, 688).

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

- Winthemia datanae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia futilis O.S. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).
Zenillia hyphantriae Tns. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eucharia casta Esp. - See Phragmatobia

Eucharia festiva Hufn. (Arctiid)

- Aplomya affinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Carcelia cheloniae Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Carcelia excisa Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Demoticus plebejus Fall. (Dipt. Tachinid) - Czechoslovakia (Vimmer, A, xviii, 88).
Echinodes rufomaculatus Deg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista larvarum L. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Exorista vidua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phenicellia haematodes Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phorocera assimilis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phorocera caesifrons Macq. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Thrycolyga sorbillans Wd. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Voria ruralis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Euchloë cardamines L. - See Anthocaris

Euchloris lactearia L. (Geometrid)

- Apanteles caberae Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus pictilis Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Euchloris smaragdaria F. (Geometrid)

- Ichneumon quadrialbatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Euclea delphinii Bois. (Limacodid)

- Zenillia blanda O.S. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Euclidia - See Gonospileia

Eucosma sp. (Olethreutid)

- Apanteles cacoeciae Riley (Hym. Braconid) - N. America (Muesebeck, A, ix, 169).

Eucosma aemulana Schlag. - See Thiodia

Eucosma aspidiscana Hb. - See Thiodia

Eucosma cana Haw. (Olethreutid)

Glypta vulnerator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eucosma citrana Fern. - See Argyrotaenia

Eucosma corticana Hb. - See Zeiraphera

Eucosma desertana Zell. - See Epiblema

Eucosma foenella L. - See Epiblema

Eucosma fulvana Steph. (Olethreutid)

Campoplex molestus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eucosma grandaevana Zell. - See Epiblema

Eucosma immundana F. - See Epinotia

Eucosma nigromaculana Haw. - See Thiodia

Eucosma obscurana Steph. - See Sphaeroeca

Eucosma ocellana D. & S. - See Sphaeroeca

Eucosma paragramma Meyr. - See Olethreutes

Eucosma penkleriana F.R. - See Epinotia

Eucosma pflugiana Haw. - See Epiblema

Eucosma plebeiana Zell. - See Crociosema

Eucosma ramella L. - See Epinotia

Eucosma rufimitrana H.-S. - See Zeiraphera

Eucosma schistaceana Sn. - See Olethreutes

Eucosma semifuscana Steph. - See Epinotia

Eucosma smithiana Wlsm. - See Strepsicrates

Eucosma solandriana L. - See Epinotia

Eucosma sordidana Hb. - See Epinotia

Eucosma subocellana Don. - See Epinotia

Eucosma tetraquetrana Haw. - See Epinotia

Eucosma trigeminana Steph. - See Epiblema

Eucosma tripunctana F. - See Epiblema

Eucosma vacciniana Zell. (Olethreutid)

Ascogaster bidentula Wesm. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Eucosmia undulata L. - See Calocalpe

Euctenurapteryx maculicaudaria Motsch. (Geometrid)

Pimpla japonica sapporensis Ashm. (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191).

Theronia atalantae Poda (Hym. Ichneumonid) - Japan (Uchida, A, xvii, 191): France, Germany, Greece, Italy, Switzerland, China, Korea, Siberia (Chu & Hsia, A, xxv, 508).

Eudamus proteus L. - See Urbanus

Eudamus tityrus F. - See Proteides clarus Cram.

Eudemis profundana F. (Olethreutid)

Campoplex sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Lycorina triangulifera Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxix, pp.133-183, 1933).

Microgaster parvistriga Thoms. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Eudia pavonia L. - See Saturnia

Eudyaria venata Butl. (Saturniid)

Pimpla tomyris Schrot. (Hym. Ichneumonid) - Argentina (A, xxv, 473).

Eugonia j-album Boisd. & Lec. - See Nymphalis

Eugonobapta nivosaria Guen. (Geometrid)

Actia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Euhypomocoma ekaha Sw. (Cosmopterygid)

Pimpla sanguineipes Cress. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Euhypomocoma trivitella Sw. (Cosmopterygid)

Echthromorpha fuscator F. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Eulia capucina Wlsm. (Tortricid)

Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Eulia citrana Fern. - See Argyrotaenia

Eulia mariana Fern. - See Argyrotaenia

Eulia metallurgica Wlsm. (Tortricid)

Cremastus hymeniae Vier. (Hym. Ichneumonid) - Hawaii (Swezey, A, xviii, 257)
Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Eulia pinatubana Kearf. - See Argyrotaenia

Eulia politana Haw. - See Argyrotaenia

Eulia thoracina Wlsm. (Tortricid)

Eulimneria blackburni Cam. (Hym. Ichneumonid) - Hawaii (Swezey, A, iii, 681).

Eulia velutinana Walk. - See Argyrotaenia

Eulype hastata L. (Geometrid)

Apanteles sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).
Apanteles sericeus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex lapponicus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Pimpla brevicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
 Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eumichtis lichenea Hb. (Phalaenid)

Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Euparthenos nubilis Hb. (Phalaenid)

Tachinid sp. (Dipt.) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Euphydryas aurinia Rott. (Nymphalid)

Apanteles sp. (Hym. Braconid) - England (Haines, Trans. Roy. Ent. Soc. S. England, vii, 13).
Apanteles bignelli Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles tenebrosus Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Apanteles zygaenarum Marsh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Astomaspis nanus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Erycia fatua Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): England (Wainwright, A, xvi, 480).
Meteorus caligatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Euphydryas editha Boisd. (Nymphalid)

Apanteles koebelei Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Euphydryas maturna L. (Nymphalid)

Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Euphydryas phaeton Dru. (Nymphalid)

Amblyteles versabilis Cress. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Apanteles sp. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Apanteles euphydryidis Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Benjaminia euphydryadis Vier. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Euphydryas taylori Edw. (Nymphalid)

Sturmia normula Wulp (Dipt. Tachinid) - Canada (Tothill, A, i, 114).

Euphyia bilineata L. - See HydriomenaEuphyia corylata Thnbg. - See HydriomenaEuphyia cuculata Hufn. - See HydriomenaEuphyia picata Hb. - See HydriomenaEuphyia rubidata Schiff. - See HydriomenaEuphyia silaceata Schiff. - See HydriomenaEupithecia sp. (Geometrid)

Aplomya confinis Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Eupithecia abbreviata Steph. (Geometrid)

Apanteles congestus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp. 133-183, 1933).

Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Euceros crassicornis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Eupithecia absinthiata Clerck (Geometrid)

: Alexeter testaceus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Ascogaster quadridentata Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

Campoplex pugillator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).

- Casinarina morionella Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Eulimneria albida Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Labrorychus clandestinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Mesochorus temporalis Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Mesochorus vittator Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Meteorus caligatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- ? Perithous septemcinctorius Thnbg. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Platylabus pactor Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183).

Eupithecia actaeata Waldendorf (Geometrid)

Erycia aurulenta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Eupithecia albipunctata Haw. (Geometrid)

Labrorychus clandestinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla detrita Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127).

Eupithecia assimiliata Dbl. (Geometrid)

Angitia exareolata Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles lateralis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia castigata Hb. (Geometrid)

Alexeter testaceus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Angitia rufipes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Labrorychus clandestinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Mesochorus semirufus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microplitis tuberculifer Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus gracilipes Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pariscus testaceus Grav. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497).

Rogas circumscriptus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Tyndarichus scaurus Walk. (Hym. Encyrtid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia centaureata Schiff. (Geometrid)

Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Leptocryptus aereus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Mesochorus pectoralis Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia coronata Hb. - See Chloroclystis

Eupithecia denotata Hb. (Geometrid)

Actia bicolor Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Microgaster crassicornis Ruthe (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microgaster tibialis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Italy (Chu & Hsia, A, xxv, 508): ? (Goidanich, A, xx, 445).

Sagaritis incisa Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Sagaritis raptor Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia dodoneata Guen. (Geometrid)

Apanteles vitripennis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Casinarina morionella Hlgr (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia exigua Hb. (Geometrid)

Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles xanthostigmus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Meteorus scutellator Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Meteorus versicolor Wesm. (Hym. Braconid) - Europe (Muesebeck, A, xi, 447): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microgaster tibialis Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).

? Microplitis spectabilis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microplitis tuberculifer Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Phobocampe crassiuscula Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas circumscriptus Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Eupithecia expallidata Dbl. (Geometrid)

Campoplex disclusus Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Casinarina morionella Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Holocremnus incrassator Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus caligatus Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia extensaria Frr. (Geometrid)

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia goossensiata Mab. (Geometrid)

Campoplex mariae D.T. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Mesochorus tachypus Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus striatus Thoms. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Platylabus pactor Wesm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia gratiosata H.-S. (Geometrid)

Phobocampe sp. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Eupithecia helveticaria Bdv. (Geometrid)

Bassus cingulipes Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Holocremnus clandestinus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon fugitivus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Ichneumon tergenus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Labrorychus clandestinus Grav. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Phaeogenes eupitheciae Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia helveticaria arceuthata F. (Geometrid)

Apanteles spurius Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Eupithecia icterata sulfulvata Haw. (Geometrid)

Microplitis mediator Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia indigata Hb. (Geometrid)

Angitia majalis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Angitia tibialis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Campylochaeta inepta Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Frivaldzkia distincta Mg. (Dipt. Tachinid) - ? (A, v, 485).

Eupithecia innotata Hufn. (Geometrid)

Apanteles congestus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Dowden, A, xxi, 563).

Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia insigniata Hb. (Geometrid)

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia isogrammaria H.-S. (Geometrid)

Microgaster stictica Ruthe (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Eupithecia lanceata Hb. (Geometrid)

Gelis gonatopinus Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Eupithecia lariciata Frr. (Geometrid)

Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Labrorychus clandestinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127).

Mesochorus tachypus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Rogas modestus Reinh. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Eupithecia linariata F. (Geometrid)

Angitia armillata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Labrorychus clandestinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

? Mesochorus tachypus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microgaster tibialis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Italy (Chu & Hsia, A, xxv, 508): ? (Goldanich, A, xx, 445).

Pimpla brevicornis Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29).

Pimpla inquisitor Scop. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Rogas circumscriptus Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497).

Schizoloma amictum F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia miserulata Grote (Geometrid)

Apanteles nemoriae Ashm. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Eupithecia nanata Hb. (Geometrid)

Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Campoplex juvenilis Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Meteorus sp. (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia oblongata Thnbg. (Geometrid)

Anilastus ruficinctus Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Apanteles difficilis Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Campoplex victor Thnbg. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Copidosoma chalconotum Dalm. (Hym. Encyrtid) - Germany (Wagner, A, xix, 127).

Mesochorus pectoralis Ratz. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Metopius pectoralis Ratz. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Eupithecia palustraria Dbl. - See E. pygmaeata Hb.

Eupithecia pimpinellata Hb. (Geometrid)

Apanteles carbonarius Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles salebrosus Marsh. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Apanteles spurius Wesm. (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Campoplex mutabilis Hlgr. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Mesochorus confusus Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Mesochorus fulgurans Curt. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Mesochorus testaceus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas modestus Reinh. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas tristis Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sagaritis varians Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Eupithecia pulchellata Steph. (Geometrid)

Angitia exareolata Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles sericeus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex zonellus Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Eulimneria deficiens Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
 ? Phaeogenes eupitheciae Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Platylabus tricingulatus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia pumilata Hb. - See Gymnocelis

Eupithecia pygmaeata Hb. (Geometrid)

Campoplex faunus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex victor Thnbg. (Hym. Ichneumonid) - Germany (Habermehl, A, xi, 365; Wagner, xix, 127).

Eupithecia satyrata Hb. (Geometrid)

Phobocampe crassiuscula Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia sobrinata Hb. (Geometrid)

Apanteles difficilis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles juniperatae Bché. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Apanteles spurius Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Casinarina ischnogaster Thoms. (Hym. Ichneumonid) - Sweden (A, iv, 509).
Chorinaeus subcarinatus Hlgr. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).
Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Meteorus brunripes Hb. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus thomsoni Brauns (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Platylabus iridipennis Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

- Platylabus pactor Wesm. (Hym. Ichneumonid) - Sweden (A, vii, 96).
Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Rogas testaceus Spin. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Germany (Wagner, A, xix, 127, Schutze & Roman, 239): France, Germany, Italy (Chu & Hsia, A, xxv, 508).
Sagaritis raptor Zett. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Sagaritis varians Thoms. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Eupithecia subnotata Hb. (Geometrid)

- Platylabus pedatorius F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia succenturiata L. (Geometrid)

- Apanteles solitarius Ratz. (Hym. Braconid) - Germany (Wagner, A, xix, 127).
Eulimneria geniculata Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Mesochorus brevipetiolatus Ratz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
 ? Microplitis spectabilis Hal. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Microplitis tuberculifer Wesm. (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus virgatus Fourc. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia tenuiata Hb. (Geometrid)

- Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia tripunctaria H.-S. - See E. albipunctata Haw.

Eupithecia trisignaria H.-S. (Geometrid)

- Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Pimpla detrita Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Platylabus iridipennis Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).
Triclistus pallipes Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Triclistus podagricus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia valerianata Hb. (Geometrid)

- Agrypon flaveolatum Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Apanteles sericeus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Labrorychus clandestinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia venosata F. (Geometrid)

Campoplex nitidulator Hlgr. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Campoplex obreptans Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Meteorus luridus Ruthe (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia virgaureata Dbl. (Geometrid)

Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).
Meteorus ictericus Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Eupithecia vulgata Haw. (Geometrid)

Paniscus tarsatus Brischke (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Euplexia conducta Walk. - See Perigaea capensis Guen.

Euplexia lucipara L. (Phalaenid)

Nemoraëa pellucida Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).
Therion circumflexum L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): Poland (Heinrich, A, xviii, 40).

Euproctis sp. (Lymantriid)

Lydellina pyrrhaspis Vill (Dipt. Tachinid) - India (Husain & Mathur, A, xii, 383).

Euproctis bipunctapex Hmps. (Lymantriid)

Erycia bezzii Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).
Neopales aurescens Tns. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).
Sturmia chatterjeeana Bar. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Euproctis chrysorrhoea auct. - See Nygmia phaeorrhoea Don.

Euproctis conspersa Butl. - See E. pseudoconspersa Strand

Euproctis flava Brem. (Lymantriid)

Apanteles conspersae Fiske (Hym. Braconid) - Japan (A, xxii, 376).
Sturmia picta Bar. (Dipt. Tachinid) - Ceylon (Baranoff, A, xxii, 555).

Euproctis flexuosa Veen (Lymantriid)

Neotelenomus abnormis Crwf. (Hym. Scelionid) - Dutch E. Indies (A, xv, 452).

Polynema elisabethae Ferr. (Hym. Mymarid) - Java (Ferrière, A, xix, 538).

Euproctis fraterna Moore (Lymantriid)

Apanteles sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48).

Disophrys sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Enicospilus sp. (Hym. Ichneumonid) - India (Ramakrishna Ayyar, A, ix, 214; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Enicospilus merdarius Grav. (Hym. Ichneumonid) - India (Ramakrishna Ayyar & Margabandu, A, xxiii, 209; Beeson & Chatterjee, xxiv, 197).

Euplectrus ceylonensis How. (Hym. Eulophid) - Ceylon (Ramakrishna Ayyar, A, xiii, 645).

Euproctis lunata Walk. (Lymantriid)

Apanteles sp. (Hym. Braconid) - India (Husain & Mathur, A, xii, 383).

Stenobracon deesae Cam. (Hym. Braconid) - India (A, xvii, 168).

Euproctis pseudoconsersa Strand (Lymantriid)

Apanteles consersae Fiske (Hym. Braconid) - China (Chu, A, xxiv, 105): Japan (A, xxii, 376).

Apanteles lacteicolor Vier. (Hym. Braconid) - Formosa (A, xvi, 482): Japan (Watanabe, A, xxi, 211).

Enicospilus pseudoconsersae Sonan (Hym. Ichneumonid) - Formosa (A, xvi, 482).

Tachina sp. (Dipt. Tachinid) - Formosa (A, xvi, 482).

Telenomus euproctidis Wilc. (Hym. Scelionid) - Japan (A, viii, 509).

Zenillia sp. (Dipt. Tachinid) - Formosa (A, xvi, 482).

Euproctis scintillans Walk. - See PorthesiaEupsilia devia Grote (Phalaenid)

Ernestia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Microgaster scopelosomae Mues. (Hym. Braconid) - U.S.A. (Muesebeck, A, xv, 185; Schaffner & Griswold, xxii, 688).

Wagneria sequax Will. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eupsilia satellitia L. (Phalaenid)

Campoplex difformis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Campoplex multicinctus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xviii, 131).

Eremotylus marginatus Jur. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Meteorus scutellator Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microplitis sordipes Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Microplitis spinolae Nees (Hym. Braconid) - Germany (Schutze & Roman, A, xix, 239).

Eupterote sp. (Eupterotid)

Charops erythrogaster Ashm. (Hym. Ichneumonid) - Ceylon, India (Beeson & Chatterjee, A, xxiv, 197).

Ugimya sericariae Cornalia (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Eupterote undata Blanch. (Eupterotid)

Carcelia kockiana Tns. (Dipt. Tachinid) - India (Beeson & Chatterjee, A, xxiv, 197).

Eurema hecabe L. (Pierid)

Brachymeria euploaeae Westw. (Hym. Chalcid) - Malaya (A, xxiii, 57).

Brachymeria megaspila Cam. (Hym. Chalcid) - Malaya (A, xxiii, 57).

Eurema nicippe Cram. (Pierid)

Apanteles cassianus Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Eurhodope advenella Zinck. - See RhodophaeaEurhodope suavella Zinck. - See RhodophaeaEurois occulta L. (Phalaenid)

Apanteles perspicuus Nees (Hym. Braconid) - Germany (Wagner, A, xix, 127).

Sagaritis latrator Grav. (Hym. Ichneumonid) - Germany (Wagner, A, xix, 127).

Eurrhanthis pennigeraria chrysitaria H.G. - See FidoniaEurrhypara urticata L. (Pyraustid)

Eulimneria xanthostoma Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Lydella nigripes Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252; Dowden, xxi, 563).

Macrocentrus limbator Ratz. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Nemorilla maculosa Mg. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Eurycreon nudalis Hb. - See LoxostegeEurycreon sticticalis L. - See LoxostegeEurycyttarus confederata Grote (Psychid)

Pimpla aequalis Prov. (Hym. Ichneumonid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Eurycyttarus nigraplaga Wilem. (Psychid)

Goryphus longicornis Ishida (Hym. Ichneumonid) - China (Chu, A, xxiv, 105).

Pimpla albicincta Morl. (Hym. Ichneumonid) - China (Chu, A, xxiv, 105).

Eurymene dolabraria L. - See Plagodis

Eurymus - See Colias

Euschausia argentata Pack. - See Halisidota

Euthalia garuda Moore (Nymphalid)

Apanteles sp. (Hym. Braconid) - India (Beeson & Chatterjee, A, xxiv, 197).

Euthisanotia grata F. (Phalaenid)

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Webber & Schaffner, A, xiv, 257).

Sisyropa eudryae Tns. (Dipt. Tachinid) - Canada (Tothill, A, i, 114; Aldrich & Webber, xii, 214): U.S.A. (Aldrich & Webster, A, xii, 214; Schaffner & Griswold, xxii, 688).

Winthemia quadripustulata F. (Dipt. Tachinid) - Canada (Treherne, A, iv, 527).

Euthisanotia unio Hb. (Phalaenid)

Sisyropa eudryae Tns. (Dipt. Tachinid) - U.S.A. (Aldrich & Webber, A, xii, 214).

Eu Vanessa - See Nymphalis

Euxanthis amiantana Hb. (Phalaenid)

Microgaster tibialis Nees (Hym. Braconid) - Italy (Chu & Hsia, A, xxv, 508): ? (Goidanich, A, xx, 445).

Euxanthis angustana Hb. (Phalaenid)

Ascogaster canifrons Wesm. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Chorinaeus funebris Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Euxoa sp. (Phalaenid)

Amblyteles erythrocephala Mey. (Hym. Ichneumonid) - Russia (A, xvi, 296).

Berecynthus bakeri gemma Gir. (Hym. Encyrtid) - N. America (A, iv, 289).

Fileanta rufocauda Cam. (Hym. Ichneumonid) - India (A, xvi, 419).

Litomastix truncatella Dalm. (Hym. Encyrtid) - Russia (A, xvi, 296; xxiv, 359).

Microbracon erucarum Cush. (Hym. Braconid) - U.S.A. (A, ix, 53).

Microplitis eremita Reinh. (Hym. Braconid) - Russia (A, xvi, 296).

Microplitis kowleyi Mues. (Hym. Braconid) - N. America (A, x, 551).

Trichogramma sp. (Hym. Trichogrammid) - India (A, xx, 154).

Euxoa arenacea Kozh. - See Chorizagrotis inexpectata Alph.

Euxoa auxiliaris Grote - See Chorizagrotis

Euxoa conspicua Hb. (Phalaenid)

Apanteles sp. (Hym. Braconid) - Russia (A, xx, 229).

Exoprosopa sp. (Dipt. Bombyliid) - Russia (A, xx, 229).

Gonia sp. (Dipt. Tachinid) - Russia (A, xx, 229).

Euxoa corticea Schiff. - See Agrotis

Euxoa excellens Grote (Phalaenid)Amblyteles nuncius Cress. (Hym. Ichneumonid) - Canada (A, vi, 103).Amblyteles subfuscus Cress. (Hym. Ichneumonid) - Canada (A, vi, 103).Euxoa exclamatonis L. - See AgrotisEuxoa intrita Morr. (Phalaenid)Berecynthus bakeri euxoae Gir. (Hym. Encyrtid) - U.S.A. (Cook, A, xviii, 622).Euxoa islandica Stgr. (Phalaenid)Amblyteles erythrocephala Mey. (Hym. Ichneumonid) - Russia (A, xxiv, 359).Amblyteles infractorius L. (Hym. Ichneumonid) - Russia (A, xxiv, 359).Amblyteles uniguttatus Grav. (Hym. Ichneumonid) - Russia (A, xxiv, 359).Rogas eurinus Kok. (Hym. Braconid) - Russia (A, xxiv, 359).Euxoa laetificans Sm. (Phalaenid)Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (Cook, A, xviii, 622).Euxoa messoria Harr. (Phalaenid)Linnaemyia comta Fall. (Dipt. Tachinid) - N. America (Strickland, A, xii, 50): ? (A, xv, 73).Euxoa nigricans L. (Phalaenid)Amblyteles negatorius F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).Coelichneumon leucocerus Grav. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).Ichneumon coruscator L. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).Meteorus scutellator Nees (Hym. Braconid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).Ophion luteus L. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).Euxoa obesa scytha Alph. - See Agrotis obesa Bdv.Euxoa ochrogaster Guen. (Phalaenid)Amblyteles subfuscus Cress. (Hym. Ichneumonid) - Canada (A, xii, 50).Amblyteles suturalis Say (Hym. Ichneumonid) - Canada (A, x, 139).Apanteles griffini Vier. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).Apanteles laeviceps Ashm. (Hym. Braconid) - Canada (A, xii, 150).Berecynthus bakeri gemma Gir. (Hym. Encyrtid) - Canada (A, xvi, 640).Gonia sp. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).Gonia aldrichi Toth. (Dipt. Tachinid) - Canada (A, xvi, 640).Gonia capitata DeG. (Dipt. Tachinid) - Canada (Tothill, A, i, 114):

N. America (A, xii, 50).

Gonia fuscicollis Toth. (Dipt. Tachinid) - Canada (A, xvi, 640).Meteorus dimidiatus Cress. (Hym. Braconid) - Canada (A, xii, 50).Meteorus vulgaris Cress. (Hym. Braconid) - Canada (A, xvi, 640): U.S.A. (Cook, A, xviii, 622).Microplitis kewleyi Mues. (Hym. Braconid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).Sagaritis atkinsoni Vier. (Hym. Ichneumonid) - Canada (A, xvi, 640).

Euxoa pallipennis Sm. (Phalaenid)Wagneria rohweri Tns. (Dipt. Tachinid) - U.S.A. (Cook, A, xviii, 622).Euxoa perexcellens Grote (Phalaenid)Meteorus vulgaris Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).Euxoa puta Hb. - See Agrotis radius Haw.Euxoa radians Guen. - See AgrotisEuxoa scandens Riley (Phalaenid)Berecynthus bakeri How. (Hym. Encyrtid) - Canada (A, xix, 33).Euxoa segetum Schiff. - See AgrotisEuxoa tristicula Morr. (Phalaenid)Berecynthus bakeri How. (Hym. Encyrtid) - Canada (A, x, 139).Gonia longiforceps Toth. (Dipt. Tachinid) - U.S.A. (Cook, A, xviii, 622).Linnaemyia comta Fall. (Dipt. Tachinid) - N. America (A, xii, 50): U.S.A. (Cook, A, xviii, 622).Meteorus dimidiatus Cress. (Hym. Braconid) - Canada (A, ix, 488; xii, 50).Meteorus vulgaris Cress. (Hym. Braconid) - U.S.A. (Cook, A, xviii, 622).Wagneria rohweri Tns. (Dipt. Tachinid) - U.S.A. (Cook, A, xviii, 622).Euxoa tritici L. (Phalaenid)Amblyteles infractorius L. (Hym. Ichneumonid) - Europe (Fahringer, A, x, 497): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Russia (A, xix, 387).Amblyteles negatorius F. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).Amblyteles panzeri Wesm. (Hym. Ichneumonid) - Russia (Meier, A, xvi, 200).Apanteles sp. (Hym. Braconid) - Russia (A, xix, 387; xx, 229).Apanteles congestus Nees (Hym. Braconid) - Bulgaria (Tchorbadzhiev, A, xiii, 601; Tchorbadzhiev, xv, 230).Ecphoropsis viennensis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).Eudoromyia magnicornis Zett. (Dipt. Tachinid) - Bulgaria (Tchorbadzhiev, A, xiii, 601).Exoprosopa sp. (Dipt. Bombyliid) - Russia (A, xx, 229).Exorista larvarum L. (Dipt. Tachinid) - Russia (B, i, 151).Gonia sp. (Dipt. Tachinid) - Russia (A, xx, 229).Meteorus luridus Ruthe (Hym. Braconid) - Bulgaria (Tchorbadzhiev, A, xiii, 601).Meteorus rubens Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).Ophion obscurus F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933): Bulgaria (Tchorbadzhiev, A, xiii, 601).Rogas dimidiatus Spin. (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxii, pp.133-183, 1933).Spallanzania bucephala Mg. (Dipt. Tachinid) - Russia (B, i, 151).Euzophora sp. (Phycitid)Microbracon sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, xvi, 48).

Euzophera bigella Zell. (Phycitid)

Leskia aurea Fall. (Dipt. Tachinid) - France (Falcoz, Bull. Soc. ent. France, 1930, p.152).

Euzophera perticella Rag. (Phycitid)

Cremastus flavoorbitalis Cam. (Hym. Ichneumonid) - India (A, viii, 99; Beeson & Chatterjee, xxiv, 197): Burma, Ceylon, China, Chosen, Formosa, Hawaii, India, Japan, Philippines, Singapore, America, Canada (Chu & Hsia, A, xxv, 508).

Phanerotoma sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, A, xvi, 48).

Pristomerus euzopherae Vier. (Hym. Braconid) - India (Ramakrishna Ayyar, A, x, 183; Ramakrishna Ayyar, xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Pristomerus testaceus Morl. (Hym. Ichneumonid) - India (A, viii, 99; Ramakrishna Ayyar, ix, 214; Ramakrishna Ayyar, xvi, 48; xix, 684).

Euzophera semifuneralis Walk. (Phycitid)

Idechthis sp. (Hym. Ichneumonid) - U.S.A. (A, iii, 654).

Idechthis nigricoxalis Cush. (Hym. Ichneumonid) - U.S.A. (A, iii, 418).

Mesostenus gracilis Cress. (Hym. Ichneumonid) - U.S.A. (A, iii, 654; Cushman, xvii, 303).

Mesostenus thoracicus Cress. (Hym. Ichneumonid) - U.S.A. (A, iii, 654).

Pimpla sp. (Hym. Ichneumonid) - U.S.A. (A, iii, 654).

Pimpla aequalis Prov. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169): Canada, U.S.A. (Chu & Hsia, A, xxv, 508).

Pimpla tenuicornis Cress. (Hym. Ichneumonid) - U.S.A. (A, iii, 654).

Everes comyntas Godt. (Lycaenid)

Apanteles theclae Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Evergestis extimalis Scop. (Pyraustid)

Apanteles sp. (Hym. Braconid) - Russia (A, ii, 355).

Basus sp. (Hym. Braconid) - Russia (A, ii, 355).

Eulimneria albida Gmel. (Hym. Ichneumonid) - Russia (A, ii, 355; Meier, xviii, 131).

Microbracon sp. (Hym. Braconid) - Russia (A, ii, 355).

Microgaster sp. (Hym. Braconid) - Germany (A, xxii, 162).

Phryxe vulgaris Fall. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252): Russia (A, ii, 355).

Evergestis rimosalis Guen. (Pyraustid)

Apanteles orobenae Forbes (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Meteorus indagator Riley (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447).

Evergestis straminealis Hb. (Pyraustid)

Bracon montrealensis Morr. (Hym. Braconid) - U.S.A. (A, ix, 571).

Meteorus autographae Mues. (Hym. Braconid) - U.S.A. (A, xi, 447).

Evetria - See Rhyacionia, Petrova, BarbaraEvora hemidesma Zell. (Olethreutid)

Pimpla sp. (Hym. Ichneumonid) - U.S.A. (A, xiii, 236).

Exaeretia allisella Staint. (Oecophorid)

Hemiteles castaneus Tasch. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Exapate congelatella Cl. (Tortricid)

Meteorus pleuralis Ruthe (Hym. Braconid) - Russia (A, xx, 88).

Pimpla examinatrix F. (Hym. Ichneumonid) - Russia (A, xx, 88): ? (Jackson, A, xxv, 767).

Exartema cornanum Heinr. (Olethreutid)

Pimpla conquisitor Say (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450).

Exartema inornatum Clem. (Olethreutid)

Glypta simplicipes Cress. (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450).

Macrocentrus nigridorsis Vier. (Hym. Braconid) - Canada (Putnam, A, xxiii, 450).

Exartema mori Mats. (Olethreutid)

Eulimneria exartemae Uch. (Hym. Ichneumonid) - Japan (Uchida, A, xvi, 692).

Glypta cymolomiae Uch. (Hym. Ichneumonid) - Japan (A, xxi, 548).

Exartema morivora Mats. (Olethreutid)

Pristomerus vulnerator Panz. (Hym. Ichneumonid) - Japan (A, xxi, 548): Europe, Italy, Rumania, China, Korea, Japan (Chu & Hsia, A, xxv, 508).

Exartema viburnanum McD. (Olethreutid)

Glypta exartemae Walley (Hym. Ichneumonid) - Canada (Putnam, A, xxiii, 450).

Exelastis atomosa Wlsm. (Pterophorid)

Angitia debilis Morl. (Hym. Ichneumonid) - India (A, viii, 99).

Apanteles sp. (Hym. Braconid) - India (Ramakrishna Ayyar, A, ix, 214; xvi, 48; Ramakrishna Ayyar & Margabandu, xxiii, 209).

Exoteleia dodecella L. (Gelechiid)

Cremastus interruptor Grav. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Pimpla sp. (Hym. Ichneumonid) - Canada (A, xix, 757).

Pimpla calobata punctiventris Thoms. (Hym. Ichneumonid) - Germany (Schutze & Roman, A, xix, 239).

Exoteleia pinifoliella Chamb. (Gelechiid)

Apanteles paralechiae Mues. (Hym. Braconid) - U.S.A. (A, xix, 578; xxi, 226).

Fascista cercerisella Chamb. (Gelechiid)

Microgaster pantographae Mues. (Hym. Braconid) - N. America (A, x, 551).

Feltia sp. (Phalaenid)

Apanteles feltiae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).

Apanteles forbesi Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).
Gonia capitata DeG. (Dipt. Tachinid) - N. America (Strickland, A, xii, 50).

Feltia aeneipennis Grote - See Agrotis

Feltia annexa Treit. - See F. subterranea F.

Feltia corticea Schiff. - See Agrotis

Feltia exclamationis L. - See Agrotis

Feltia gladiaria Morr. - See Agrotis

Feltia herilis Grote (Phalaenid)

Winthemia quadripustulata F. (Dipt. Tachinid) - U.S.A. (Allen, A, xvi, 162).

Feltia malefida Guen. - See Agrotis

Feltia segetum Schiff. - See Agrotis

Feltia subgothica Haw. (Phalaenid)

Meteorus dimidiatus Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).

Meteorus vulgaris Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).

Feltia subterranea F. (Phalaenid)

Enicospilus purgatus Say (Hym. Ichneumonid) - U.S.A. (A, vii, 78).

Linnaemyia conta Fall. (Dipt. Tachinid) - U.S.A. (A, vii, 78): ? (A, xv, 73).

Meteorus laphygmae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, xi, 447; Vickery, xiii, 622).

Meteorus vulgaris Cress. (Hym. Braconid) - N. America (Muesebeck, A, xi, 447).

Microplitis feltiae Mues. (Hym. Braconid) - N. America (A, x, 551; Vickery, xiii, 622).

Sarcophaga rapax Walk. (Dipt. Sarcophagid) - U.S.A. (A, vii, 78).

Feltia ypsilon Rott. - See Agrotis

Fentonia marthesia Gram. (Notodontid)

Compsilura concinnata Mg. (Dipt. Tachinid) - U.S.A. (Schaffner & Griswold, A, xxii, 688).

Pimpla aequalis Prov. (Hym. Ichneumonid) - N. America (Cushman, A, ix, 169): Canada, U.S.A. (Chu & Hsia, A, xxv, 508).

Fidonia pennigeraria chrysitaria H.G. (Geometrid)

Carcelia setigena Rond. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Phorocera parva Big. (Dipt. Tachinid) - Europe (Baer, A, ix, 61, 252).

Fidonia piniaria L. - See Bupalus

Filatima persicaeella Murt. (Gelechiid)Achaetoneura parancilla Tns. (Dipt. Tachinid) - U.S.A. (A, vi, 464).Angitia discoocellellae Vier. (Hym. Ichneumonid) - U.S.A. (A, vi, 464).Apanteles aristoteliae Vier. (Hym. Braconid) - U.S.A. (Muesebeck, A, ix, 169).Apanteles gelechiae Vier. (Hym. Braconid) - U.S.A. (A, vi, 464).Ascogaster quadridentata Wesm. (Hym. Braconid) - U.S.A. (A, vi, 464; xx, 466).Cremastus sp. (Hym. Ichneumonid) - U.S.A. (A, vi, 464).Cremastus forbesi Weed (Hym. Ichneumonid) - U.S.A. (A, vi, 464).Epirhyssalus atriceps Ashm. (Hym. Ichneumonid) - U.S.A. (A, vi, 464).Nemorilla floralis Fall. (Dipt. Tachinid) - U.S.A. (A, vi, 464).Pimpla indagatrix Cress. (Hym. Ichneumonid) - U.S.A. (A, vi, 464).Villa lateralis Say (Dipt. Bombyliid) - U.S.A. (A, vi, 464).Filodes costiventralis Guen. - See F. productalis Hmps.Filodes productalis Hmps. (Pyraustid)Microgaster vacillatrix Wlkn. (Hym. Braconid) - Uganda (A, xix, 377).Fumea casta Pall. (Psychid)Angitia armillata Grav. (Hym. Ichneumonid) - Germany (Habermehl, A, xi, 365).Angitia chrysosticta Gmel. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Angitia lateralis Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Angitia nana Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Campoplex ensator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Campoplex fasciatus Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Cremastus bellicosus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Gelis corruptor Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Gelis geocharis Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Gelis indagator Först. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Hemiteles areator Panz. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Hemiteles bicolorinus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ?

(Thorpe, A, xix, 29).

Hemiteles imbecillus Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Hemiteles tristator Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Leptocryptus tenuipes Grav. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).Lissonota nigridens Thoms. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

- Lissonota obsoleta Bridgm. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Microplitis tristis Nees (Hym. Braconid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Phaeogenes sp. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Pimpla examiner F. (Hym. Ichneumonid) - Europe (Thorpe, A, xix, 29): Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): ? (Meyer, A, xiii, 479; Jackson, xxv, 767).
- Pimpla maculator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933): France (Riel, Bull. Soc. linn. Lyon, ix, 1930, no.14, pp.98-100): ? (Dos Santos Hall, A, xiii, 596).
- ? Polysphincta percontatoria Müll. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).
- Spilocryptus abbreviator F. (Hym. Ichneumonid) - Britain (Morley & Rait Smith, Trans. Roy. Ent. Soc. London, lxxxi, pp.133-183, 1933).

Fumea comitella Brd. - See Bruandia comitella Brd.

Fumea intermediella Brd. - See F. casta Pall.

Fundella cistipennis Dyar (Phycitid)

- Eiphosoma annulata Cress. (Hym. Ichneumonid) - Cuba (Myers, A, xix, 538).
- Macrocentrus ancylivorus Rohw. (Hym. Braconid) - U.S.A.-Porto Rico (A, xxv, 758).
- Perisierola (?) cellularis Say (Hym. Bethyrid) - Porto Rico (A, xxii, 153).



